



Trademark

**RESTRICTED USE PESTICIDE**

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OF PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION



**DANGER—POISON— PRECAUTIONS**

**CAN KILL YOU IF SWALLOWED**

This product can kill you if swallowed even in small amounts. spray mist or dust may be fatal if swallowed



**CAN KILL YOU BY SKIN CONTACT**

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



**CAN KILL YOU IF BREATHED**

This product can kill you if vapors spray mist or dust are breathed

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep a lot of dry body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

**PROTECT BEES**

This product is highly toxic to bees exposed to direct contact or residues on crops. Protective information may be obtained for your cooperative Agricultural Extension Service.

**DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME**

**NOT FOR HOME USE**

**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U.S. Bureau of Mines for EPN and methyl parathion protection.
- (4) Wear heavy duty, natural rubber gloves.

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to EPN and methyl parathion and describe his condition. After first aid is given (see First Aid Treatment Section) call a doctor. If a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and fully repaired according to instructions included with respirator.

**POISON SIGNS—Symptoms**


EPN and methyl parathion are very dangerous poisons. They readily enter the body on contact with skin, eyes, nose and ears. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment at the hospital.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, watery eyes, sweating, tingling of extremities and numbness of hands and feet, muscle spasms and coma.

**EPN-Methyl Parathion 3-3 EC**

Contains 3 lbs. EPN and 3 lbs. Methyl Parathion per gallon

ACTIVE INGREDIENTS:	By Weight
O-Ethyl O-(p-nitrophenyl) phenyl phosphonothioate*	31.2%
O,O-dimethyl O-p-nitrophenylthiophosphate**	31.2%
Xylene Range Aromatic Petroleum Derivative Solvent	25.3%
INERT INGREDIENTS	12.3%
<b>TOTAL</b>	<b>100.0%</b>



- \*EPN
- \*\*Methyl Parathion

EPA Reg. No. 3442-69

EPA Est. 3442-MS-1

**STOP—READ LABEL BEFORE USING!**

**POISON**  
See Side Panels  
for Antidote &  
Precautions



**DANGER**  
Keep Out of  
Reach of  
Children

Net Contents

Gal.



**Agri-Chemicals**

Division of United States Steel Corporation  
P. O. Box 1685 Atlanta, Georgia

### + FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to EPN and methyl parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

### NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses TWO TO FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 P.A. chloride is also antidote and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. EPN and methyl parathion are strong cholinesterase inhibitors affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

For additional information on treatment of patients suffering from EPN and methyl parathion poisoning, refer to booklet entitled "Clinical Memoranda on Economic Poisons," a publication of the U. S. Department of Health, Education and Welfare, Public Health Service, Communicable Disease Center, Atlanta, Georgia. This booklet is also available through the U. S. Government Printing Office, Washington, D. C.

### POST TREATED AREA

Contact your State Agricultural Extension Service or Experiment Station regarding post-treatment areas.

NOTICE: U.S.S. Agr. Chem. is not accepting responsibility for injury to persons or animals or for loss or damage to crops or other property resulting from the use of this mixture for use or to observe warnings printed on this label.

### DIRECTIONS

**WARNING:** Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Workers entering treated fields within 24 hours after application should wear protective clothing. Do not contaminate food or feed products.

**DISPOSAL:** Rinse equipment and containers and dispose of waste and spillage by burying in non-crop land away from water supplies. Containers should be disposed of by punching holes in them and burying with waste.

**GROUND APPLICATION:** Use amount of product indicated in sufficient water for adequate coverage.

**AIR APPLICATION:** Do not use less than 3 gallons of dilute solution per acre.

**COTTON:** Aphids and Fleahoppers—1 gallon per 12 acres. Bollworms, Boll Weevils, Cotton Leafworms, Spider Mites and Thrips—1 gallon per 6 acres. Begin applications when insect infestation warrants and repeat at 4 to 5 day intervals as necessary. Do not apply within 7 days of hand-picking or harvest.



METHYL PARATHION MIXTURE, LIQUID