

| | | | |
|--------|-----------------------------------|--------------|--------------------|
| 1.1700 | USS Concentrated Ronstar for Turf | Pocket Label | NUMBER: 99021PL |
| | | | PAGE: 1 of 4 |
| | | | DATE: Rev. 3/11/85 |

Copy of Top of Pocket Label

USS Concentrated Ronstar^R for Turf

Net Wt. 40 Lbs.

FOR SALE TO, USE AND STORAGE BY COMMERCIAL TURF AND LANDSCAPE PERSONNEL ONLY. Not for use on home lawns.

ACCEPTED
MAR 28 1985
Under the Federal Insecticide, Fungicide, and Plant Growth Regulator Act
EPA Reg. No. 3442-708

Copy for Left Column

| | | |
|--------------------|--|-----------|
| ACTIVE INGREDIENT: | Oxadiazon(2-tert-butyl-6-methyl-2,4-dinitro-5-isopropoxyphenyl)-1,3,4-oxadiazole | By Weight |
| | | 10.00% |
| INERT INGREDIENTS: | | 90.00% |
| TOTAL: | | 100.00% |

Ronstar is a registered trademark of Rhone-Poulenc Chemical Company

EPA Reg. No. 3442-

EPA Est. No. 3442-IL-1, 3442-TX-2, 3442-NC-2, 3442-FL-2, 3442-TX-1

GUARANTEED ANALYSIS

Total Nitrogen (N)..... 34.00%
34% Urea Nitrogen
Source of Plant Nutrient: Urea

KEEP OUT OF REACH OF CHILDREN

WARNING

(See Precautionary Statements in Right Column)

Note: Regarding above copy, minimum type size is:
18 Pt. for WARNING
12 Pt. for KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

If on Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If in Eyes: Flush with plenty of water. Get medical attention if irritation persists.



| | | |
|-------|-----------------------------------|--|
| 11111 | USS Concentrated Ronstar for Turf | NUMBER: 99021PL PAGE: 2 of 4 DATE: Rev.3/11/85 |
|-------|-----------------------------------|--|

Copy for Left Column (Continued)

USS Agri-Chemicals
 Division of United States Steel
 P.O. Box 1685 - Atlanta, GA 30301
 USS is a Registered Trademark

BEST AVAILABLE COPY

4T

STORE IN A DRY PLACE

Copy for Right Column

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes eye and skin irritation. Avoid contact with skin, eyes, and clothing. Avoid contamination of feed and foodstuffs. Keep opened containers away from children and animals. Wash clothing and equipment after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water.

STORAGE AND DISPOSAL

(Note: Heading must be minimum 12 Pt. type size.)


STORAGE: Do not contaminate water, food, or feed by storage or disposal or cleaning of equipment. Do not store near other pesticides or seeds. Opening dumping is prohibited.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.





| | | |
|----------|-----------------------------------|---|
| 11/11/85 | USS Concentrated Ronstar for Turf | NUMBER: 99021PL PAGE: 3 of 4 DATE: Rev. 3/11/85 |
|----------|-----------------------------------|---|

BEST AVAILABLE

Copy for Right Column (Continued)

READ THE FOLLOWING CAREFULLY BEFORE APPLICATION

Use this product only for recommended purposes and at recommended dosages. For protection during application, wear longsleeved shirt, trousers, and impervious gloves.

Ronstar is a selective preemergent herbicide for the control of annual grasses and broadleaf weeds in turf.

For use in established perennial Bluegrass; Bermuda grass, Perennial Ryegrass and St. Augustine grass turf (such as fairways, parks, golf courses and lawns). This product controls the following: Crabgrass, Annual Bluegrass, Goosegrass, Florida Pusley, Oxalis, Stinging Nettle, Carpetgrass and Pigweed.

Rake turf area free of leaves, mowing if necessary so that the herbicide reaches the soil surface. Measure area to be treated and uniformly apply the required amount.

AMOUNT TO USE:

Crabgrass and Goosegrass Control: For preemergent control, apply 20 to 40 pounds per acre (2 to 4 pounds active ingredient) of USS Concentrated Ronstar for Turf in early spring prior to seed germination. Application made after March or April may not be fully effective.

Annual Bluegrass Control: For preemergent control, apply 40 pounds per acre (4 pounds active ingredient) in late summer to early fall or in early spring prior to seed germination.

Pigweed, Florida Pusley, Oxalis, Stinging Nettle and Carpetgrass Control: For preemergent control of these weeds, apply 40 pounds per acre (4 pounds active ingredient) in early spring prior to seed germination.

For St. Augustinegrass turf, do not exceed the rate of 30 pounds per acre (3 pounds active ingredient).

USS Concentrated Ronstar for Turf may cause discoloration of Bermudagrass and St. Augustinegrass. This discoloration is temporary and normally will be outgrown within 2 to 3 weeks.

Red fescue and Bentgrass are not tolerant to Ronstar. The use of this product on turf containing these should be limited to situations where they are undesirable grasses. Avoid contact with flowers and shrubs. Do not apply this product to newly seeded areas. Seeding into treated areas should be delayed until 4 months after treatment. Do not apply to Dichondra, Zoysia or Centipedegrass. This product should not be used on putting greens or tees because of the varying cultural practices used.

| | | | |
|--------|-----------------------------------|--------------|---|
| 111000 | USS Concentrated Ronstar for Turf | Pocket Label | NUMBER: 99021PL PAGE: 4 of 4 DATE: Rev. 3/11/85 |
|--------|-----------------------------------|--------------|---|

Copy for Right Column (Continued) ✓

Application Equipment: USS Concentrated Ronstar for Turf is to be mixed with water and applied as a spray. Mix with 50 to 150 gallons of water per acre (broadcast basis) using any properly calibrated spray unit.

NOTICE: USS Agri-Chemicals can accept no responsibility for injury to persons or for loss or damage to turf, soil or other property resulting from failure to follow directions for use or to observe cautions printed on this package.

Below for Internal Use Only

| | | | | |
|-------------|-----------|-------|---------------------|----------------|
| APPROVALS - | MARKETING | DATE | REGULATORY SRVS. | DATE |
| BY | _____ | _____ | <i>CO Henderson</i> | <i>3-11-85</i> |

