PRINT SPECIFICATIONS

SURFEE

Vertagreen Fertilizer w/Ronstar

MANGER: 130
PAGE: ( 1 of 4

PAGE: DATE:  $\frac{1}{8/31/83}$ 

Copy for Face

 $v_s s$ 

Vertagreen

Fertilizer with Ronscar R

3442 110

ACTIVE INGREDIENT:

\*Oxadiazon [2-tert=buty1-4-(2,4 dichloro-5-isopro-poxyphenyl)-delta-1,3,4-oxadiazolin-5-one]

INERT INGREDIENTS: TOTAL:

1.00% 99.00%

\*Ronstar R - the registered trademark of Rhone-Poulenc, Inc.

KEEP OUT OF REACH OF CHILDREN

WARNING

For additional precautionary statements see reverse side.

See reverse side for weeds controlled and tolerant grasses.

Net. Wt. 50 lbs.

Vertagreen Fertilizer with Ronstar R

on above copy, tinimum type size is:

18 Pt. for WARNING

12 Pt. for KEEP OUT OF REACH OF CHILDREN

Copy for Gussets

USS Vertagreen Fertilizer with Ronstar

Copy for back

 $U_{S}S$ 

Vertagreen

Fertilizer with Ronstar R

(Statement of Fertilizer Analysis by Element)

PRINT SPECIFICATIONS

Vertagreen Fertilizer w/Ronstar

Copy for Back (Continued)

# BEST DOCUMENT AVAILABLE

## READ THE FOLLOWING CAREFULLY BEFORE APPLICATION

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if inhaled. Wear protective clothing including long sleeve shirt and gloves when handling. Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. In case of contact, flush eyes with water for 15 minutes and get medical attention. In case of contact with skin, wash thoroughly with soap and water. Do not contaminate feed or foodstuffs. Keep opened containers away from children and animals. Do not feed forage from treated areas to livestock.

#### ENVIRONMENTAL HAZARDS

This product is texic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water. Avoid contamination of water intended for irrigation or domestic use. Apply this product only as specified on the label.

## STORAGE AND DISPOSAL

Storage: Store in a dry place. Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Do not store near other pesticides or seeds. Open cumping is prohibited.

## Pesticide Disposal:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous Waste representative at the nearest EPA Regional Office for guidance.

## Container Disposal:

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PRINT SPECIFICATIONS

JRJECT

Vertagreen Fertilizer w/Renetal

MINNER: 13C PAGE: 3 of 4 DATE: 8/31/83,

Copy for Back (Continued)

DIRECTIONS FOR USL

For sale to, use and storage by professional turf maintenance personnel only.

Use this product only for recommended purposes and at recommended dosages.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product contains a quality fertilizer and a selective preemergence herbicide which controls crabgrass, annual bluegrass (Poa annua), goosegrass, Florida pusley, oxalis, stinging nettle, carpetgrass and pigweed by killing plant seeds as they germinate. It does not control established weeds.

Use only on established turfs which are tolerent to the herbicide. Do not use on Bentgrass, Red Fescue, Dichondra, Centipedegrass, Zoysiagrass or St. Augustine grass.

Not for use on home lawns.

Do not apply to putting greens or on tees.

FOR USE ON GRNAMENTAL TURF: Use on established perennial Eluegrass, Ryegrass and turf such as fairways and lawns.

Rake turt area free of leaves, so fortilizer granules reach the soil surface. Measure area and apply the required amount, using a fertilizer spreader, avoiding the type of spreader which applies product in a narrow concentrated band. Apply product evenly over the turf without skips or misses. A more uniform application can be made by applying half the required amount over the area to be treated and then applying the remaining amount at right angles to the first application.

Po not apply to wet turi.

BEST DOCUMENT AVAILABLE

PRINT SPECIFICATIONS

SURUECT

Vertagreen Fertilizer w/Renstar

MUNCER: PAGE: DATE: 130 4 of 4 8/31,83

Copy for Back (Continued)

AMOURT TO USE:

Crabgrass and Goosegrass control: For preemergence control, apply 200 to 400 lbs. per acre, or 4-1/2 to 9 lbs. per 1000 sq. it. (2 to 4 lbs. active ingredient per acre). Product should be applied prior to the end of April.

Annual Bluegrass (Poa annua) control: For bluegrass preemergence control: For preemergence control of these weeds, apply 355 to 400 lbs. per acre or 8 to 9 lbs. per 1000 sq. ft. (3.55 to 4 lbs. active ingredient per acre) in early spring prior to weed seed germination.

Pigweed, Florida Pusley, Oxalis, Stinging Netrle and Carpetgrass control: For preemergence control of these weeds, apply 355 to 400 lbs. per acre or 8 to 9 lbs. per 1000 sq. ft. (3.55 to 4 lbs. active ingredient per acre) in early spring prior to weed seed germination.

Do not apply to newly seeded areas. Seeding should be delayed for four months after application.

NOTICE: USS Agri-Chemicals can accept no responsibility for injury to persons or animals or for loss or damage to turf, or other property resulting from failure to follow directions for use or to observe cautions on label.

U<sub>S</sub>S Agri-Chemicals Division of United States Steel P. O. Box 1685, Atlanta, Georgia 30301 USS and Pertagreen are registered trademarks of United States Steel Corp.

EPA Reg. No 3442 - //.

A B C D EPA Est. No. 3442-LL-1 3442-TX-1 & 2 3442-NC-2 3442-FL-2 Superscript used is the first letter of lot number at the top of the bag.

STORE IN A DRY PLACE