

1095  
LaRoche INDUSTRIES INC.

PM 25  
3442-717  
CONTAINER PRINT SPECIFICATIONS

Subject	VERTAGREEN WEED AND FEED 20-3-5	Account: VG70202
		Page 1 of 5
		Date: 10/28/86

Copy for Face

**ACCEPTED**

NOV 13 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3442-717

Treats 4,000 Sq. Ft.  
WEED & FEED  
20-3-5

VERTAGREEN  
(PICTORIAL)

WEED & FEED

For St. Augustine and Centipede Grass

ACTIVE INGREDIENT:	By Weight
*Atrazine.....	0.92%
INERT INGREDIENTS.....	99.08%
TOTAL:.....	100.00%
*Equivalent to 0.87% (2-Chloro-4-ethylamino-6-isopropylaminos-triazine) and 0.05% related compounds. Equivalent to 18.4 pounds Atrazine per ton.	

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed, Avoid contamination of feed and foodstuffs. Avoid inhalation of dust. Avoid contact with eyes. Avoid prolonged contact with skin. Harmful if absorbed through skin. If on skin wash with soap and water. Get medical attention if irritation persists.

Controls Florida Pusley, Lippia, Pigweed and certain other Broadleaf weeds. Prevents Crabgrass, Paspalums, Sedge and Spotted Spurge.

Net Wt: 20 LBS.

NOTE: Regarding above copy, minimum type size is:  
18 Pt. for CAUTION  
12 Pt. for KEEP OUT OF REACH OF CHILDREN

**BEST AVAILABLE COPY**

EPA Reg. No. 3442-TRT

A                      B                      C                      D

EPA Est. No. 3442-IL-1, 3442-TX-1&2, 3442-NC-2, 3442-FL-2  
Superscript used is the first letter of lot number at the top of the bag.

Subject	.VERTAGREEN WEED AND FEED 20-3-5 .	Account:	VG70202
		Page	2 of 5
		Date:	10/28/86

Copy for Face (Continued)

Treats 4,000 Sq. Ft.  
WEED & FEED  
20-3-5

Copy for Gussets

Vertagreen WEED & FEED

Copy for Back

Treats 4,000 Sq. Ft.  
WEED & FEED  
20-3-5

Net. Wt. 20 Lbs.

Vertagreen  
Weed & Feed  
20-3-5

GUARANTEED ANALYSIS

Total Nitrogen (N).....	20.00%
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> ).....	3.00%
Soluble Potash (K <sub>2</sub> O).....	5.00%

**BEST AVAILABLE COPY**

Subject	VERTAGREEN WEED AND FEED 20-3-5	Account: VG70202
		Page 3 of 5
		Date: 10/28/86

Copy for Back (Continued)

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

##### CAUTION

Harmful if swallowed, Avoid contamination of feed and foodstuffs. Avoid inhalation of dust. Avoid contact with eyes. Avoid prolonged contact with skin. Harmful if absorbed through skin. If on skin wash with soap and water. Get medical attention if irritation persists.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

Atrazine can travel (seep or leach) through soil and can enter groundwater which may be used as drinking water. Atrazine has been found in groundwater. Users are advised not to apply atrazine to sand and loamy sand soils where the water table (groundwater) is close to the surface and where these soils are very permeable, i.e., well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Vertagreen Weed and Feed rejuvenates starved and weedy lawns by:

1. Providing balanced fertilizer that makes lawns green;
2. Controlling unsightly broadleaf weeds such as Chickweed, Creeping Charlie, Dandelion, Evening Primrose, Florida Betony, Florida Pusley, Lippia, Oxalis, Penny wort, Pigweed, Plantain, Rabbit Tobacco and Toadflax;
3. Preventing Crabgrass, Paspalums, Sedge and Spotted Spurge from becoming established in lawns.

#### WHEN TO APPLY:

1. To control the broadleaf weeds listed above, apply any time weeds are present and actively growing (usually early spring is best). Repeat in two months if needed to control established broadleaf weeds. Kill-time is dependent upon the stage of growth. Mature weeds may take as long as 4 to 5 weeks to completely die.

**BEST AVAILABLE COPY**

Subject	VERTAGREEN WEED AND FEED 20-3-5	Account: VG70202
		Page 4 of 5
		Date: 10/28/86

Copy for Lower 2/3 of Back (Continued)

2. To prevent the growth of Crabgrass, Paspalums, Sedge and Spotted Spurge, apply in January, February or March before these weeds germinate. This product will not control these weeds if they are present in the lawn at the time of application. In newly sprigged lawns, apply soon after planting to reduce competition from weeds. To avoid drift, apply when air is calm.

**HOW TO APPLY:**

The content of this bag will cover an area of 4,000 square feet (100' X 40') when applied according to directions. If soil is dry, water thoroughly the day before treatment. Treat entire lawn evenly. Do not exceed recommended rate. Immediately after application, water to wash pellets off of the grass blades. Vertagreen Weed and Feed is for use on St. Augustine and Centipede lawns only. Do not use on Bluegrass, Fescue, Bentgrass, Bahia, Rye, Bermuda or Dichondra lawns.

On newly seeded Centipede, wait until the new grass has been mowed at least once before applying. Delay sprig planting one month after application. Avoid application to the root zone of trees and shrubs. This root zone extends from the trunk out to a point under the branch tips. Avoid application on garden plants, flowers, and shrubs.

**SPREADER SETTINGS**

<u>MAKE</u>	<u>SETTING</u>
Ortho Model 4000	11
Ortho Model 3000	5-1/2

Cover lawn in one direction. Do not use criss-cross pattern. When making turns, shut off spreader to avoid over-application.

**STORAGE & DISPOSAL**

(Note: Heading must be minimum 12 Pt. type size)

Do not contaminate water, food or feed by storage or disposal.

STORAGE Store product in original container in a cool, dry, locked place out of reach of children.

DISPOSAL Do not reuse empty container. Wrap container and put in trash.

**BEST AVAILABLE COPY**

595

**LaRoche INDUSTRIES INC.**

CONTAINER PRINT SPECIFICATIONS

Subject	VERTAGREEN WEED AND FEED 20-3-5	Account:	VG70202
		Page	5 of 5
		Date:	10/28/86

**NOTICE:** LaRoche Industries Inc. can accept no responsibility for injury to persons or animals or for loss or damage to crops, soil or other property resulting from failure to follow directions for use or to observe cautions printed on this package.

Manufactured and Registered by  
LaRoche Industries Inc.  
1100 Johnson Ferry Road NE - Atlanta, GA 30342  
Vertagreen is a Registered Trademark

VTG  
UPC Code  
25704-70202  
Proof of Purchase

**BEST AVAILABLE COPY**

Below for Internal Use Only

APPROVALS	MARKETING	DATE	REGULATORY SRVS.	DATE
BY			<i>CD Munder</i>	<i>10-28-86</i>