


10F4
Pm 21
3442-729

LaRoche Industries Inc.

CONTAINER PRINT SPECIFICATIONS

Subject	Vertagreen Bordeaux Mixture	Account: VG50103
		Page 1 of 4
		Date: Rev. 11/14/86 SPC002

Vertagreen
BORDEAUX
MIXTURE



ACTIVE INGREDIENT:	By Weight
Copper, expressed as metallic (in the form of Bordeaux Mixture).....	12.50% ✓
INERT INGREDIENTS:.....	87.50%
TOTAL:.....	100.00%

EPA Reg. No. 3442-729
D
EPA Est. No. 3442-FL-2

KEEP OUT OF REACH OF CHILDREN
DANGER ✓

*Chip ... Sigma Control
basalton, it is reeking
VBT subject - 3395*

See Side Panel for Additional Precautionary Statements

Note: Regarding above copy, minimum type size is:
18 Pt. for DANGER
12 Pt. for KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 14 OUNCES


✓ DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apple and Pear: Delayed Dormant to control Scab, use 4 tablespoonfuls to 1 gallon or 4 pounds Bordeaux to 50 gallons oil spray.

Pre-Blossom Spray. One or two sprays to control Scab. Use 4 tablespoonfuls to one gallon or 4 pounds to 50 gallons of water.

Late Summer Sprays to control Scab, Blotch, Bitter Rot, Frog Eye, use 4 pounds Bordeaux Mixture to 50 gallons of water or with Summer Oil. It may be advisable to add 4 pounds of Hydrated Lime.



DEC 2 1986

Subject	Vertagreen Bordeaux Mixture	Account: VG50103 Page 2 of 4 Date: Rev.11/14/86
---------	-----------------------------	---

Peaches and Plums: A Dormant Spray to control Leaf Curl, San Jose Scale, Red Mite, use 3 tablespoonfuls to 1 gallon or 3 pounds to 50 gallons oil spray.

Melons: To control Anthracnose, Scab, Leaf Spot, use 3 tablespoonfuls to 1 gallon or 3 lbs. to 50 gal. of water. Spray as soon as plants appear and repeat at 5 day intervals during vining.

Grapes: To control Downy Mildew, Black Rot, use 3 to 4 tablespoonfuls of Bordeaux Mixture to 1 gallon or 4 lbs. to 50 gal. water. Spray when shoots are 8 to 10 inches long, before blossom buds open, again after blossoms fall and again 10 to 14 days later.

Cherries: To control Leaf Spot, use 3 tablespoonfuls of Bordeaux Mixture to 1 gallon of water or 3 lbs. to 50 gal. water. On Sweet Cherries it is advisable to add 4 lbs. Hydrated Lime. Spray as soon as the petals fall and again one week later, plus two additional preharvest applications at 10-14 day intervals and two applications after fruit is harvested at 14 day intervals.

Potatoes: To control early and late Blights, use 4 to 6 tablespoonfuls Bordeaux Mixture to 1 gallon water or 4 to 6 lbs. to 50 gal. water. Spray every 10 to 14 days after plants come up until just before harvest.

Celery and Tomatoes: To control early and late Blight, Leaf Spot use 4 to 5 tablespoonfuls to 1 gal. water or 4 to 5 lbs. to 50 gal. water, spraying or dusting plants in plant bed and at 10 day intervals in the field.

Flowers: To control Leaf Spot use 3 tablespoonfuls to 1 gallon of water or 3 lbs. to 50 gal. water and apply early in the season and repeat at 10 to 14 day intervals prior to blooming.

Vines and Shrubs: To control Leaf Spot use 2 tablespoonfuls to 1 gal. water or 2 lbs. to 50 gal. water by applying spray 3 times at weekly intervals when new growth appears in the spring.

✓ ENDANGERED SPECIES RESTRICTIONS

It is a violation of Federal laws to use any pesticide in a manner that results in the death of an endangered species or adverse modification of their habitat.

The use of this product may pose a hazard to certain Federally designated endangered species known to occur in specific areas within the following counties:

LaRoche Industries Inc.

CONTAINER PRINT SPECIFICATIONS

Subject	Vertagreen Bordeaux Mixture	Account: VG50103
		Page 3 of 4
		Date: Rev. 11/14/86
		SPC002

<u>STATE</u> , Species (Bulletin No.)	<u>COUNTY</u>
CALIFORNIA Solano Grass (EPA/ES-85-13)	Solano
TENNESSEE Slackwater Darter (EPA/ES-85-04)	Lawrence Wayne Hancock
Freshwater Mussels (EPA/ES-85-07)	Claiborne Hawkins Sullivan
ALABAMA Slackwater Darter (EPA/ES-85-05)	Lauderdale Limestone Madison
VIRGINIA Freshwater Mussels (EPA/ES-85-06)	Grayson Smyth Scott Lee Washington

Before using this product in the above counties you must obtain the EPA Bulletin specific to your state. This Bulletin identifies areas within these counties where the use of this pesticide is prohibited, unless specified otherwise. The EPA Bulletin is available from either your County Agricultural Extension Agent, the Endangered Species Specialist in your State Wildlife Agency Headquarters, or the appropriate Regional Office of the U.S. Fish and Wildlife Service. THIS BULLETIN MUST BE REVIEWED PRIOR TO PESTICIDE USE.

STORAGE & DISPOSAL

(Note: Heading must be minimum 12 Pt. type size)

STORAGE: Store in a dry place.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

LaRoche Industries Inc.

CONTAINER PRINT SPECIFICATIONS

Subject	Vertagreen Bordeaux Mixture	Account: VG50103
		Page 4 of 4
		Date: Rev. 11/14/86
		SPC002

PRECAUTIONARY STATEMENTS

DANGER ✓

Hazards To Humans & Domestic Animals

Corrosive. Causes severe eye damage and skin irritation. Harmful if swallowed or inhaled. May cause skin sensitization in certain individuals. Do not get in eyes, on skin, or clothing. Wear goggles or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Food utensils such as teaspoons or tablespoons should not be used for food purposes after use with pesticides.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Do not contaminate water by cleaning of equipment or disposal of wastes.

STATEMENT OF PRACTICAL TREATMENTS

~~IF SWALLOWED~~ - Give two glasses of milk of magnesia, milk or water. Induce vomiting. Repeat until vomit is clear. See physician.

IF IN EYES: - Flush eyes with ample water. See physician immediately.

FOR SKIN IRRITATION: - Wash with soap and water and see physician.

NOTICE:

LaRoche Industries Inc. can accept no responsibility for injury to persons or animals or for loss or damage to turf, soil or other property resulting from failure to follow directions for use or to observe cautions printed on this package.

Manufactured and Registered by
 LaRoche Industries Inc.
 1100 Johnson Ferry Road N.E. - Atlanta, GA 30342

VTG
 UPC Code
 25704-50103
 Proof of Purchase

Below for Internal Use Only

APPROVALS - MARKETING	DATE	REGULATORY SRVS.	DATE
BY <i>Allen J. Foster</i>	<i>11/17/86</i>	<i>C.D. Henderson</i>	<i>11-17-86</i>