

PM32

3442-776

1064

LAROCHE INDUSTRIES INC.—

CONTAINER PRINT SPECIFICATIONS

Vertagreen Slug & Snail Bait- 1 lb.

42716
1 of 4
03/20/1989

Copy for Front

Vertagreen
SLUG & SNAIL BAIT

ACCEPTED
JUL 10 1989
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3442-776

ACTIVE INGREDIENTS	By Weight
(Metaldehyde (2,4,6,8-tetramethyl-1,3,5,7-tetraoxocyclo-octane)	3.00%
INERT INGREDIENTS.....	97.00%
TOTAL:.....	100.00%

KEEP OUT OF REACH OF CHILDREN

WARNING

Note. Regarding above copy, minimum type size is:
18 Pt. for WARNING
12 Pt. for KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL WARNINGS

EPA Reg. No. 3442-776

D M K N

EPA Est. No. 3442-FL-2, 6720-FL-1, 10370-TX-1, 572-NJ-1

Superscript used is the first letter of the lot number at bottom of the package.

Copy for Side Panel

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING

0	9
5	0
5	0
0	0
0	0

PATS

206 4

Vertagreen Slug & Snail Bait- 1 Lb.

42776
2 of 4
03/20/1989

Copy for Side Panel (Continued)

Keep out of reach of children. May be fatal if swallowed. Do not breathe dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs.

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

STATEMENT OF PRACTICAL TREATMENT


May be fatal if swallowed. If swallowed call a physician immediately. INDUCE vomiting by giving victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. Avoid breathing dust. If inhaled remove victim to fresh air. Apply artificial respiration if indicated. Avoid contact with skin, eyes, or clothing. Wash exposed areas thoroughly with soap and water after using.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife; birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water or wetlands (swamps, bogs, marches, and potholes). Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



Vertagreen Slug & Snail Bait- 1 Lb.

42776
3 of 4
03/20/1989**STORAGE AND DISPOSAL**

(Note: Heading must be minimum 12 Pt. type size)

STORAGE Store in a cool dry, place. Do not contaminate water, food, or feed by storage or disposal.**DISPOSAL** Do not reuse empty container. Wrap container and put in trash.

Copy for Side Panel (Continued)

GENERAL DIRECTIONS

This product contains metaldehyde. It attracts and kills slugs and snails. Since slugs and snails move and feed at night the bait works best when applied late in the afternoon or at dusk. Apply when the ground is moist or wet but do not apply just before a rain. Treat area as uniformly as possible at the rate of 1 lb. per 1200 square feet (1 1/3 oz. per 100 sq. ft.). Where plants are close together use 1 lb. per 1000 sq. ft.

Good sanitation and the removal of loose boards, bricks, trash piles, or other material which might offer shelter, will add to the effectiveness of the control measures. Slug and snail damage is often mistaken for damage by other insects and the destruction of seedlings and plants may be wrongly attributed to cutworms or other insects. The presence of slugs and snails can be determined by their shiny mucous-like trails.

SPECIFIC DIRECTIONS

ORNAMENTALS: Apply to the soil around stem or stalk. Will control damage to flowers such as begonias, phlox, geranium, and petunia.

VEGETABLES: Bait the soil area around beans, cabbage, peas, peppers, tomatoes, turnips, melons, lettuce and corn. Do not let pellets remain on plant tissue but brush them to the soil area. Also treat the soil area around sets of tomatoes, cabbage, pepper, and cauliflower. Do not contaminate edible parts

FRUIT: For strawberries treat area as close to plant base as possible by lifting leaves and placing pellets beneath. Do not apply within 6 days of harvest.

GREENHOUSE: Bait as soon after irrigation as practical. Delay next watering to allow time for slug and snail control. Bait areas beneath growing benches, near soil compost piles and potting benches. Rate will vary with plant population. Use 1 lb. to treat 800 to 1600 sq. ft. Treat the soil around flowers or vegetables (cucumber, lettuce, radish, tomatoes). Do not contaminate edible parts.

•••••
•••••
•••••

4064

LAROCHE INDUSTRIES INC.—

CONTAINER PRINT SPECIFICATIONS

Vertagreen Slug & Snail Bait- 1 Lb.

42776
4 of 4
03/20/1989

Copy for Side Panel (Continued)


NOTICE

LaRoche Industries Inc. can accept no responsibility for injury to persons or animals or for loss or damage to turf, soil or other property resulting from failure to follow directions for use or to observe cautions printed on this package.

UPC Code
25704-XXXXX
Proof of Purchase

Manufactured and Registered by
LaRoche Industries Inc.
1100 Johnson Ferry Road N.E. - Atlanta, GA 30342
Vertagreen is a Registered Trademark
XXXX

NET CONTENTS: ONE POUND



Below for Internal Use Only

APPROVALS -	MARKETING	DATE	REGULATORY SRVS.	DATE
BY			CP Henderson	3-20-89