

Vertagreen Borer Killer

50084

1 of 4

11/30/1989

Copy for Middle Panel

VERTAGREEN

BORER KILLER

(BARK PENETRATING TYPE)

PM 15
EPA# 3442-780
Pg. 1 of 4
CLF 12/15/89

ACTIVE INGREDIENTS:	BY WEIGHT
Lindane (Gamma Isomer of Benzene Hexachloride).....	1.00%
Inert Ingredients.....	<u>99.00%</u>
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

WARNING/AVISO

PRECAUCION AL USUARIO Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado aspiamente.

See Side Panel for
other Precautionary Statements

Note. Regarding above copy, minimum type size is.
18 Pt. for WARNING/AVISO
12 Pt. for KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

If Swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

If Inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If On Skin - Remove contaminated clothing and wash affected areas with soap and water.

If In Eyes - Flush eyes with plenty of water. Call a physician immediately.

EPA Reg. No. 3442-780

EPA Est. No. 3442-FL-2

Net Contents 1 Quart

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

Vertagreen Borer Killer

50084

2 of 4

11/30/1989

Copy for Side Panel

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Protective Clothing

Applicators must wear the following protective clothing during the application process long-sleeved shirt, long pants, waterproof gloves, full foot coverings, and a head covering.

WARNING: Avoid exposure to children. Do not allow children to handle or apply this product. Children and pets should not be allowed in treated areas until treated surfaces are dry.

WHERE TO APPLY Apply only to mature seasoned bark of trees and shrubs which is clean, dry and free of exuding "sap" or other surface debris. "Signs" of Borer feeding usually include one or more of the following - an entry hole through the bark into the heart wood; sawdust that has been pushed out of the hole by the insect, (check for sawdust that has fallen to the base of the plant at soil level); or a discoloration and wet area on the bark caused by the exuding "sap". Treat any "spot" in the tree or shrub which is accessible, therefore the trunk or limbs. Do not apply to foliage or small twigs of current years growth because of possible damage to the plant (Borers are not likely to infest these areas of the plant). Do not apply to areas that are free of insect feeding.

HOW TO APPLY - This product is ready to use. For application select a small hand "Trigger Type Sprayer" that can be adjusted to deliver a pin point stream of liquid. Pour this product into the sprayer bottle or reservoir. Hold the sprayer nozzle up close to the insect feeding entry hole and pump sprayer twice to force the insecticide into the insect feeding tunnel. Repeat treatment in 5 to 7 days if feeding signs are still observed. Do not apply as a treatment that encircles a limb or trunk since damage will result to plant. Return unused liquid to original container.

Penetrates to kill borers and their larvae feeding in the Cambium and Phloem layers of trees and shrubs. Kills borers after the tree or shrub has been infested.

Roundheaded Borers (Cerambycidae): This family of insects is more difficult to control, because a portion of their life cycle is spent in the sapwood and heartwood, during a 2 to 4 year life cycle. The most successful treatment is at the beginning of the larvae stage or during the pupae stage, at both of which times the insect is located just under the bark. Consult with the State Agricultural Extension Service to determine the life cycle of the borer in question. BORER KILLER can also be used by injection into the tunnels, which means that each tunnel opening must be treated.

LAROCHE INDUSTRIES INC.—

CONTAINER PRINT SPECIFICATIONS

Vertagreen Borer Killer

50084
3 of 4
11/30/1989

FLATHEADED BORERS (Buprestidae) in Apple*, Ash, Beech, Boxelder, Cottonwood, Elm, Horsechestnut, Linden, Maple, Oak, Pear*, Poplar, Sycamore and Willow should be treated as soon as first noted. The symptoms can include a damp spot on the bark at the point of early infestation, developing until the sap drips from the spot; discoloration of bark overlying the tunnel, and the possible appearance of dry grass at the entrance to, or just below, the tunnels. If the treated area has not dried within a week to ten days, treatment should be repeated.

BARK BEETLES in Elm and Pine. Apply BORER KILLER as above explained, giving particular attention to the entrance holes of the borers.

*Limit spray applications to the period before formation of fruit or after harvest.

STORAGE & DISPOSAL

(Note: Heading must be 12 Pt. minimum type size)

Do not contaminate water, food or feed by storage or disposal.

STORAGE Store product in original container in a cool, dry, locked place out of reach of children.

DISPOSAL: Do not re-use empty container. Wrap container and put in trash.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

WARNING

Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes and clothing. Avoid contamination of food or foodstuffs. In case of contact with skin or eyes, flush with plenty of water, eyes require medical attention. Wash with soap and water after handling and before eating or smoking. Do not use on humans or household pets.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds, and other wildlife. Do not apply directly to water or wetlands. Drift and runoff from treated areas may be hazardous to fish in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct application. Applications should be timed to coincide with periods of minimum bee activity, usually between late evening and early morning.

Vertagreen Borer Killer

50084
4 of 4
11/30/1989

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

NOTICE: LaRoche Industries Inc. can accept no responsibility for injury to persons or animals or for loss or damage to turf, soil or other property resulting from failure to follow directions for use or to observe cautions printed on this label.

Manufactured and Registered by
LaRoche Industries Inc.
1100 Johnson Ferry Road N.E., Atlanta, GA 30342
Vertagreen is a Registered Trademark

UPC Code
25704-50084

Below for Internal Use Only

APPROVALS -	MARKETING	DATE	REGULATORY SVCS.	DATE
BY			CD Henderson	11-30-89

