

LAROCHE INDUSTRIES INC.—

CONTAINER PRINT SPECIFICATIONS

Vertagreen Diazinon 12.5 Insect Spray 1 Gallon

09203
1 of 4
09/13/1989

Copy for Middle Panel

This product must not be used on golf courses and sod farms.

Vertagreen
Diazinon® Insect Spray

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Side Panel for Additional Precautionary Statements

Note: Regarding above copy, minimum type size is.
18 Pt. for CAUTION
12 Pt. for KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS

Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl)phosphorothioate]*.....	12.50%
**INERT INGREDIENTS.	87.50%
TOTAL.	100.00%

*Diazinon® trademark of CIBA-Geigy Corp.

**Contains Xylene

NET CONTENTS.1 GALLON (128 FL. OZ.)

EPA Reg. No. 3442-787

D M K N

EPA Est. No. 3442-FL-2, 6720-FL-1, 10370-TX-1, 572-NJ-1

Superscript used is the first letter of the lot number at bottom of the package.

Copy for Side Panel

STATEMENTS OF PRACTICAL TREATMENT

If Swallowed Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If Inhaled Remove victim to fresh air. Apply artificial respiration if indicated.

If On Skin Remove contaminated clothing and wash contaminated areas with soap and water.

If In Eyes Flush the eyes immediately with large amounts of water. Call a physician immediately.

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

2 3 4

LAROCHE INDUSTRIES INC.--

CONTAINER PRINT SPECIFICATIONS

Vertagreen Diazinon 12.5 Insect Spray 1 Gallon

09203
2 of 4
03/23/1987

Copy for Side Panel (Continued)

NOTE TO PHYSICIAN - Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION


Harmful if swallowed. May be absorbed through the skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets or livestock. Do not permit children or pets to go onto sprayed grass until spray has completely dried.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife feeding in treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment areas. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.



Vertagreen Diazinon 12.5 Insect Spray 1 Gallon

09203
3 of 4
03/23/1987

Copy for Side Panel (Continued)

NOTICE: LaRoche Industries Inc. can accept no responsibility for injury to persons or animals or for loss or damage to turf, soil or other property resulting from failure to follow directions for use or to observe cautions printed on this package.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

MIXING INSTRUCTIONS - The mixing rate for Lawns, Flowering Plants, Ornamental Trees and Shrubs, Fruit Trees, Berries and Vegetables is 2 tablespoonfuls per 1-1/2 gallon of water. Thoroughly mix and spray to cover all parts of the plants to point of spray run-off.

FIRE ANT CONTROL - As an aid in the control of Fire Ants mix 2 ounces in 1 gallon of water and apply over, and 6 inches around each mound. Apply gently to avoid disturbing ants. Reapply as necessary. Use a sprinkler can for applications. For best results apply in cool weather 65° to 85° or in early morning or late evening hours. Treat new mounds as they appear.

ORNAMENTAL TREES AND SHRUBS On oaks, maple, locust, holly, boxwood, pine, spruce and willow to control aphids, mites, scale crawlers, diptera, and leaf miners (exposed stages and bagworms) use 2 tablespoons per 1-1/2 gallons water and thoroughly spray.

FOR LAWNS To control chinch bugs, sod webworms, Bermuda mites, ants, Brown Dog tick, earwigs and lawn billbugs in bluegrass, fescue, zoysia and Bermuda, use 2 tablespoons (1 fluid ounce) in 1-1/2 gallons of water to cover 65 sq. ft. One pint covers 1000 sq. ft. For millipedes, double this dosage rate. Mow the lawn and thoroughly water before treatment. For billbugs, water the lawn after spraying.

FLOWERING PLANTS: For roses, azaleas, mums and gladioli to control aphids, European red mite, leafhoppers and thrips, use 2 tablespoons per 1-1/2 gallons of water.

VEGETABLES Use on tomatoes, beans, cucumbers, onions, peppers and cabbage for control of bean beetles, aphids, imported cabbageworms, cucumber beetles and red spiders. Mix 2 tablespoons per 1-1/2 gallons of water to cover 500 sq. ft. of garden area. Apply when insect damage is seen and repeat generally at 7-to 10-day intervals. Do not apply on crops within the following days of harvest. Beans, 7 days (wait 4 days if forage is to be cut for hay); Cucumber and onions, 10 days; Peppers, 5 days; Cabbage, 7 days; Tomatoes, 1 day.

Vertagreen Diazinon 12.5 Insect Spray 1 Gallon

09203
4 of 4
03/23/1987

Copy for Side Panel (Cont.)

NUISANCE PESTS IN OUTSIDE AREAS. For control of flies, ants, cockroaches, boxelder bugs, clover mites, spiders and earwigs, mix 8 ounces in 1-1/2 gallons of water and thoroughly spray window frames, doors, sills, screens, porch and patio walls and ceiling, foundations, walks, garbage cans, and into cracks and other places where insects may hide. Apply when insects appear and repeat treatment when needed. For control of ticks and chiggers, spray weeds and brushy noncrop areas around home. Also treat lawn for chiggers.

NOTE Do not use on certain ferns, poinsettia, hibiscus, papaya, pilei and gardenia and orchids since injury may occur.

STORAGE AND DISPOSAL

(Note: Heading must be minimum 12 Pt. type size)


STORAGE Do not contaminate water, food or feed by storage or disposal.

DISPOSAL Do not reuse empty container. Wrap container and put in trash collection.

Manufactured and Registered by
LaRoche Industries Inc.
1100 Johnson Ferry Road N.E.
Atlanta, GA 30342
Vertagreen is a Registered Trademark

UPC
25704-09203
Proof of Purchase

4Y35



Below for Internal Use Only

APPROVALS - MARKETING DATE REGULATORY SRVS. DATE

BY

*Allen J. Foster**3/23/87**C.D. Henderson**3-23-87*