

LAROCHE INDUSTRIES INC.—

CONTAINER PRINT SPECIFICATIONS

Vertagreen Diazinon 500 Insecticide

50076

1 of 4

09/14/1989

Copy for Front

This product must not be used on golf courses and sod farms.

VERTAGREEN DIAZINON 500 INSECTICIDE
For Control of
Turf and Ornamental Pests
For Agricultural/Commercial Use Only

ACTIVE INGREDIENTS

Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate].....

By Weight

47.5%

*INERT INGREDIENTS:.....

52.5%

TOTAL.....

100.00%

*Contains Xylene

DIAZINON 500 contains 4 lbs. Diazinon per gallon

KEEP OUT OF REACH OF CHILDREN


WARNING**NOTE:** Regarding above copy, minimum type size is.18 Pt. for **WARNING**12 Pt. for **KEEP OUT OF REACH OF CHILDREN**

See Side Panel for Additional Precautionary Statements

E.P.A. Reg. No. 3442-799

E.P.A. Est. No. 3442-FL-2

NET CONTENTS. 1/2 GALLON



Not Reviewed. Registrant claims to be in accordance with*
 Reregistration of Pesticide Product Guidance for Phase 2
 Response, Page 2.12, Active to Inert Change in Status.

Vertagreen Diazinon 500 Insecticide

50076

2 of 4

03/31/1987

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ORNAMENTAL INSECTS

To control listed insects on ornamentals—Arborvitae, Azalea, Birch, Boxwood, Camellia, Carnation, Chrysanthemum, Douglas Fir, Elm, Gladioli, Hawthorn, Holly, Juniper, Lilac, Locust, Maple, Oak, Pine, Plum, Poplar, Rhododendron, Rose, Spruce, and Willow apply the recommended rates listed below.

Do not use on certain Ferns, Poinsettia, Hibiscus, Papaya, Pilea, Gardenia, since injury to the plants may occur.

Mimosa Webworm—Mix 1/2 fl. oz. (1 tablespoon) in 3 gals. water (or 1 pt. in 100 gals. water) and apply as a thorough foliar spray when adults first appear. Make a second and third application at 4-5 week intervals.

For Aphids, Bagworms, Carnation Bud Mites, Carnation Shoot Mites, Clover Mites, Cyclamen Mites, Dipterous Leaf Miners, European Pine Shoot Moths, European Red Mites, Flea Beetles, Holly Bud Moths, Leafhoppers, Obscure Root Weevils, Omniverous Leaf Tiers, Privet Mites, Scale Crawlers, Cottony-Cushion, Lecanium, Pine Needle, San Jose, Soft Scales, Thrips, Two Spotted Mites, Webworms, Whiteflies—1/2 fl. oz. per 3 gals. water. 1 qt. per 100 gals. water.

For Apple-and-Thorn Skeltonizers, Webworms, Fall Webworms, Hemlock Kermes, Oak Loopers, Oblique-Banded Leaf Rollers, Pear Slugs, Tent Caterpillars—1 1/2 fl. oz. per 3 gals. water 3 pts. per 100 gals. water.

1 fl. oz. equals 2 tbsp.: 16 fl. oz. equals 1 pint

LAWN INSECTS

To control insects listed below, apply recommended rates. For insects such as Ants, Brown Dog Ticks, Clover Mites, Crickets, Earwigs, Fleas, Millipedes, Snowbugs and Collembola (Springtails) which are commonly found near the house and may enter the house, spray a 5-ft. band of soil around the house, as well as the house foundation wall to a height of 2-3 ft. Repeat application if necessary.

For Ants, Armyworms, Clover Mites, Collembola (Springtails), Crickets, Cutworms, Digger Wasps, Earwigs, Fruit Flies, Lawn Billbugs, Sod Webworms (Lawn Moth), Snowbugs — Use 4 fl. oz. per 3 gals. water. Spot spray ant hills and wasp ground nest openings. For lawn billbugs, irrigate the lawn thoroughly immediately after treatment.

3 7 4

LAROCHE INDUSTRIES INC.--

CONTAINER PRINT SPECIFICATIONS

Vertagreen Diazinon 500 Insecticide

50076
3 of 4
03/31/1987

Billbugs and White Grubs, such as Japanese Beetle larvae. European chafer and Southern chafer, apply 4 fl. oz. per 1000 sq. ft. of lawn. Water grass thoroughly after application any time between late July and early October. For billbug control apply when activity is first observed or when chewed or brown grass is present.

Boxelder Bugs-Spray bugs outside the home with 1 1/4-2 1/2 fl. oz. (2 1/25 tablespoons) in 1 gal. of water. At the same time, spray thoroughly around foundations, windows, doors, tree trunks, and into cracks and other places where the insects hide.

For Lawn Chinch Bugs use 2-3 fl. oz. or 3-6 fl. oz. to 25 gals. water per 1,000 sq. ft. Use higher rate for longer residual control and in lawns of dense growth, such as St. Augustine lawns.

STORAGE AND DISPOSAL

(Note: Heading must be minimum 12 Pt. type size)

Do not contaminate water, food, or feed by storage or disposal.

STORAGE - Store product in original container in a cool, dry, locked place out of reach of children.


DISPOSAL - Do not re-use empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

WARNING

Do not breathe spray mist. May be fatal if swallowed. May be absorbed through skin. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock. Do not permit children or pets to go onto the sprayed grass until spray has completely dried. Do not contaminate food, food containers or cooking utensils. Food utensils such as tablespoons should not be used for food after use in measuring pesticides.



4 9 4

LAROCHE INDUSTRIES INC.--

CONTAINER PRINT SPECIFICATIONS

Vertagreen Diazinon 500 Insecticide

50076
4 of 4
03/31/1987

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Apply this product only as specified on this label. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treated area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. If it is necessary to induce vomiting give one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN - wash immediately with soap and water. IF IN EYES - flush eyes for at least 15 minutes with water. Call a physician immediately.

PHYSICAL OR CHEMICAL HAZARDS


Do not use, pour, spill or store near heat or open flame.

NOTICE: LaRoche Industries Inc. can accept no responsibility for injury to persons or animals or for loss or damage to crops, soil or other property resulting from failure to follow directions for use or to observe cautions printed on this label.

Manufactured and Registered by
LaRoche Industries Inc.
1100 Johnson Ferry Road NE - Atlanta, GA 30342
Vertagreen is a Registered Trademark

UPC Code
25704-50076
Proof of Purchase

STORE IN A DRY PLACE



Below for Internal Use Only

APPROVALS -	MARKETING	DATE	REGULATORY SRVS.	DATE
BY	<i>Allen J. Foster</i>	<i>4/1/87</i>	<i>C.D. Henderson</i>	<i>4-1-87</i>