

Reg # 3442-807

PM-19

171

4/22/91

DIRECTIONS FOR USE — OUTDOOR PESTS

It is a violation of federal law to use this product in a manner inconsistent with its labeling... DIRECTIONS FOR USE — OUTDOOR PESTS... PESTS OF LAWNS, other Ornamental and Recreational Turf Grass Areas and Personnel Turf Grasses (Bare Soil for Seed): Use DURSBAN-4E to control the pests listed in the following table by application of the recommended dilutions and in accordance with the directions given below.

ATTENTION (Area Control of Ticks and Chiggers): Do not allow public use of treated areas during application or until spray has dried. ORNAMENTAL PLANTS: Use DURSBAN-4E insecticide to control bagworms, cutworms, grasshoppers, leafhoppers, mealybugs, mites, spittlebugs, thrips (especially), and whiteflies on flowers, shrubs, vines, shade and flowering trees and evergreens found to be infested with these pests.

VERTAGREEN DURSBAN-4E INSECTICIDE

To Be Applied Only By or Under the Supervision of Pest Control Operators, Public Health Organizations, and Other Trained Personnel Responsible for Insect Control Programs.

OUTDOOR PEST CONTROL

Chinch Bugs, Sod Webworms; (Lawn Moth), Bagworms, Cutworms, Grasshoppers, White Grubs, Ticks and Chiggers

INDOOR PEST CONTROL

Crickets, Ants, Cockroaches, Silverfish, Spiders, Clover Mites

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Call a physician immediately if you feel ill. In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

Keep Out of Reach of Children. WARNING

See Side Panel for Additional Caution Statements

Table with 2 columns: INGREDIENTS and PERCENTAGE. ACTIVE INGREDIENTS: Chlorpyrifos (0,0-dimethyl 0-(2,2,6,6-tetramethyl-3,1,3-dihydroxy-1H-phosphorinyl) phosphorothioate) 44.600; Inert Ingredients 55.400. Total 100.0%.

Contains 4 pounds Chlorpyrifos per gallon. 'DURSBAN' Trademark of The Dow Chemical Company U.S. Patent No. 2,244,586

E.P.A. Reg. No 3442-807

USE DIRECTIONS PESTS INDOORS

GENERAL INFORMATION: Use to control the pests indicated in the areas listed below by application at a 0.25% or 0.5% chlorpyrifos (Dursban-4E) spray. Use the 0.25% spray to control light infestations and the 0.5% spray to quickly reduce heavy infestations or as directed. To prepare the spray, dilute with water or with a suitable base oil as shown in the following SPRA Y DILUTION CHART. Repeat the treatment as needed.

SPRAY DILUTION CHART table showing Gallons of Spray Mixture Desired and Pounds of Dursban-4E to Use for 0.25% and 0.5% sprays.

Note: When such insecticide action is desired, dichlorvos (DDVP) or pyrethrins may be added to the spray mixture. For best results, use dichlorvos at a concentration of 0.25% in Formulation No. 10 or pyrethrins at a concentration of 0.1% in Formulation No. 10. Consult labeling for the dichlorvos or pyrethrins product used to determine the amount needed to give the desired spray concentration. Also read and observe all label and handling precautions for these products. Do not use in combination with dichlorvos (DDVP) or pyrethrins for treatment of food areas of food handling establishments.


CRACK AND CREVICE TREATMENT

FOOD HANDLING ESTABLISHMENTS - Places other than private residences in which a space food is held, processed or served, including but not limited to, Restaurants, Grocery Stores, Bakeries, Softening Plants, Canneries and Grain Mills. FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY. Includes areas for receiving, storage, picking (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas in which food is exposed and hot. It is in application also would be considered a food area.

APPLICATION WITHIN RESIDENTIAL BUILDINGS: Including Homes and Apartment Buildings and Within Enclosed Areas of Industrial, Institution, and Commercial Buildings including Hospitals, Stores, Manufacturing Plants, and Warehouses: For Spot Treatment Only - apply as a coarse spray or with a paint brush to localized areas where cockroaches (including strains resistant to certain other insecticides) ants, silverfish, flies, beetles, silverfish, and spiders are found or normally occur including dark corners of rooms and closets; cracks and crevices in walls; along and behind baseboards, beneath sinks, gloves, refrigerators, and cabinets; around plumbing and other utility installations. For ants apply to ant trails and where they may find entrance. Repeat treatment as needed but not more than once every 7 days in restaurants and similar food service establishments or more often than once every 14 days in other types of food handling establishments. DURSBAN-4E may be applied after 2 days from last treatment but emergency use should be limited to once per month.

For control of carpet beetles, thoroughly apply a 0.5% spray as a spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furniture. In closets and on clothing, and whenever else these insects are seen or suspected. For control of brown dog ticks, thoroughly apply a 0.5% spray as a spot treatment of infested areas such as pet beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding or mats should be removed and replaced with clean, fresh bedding after treatment of pet areas. DO NOT TREAT PETS WITH THIS PRODUCT. Treat pets separately with a product registered for animal application.

Attention (Pests Indoors): Do not apply water-based sprays of this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. If there is need to treat such areas use only oil-based sprays. Prior to application de-energize electrical equipment. After application allow time for all to evaporate before starting motors or placing switches in the 'ON' position. Do not use in poultry houses or other animal buildings. Do not allow spray to contact food, feedstuffs, and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pots and cover fish bowls (tanks) before spraying.



3442-807

Contents Gallon

Not to be used for... Resistant claims to be in accordance with Guidance for... 2

BEST AVAILABLE COPY