

LAROCHE INDUSTRIES INC.—

3442-826
CONTAINER PRINT SPECIFICATIONS

Vertagreen Baygon 1.5 E.C. - 1 Gallon

50039

1 of 5

03/02/1989

Copy for Face

VERTAGREEN

BAYGON 1.5 E.C.

EMULSIFIABLE CONCENTRATE

Long-lasting Control of Cockroaches,
Flies, Mosquitoes and Other Household Pests:

To Be Applied Only By Or Under The Supervision Of Pest Control Operators,
Public Health Organizations, Mosquito Abatement Districts And Other
Trained Personnel Responsible For Insect Control Programs.

CONTAINS BAYGON* INSECTICIDE

KEEP OUT OF REACH OF CHILDREN

WARNING

Note: Regarding above copy, minimum type size is
18 Pt. for WARNING
12 Pt. for KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT	By Weight
2-(1-Methylethoxy) phenol methylcarbamate.....	13.90%
INERT INGREDIENTS:.....	86.10%
TOTAL:.....	100.00%

Contains 1.5 lbs. 2-(1-Methylethoxy) phenol methylcarbamate per gallon.
** U.S. Patent No. 3,111,539

STATEMENT OF PRACTICAL TREATMENTS

If Swallowed - Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and inserting finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If On Skin - Wash immediately with plenty of soap and water. Call a physician immediately.


If In Eyes - Flush eyes with plenty of water. Call a physician immediately. If Inhaled - Remove victim to fresh air. Apply artificial respiration if indicated. Call a physician immediately.

Note to Physician-Atropine Sulfate is antidotal.

EPA Reg. No. 3442-826

EPA Est. No. 10370-TX-1

NET CONTENTS 1 GALLON



Vertagreen Baygon 1.5 E.C. - 1 Gallon

50039
2 of 5
03/06/1989

Copy for Side Panel

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RECOMMENDED USES

Ants, Cockroaches, Earwigs, Flies, Millipedes, Mosquitoes, Crickets, Clover mites, Water bugs, Fleas, Brown dog ticks, Sow bugs, Silverfish, Saw-toothed grain beetles (exposed stage), Sand flies, Spiders, Punkies, Wasps, and Hornets.

This product gives excellent control of ants, cockroaches, clover mites, crickets, earwigs, fleas, mosquitoes, flies, hornets millipedes, saw-toothed grain beetles (exposed stage), silverfish, sowbugs, spiders, brown dog ticks, wasps, waterbugs, punkies and sand flies. It provides good flushing action of cockroaches, rapid knockdown and long residual control of these and the other insects. It will also control strains of cockroaches and mosquitoes resistant to certain chlorinated hydrocarbon and organophosphate insecticides. It mixes readily with water, and may be applied with most types of hand- or power-operated sprayers. Agitate spray mixture frequently.

CAUTION: Do not use in fiberglass tanks. The spray mixture made from this formulation may loosen paint coatings in metal tanks if allowed to stand for more than a few hours. Clean tanks thoroughly before and after use.

INDOORS:

Pest Control In and Around Homes, Apartment Buildings, Stores and Warehouses: For residual control of ants, cockroaches, millipedes, silverfish, spiders, waterbugs, and to aid in control of saw-toothed grain beetles (exposed stage), mix 8 fluid ounces (1/2 pint) of this product in 1 gallon of water (1.1% concentration) and apply as a residual spray to baseboards, window frames, the undersides of shelves and drawers, under sinks and stoves and to other places where insects may hide. Also spray cracks, crevices and surfaces where insects may crawl when they come out of hiding. For ants, spray trails and places where ants enter premises. Repeat as necessary. Do not spray foodstuffs or house plants. **DO NOT USE AS A SPACE SPRAY. PROVIDE ADEQUATE VENTILATION OF AREA BEING TREATED.** Do not allow children to contact treated surfaces until surfaces are completely dry.

Pest Control in Meat Packing and Food Processing Plants, Food Storage Areas, Restaurants, and Other Food Handling Establishments (places other than private residences in which exposed food is held, processed prepared or served).

For residual control of ants, cockroaches, millipedes, silverfish, spiders, waterbugs, and to aid in control of saw-toothed grain beetle (exposed stage), mix 8 fluid ounces (1/2 pint) of this product in 1 gallon of water (1.1% concentration).

Non-food Areas: Includes garbage rooms, lavatories, floor drains to sewers, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Vertagreen Baygon 1.5 E.C. - 1 Gallon

50039

3 of 5

03/06/1989

Copy for Side Panel (Continued)

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

FOOD AREAS: LIMITED TO CRACK AND CREVICE TREATMENT ONLY - Apply a small amount of material as a pin-thin stream directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, or hollow equipment legs, where the insects noted above hide. Do not use this product in conduits, motor housings and electrical switch boxes.

Care should be taken to avoid depositing the product onto exposed surfaces, or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

Spraying unloading docks and areas where insects congregate will aid in preventing re-infestation. Good sanitation and proper disposal of wastes is essential in any effective insect control program.

Pest Control in Animal Research Facilities: The use of this product in and around research animal quarters for pest control will not induce changes in liver microsomal enzyme activity in these animals.

Copy for Side Panel (Continued)

Residual Spray for ants, cockroaches, earwigs, flies, hornets, millipedes, mosquitoes, spiders, crickets, clover mites, fleas, scorpions, sowbugs, brown dog ticks, wasps and waterbugs. Mix 8 fluid ounces (1/2 pint) of this product in 1 gallon of water* (1.1% concentration) and apply as a residual spray or with a paint brush to surface of buildings, porches, screens, window frames, patios and garages where these insects congregate. For control of wasps and hornets apply after dark when all of the insects have returned to the nest. Repeat as necessary. Do not treat plants (lawns, flowering plants, shrubs, trees, etc.) with this concentration.

To control sand flies or punkies (*Culicoides* spp), mix 8 fluid ounces (1/2 pint) of this product in 1 quart of water* (4.5% concentration) and apply with a paint brush to outside surfaces of door and window screens and other screened areas where insects may enter buildings. Thorough coverage is necessary for maximum control.

Vertagreen Baygon 1.5 E.C. - 1 Gallon

50039

4 of 5

03/03/1989

Copy for Side Panel (Continued)

PRECAUTIONARY NOTE: Keep children and pets off treated areas until dry.

*The use of this material in water at 40°F or below will result in crystallization in the spray tank. Do not use in oil. Do not allow spray mixture to stand overnight in the spray tank.

MIXING CHART:

Concentration Required	Fluid ounces of this product to add to:		
	1 Gallon U.S.	3 Gallons U.S.	10 Gallons U.S.
1.1%	8 (1/2 pint)	24 (1-1/2 pints)	80 (5 pints)
4.5%	32 (2 pints)	96 (6 pints)	320 (20 pints)

RESTRICTIONS: Since this is a water-suspension material do not apply to rugs, carpets, draperies, wallpaper, or similar materials that may be stained or watermarked. The solvents of this formulation may stain certain plastic, rubber and asphalt materials, such as tiles and floor coverings. Do not treat such materials without first testing a small inconspicuous area. Do not use as a space spray. Provide adequate ventilation of area being treated. Do not apply to animals or humans. Do not use on food crops. Do not use on plants other than those recommended. Do not use in animal barns or poultry houses for fly control.

STORAGE AND DISPOSAL

(Note: Heading must be minimum 12 Pt. type size)

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store product in original container in a cool, dry, locked place out of reach of children.

PESTICIDE

DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER

DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

6110
LAROCHE INDUSTRIES INC.—

3442 826
CONTAINER PRINT SPECIFICATIONS

Vertagreen Baygon 1.5 E.C. - 1 Gallon

50039

5 of 5

03/06/1989

Copy for Side Panel (Continued)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Do not contaminate food. Do not use as a space spray. Provide adequate ventilation of area being treated. Do not allow children to contact treated surfaces until surfaces are completely dry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding on treated areas may be killed. Do not apply directly to water. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

NOTICE:

LaRoche Industries Inc. can accept no responsibility for injury to persons or animals or for loss or damage to turf, soil or other property resulting from failure to follow directions for use or to observe cautions printed on this package.

Manufactured for and Registered by

LaRoche Industries Inc.

1100 Johnson Ferry Road NE - Atlanta, GA 30342

Vertagreen is a Registered Trademark

4Y31

VTG

UPC Code

25704-50039

Proof of Purchase

Below for Internal Use Only

APPROVALS

- MARKETING DATE

REGULATORY SRVS. DATE

BY

CD Henderson 3-6-89