

Subject	Vertagreen Preemergence Weed & Feed	Account: VG70155
		Page 1 of 5
		Date: Rev. 10/30/85

Copy for Face

Vertagreen^R
Preemergence
WEED & FEED

22-4-6

ACCEPTED

FEB - 7 1986

Under the Federal Insect
Fungicide and Fertilizer
Act as amended, for the products
registered under
EPA Reg. No. 3442-87

(Pictorial)

Copy for Left Column

ACTIVE INGREDIENT	By Weight
(N-butyl-N-ethyl-a,a,a-trifluoro- 2,6-dinitro-p-toluidine).....	.86%
Oryzalin: 3,5-dinitro-N,N'- dipropylsulfanilamide.....	.86%
INERT INGREDIENTS.....	98.28%
TOTAL.....	100.00%

Copy for Right Column

Net Wt. 20 Lbs. (9.1 kg)

Clean your lawn of annual weed
grasses and feed the essential
nutrients necessary to get your
lawn off to a healthy start in
the spring.

Contains 3.4 pounds Benefin and Oryzalin per ton.

Balan^R and Surflan^R are the Registered Trademark of Elanco
Products Company, Division of Eli Lilly and Company.

KEEP OUT OF REACH OF CHILDREN

WARNING

EPA Reg. No. 3442-ITA
A B C
EPA Est. No. 3442-IL-1, 3442-TX-2, 3442-NC-2,
D H
3442-FL-2, 3442-TX-1

Read All Directions Before Using
Additional Cautions:
See Reverse Side


Superscript used is the first letter of lot number at the top of the bag.

Note: Regarding above copy,
minimum type size is:
18 Pt. for CAUTION
12 Pt. for KEEP OUT OF REACH OF CHILDREN

(Teardrops)

Preemergence
Weed & Feed

Covers 5,000 Sq. Ft.



Subject	Vertagreen Preemergence Weed & Feed	Account: VG70155
		Page 2 of 5
		Date: Rev.10/30/85

Copy for Gussets

Preemergence
 Weed & Feed

Copy Must Appear on Upper 1/3 of Back

Vertagreen Preemergence

Weed & Feed

Net Wt. 20 Lbs. (9.1 kg)
 Covers 5,000 Sq. Ft.

22-4-4

GUARANTEED ANALYSIS

Total Nitrogen (N).....	22.00%
1.56% Ammoniacal Nitrogen	
20.44% Urea Nitrogen	
Available Phosphoric Acid (P ₂ O ₅).....	4.00%
Soluble Potash (K ₂ O).....	6.00%

Sources of Plant Nutrients: Ammonium Phosphate,
 Urea, Muriate of Potash

Chlorine (Cl), maximum.....	6.00%
-----------------------------	-------


41-

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes eye irritation. Do not get in eyes. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust and contact with skin or clothing. The granular formulation may cause skin sensitization reactions in certain individuals. Use eye protection and protective clothing such as coveralls, a long-sleeved shirt and impermeable gloves when handling this product. Wash thoroughly with soap and water after handling this product. Remove contaminated clothing and wash before reuse.





Subject	Vertagreen Preemergence Weed & Feed	Account: VG70155
		Page 3 of 5
		Date: Rev.10/30/85

Copy for Back (Continued)

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Call a physician.
- IF SWALLOWED: Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg white, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol.
- IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.
- IF INHALED: If breathing difficulty occurs, move individual to fresh air and get medical attention.

ENVIRONMENTAL HAZARDS

Do not contaminate any body of water by direct application, cleaning of equipment, or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Vertagreen Pre-emergence Weed & Feed is specially formulated to fertilize your lawn and control crabgrass, annual bluegrass (Poa annua), goosegrass, and other annual weed grasses in established stands of the following: Bermudagrass, Centipedegrass, St. Augustine grass, Bahiagrass, Zoysia grass.

WHEN TO APPLY

For crabgrass control: Apply in the spring before crabgrass germinates. For Poa annua (Annual Bluegrass) control: Apply late summer to early fall (mid-July to mid-September) 1 - 2 weeks prior to annual Bluegrass (Poa annua) germination.

HOW TO APPLY

Apply this product evenly without skips or misses at the rate of 4 pounds to cover 1,000 square feet of lawn area. A more uniform application can be made by spreading half of the required amount of this product over the area and then applying the remaining half at right angles or crosswise. Both drop-type and rotary type spreaders may be used to apply.

For heavy weedgrass, pressure apply a second application of 2.7 pounds per 1,000 square feet of lawn area 8 - 10 weeks after the initial application.

Subject	Vertagreen Preemergence Weed & Feed	Account: VG70155 Page: 4 of 5 Date: Rev.10/30/85
---------	-------------------------------------	--------------------------------------------------------

Copy for Back (Continued)

PRECAUTIONS: Apply this product prior to the germination of annual weedgrasses since it will not control established weeds. This product may thin established annual bluegrass or fine-leaved fescues. This product should not be used on areas planted the previous fall, which have not become well established or have not fully germinated. These areas should have been established well enough to require several mowings the previous fall.

In overseeded areas this product may thin some of the overseeded grasses. This product should not be used on Dichondra. It should not be used on newly sprigged areas of Bermudagrass, St. Augustinegrass or Centipedegrass until these turfs are well established. This product will not harm most nearby established trees and shrubs.

SPREADER SETTINGS

The settings suggested below are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application.


MAKE	(4 LBS/1000 SQ.FT) SETTING
Ortho Broadcast	5 - 6
Ortho Drop	8 - 8-1/2
Precision Broadcast	5
Scotts Drop	6
Scotts Broadcast	E - F
Cyclone	5-1/2 - 5-3/4
Central Broadcast	5 - 6
Central Drop	6
Ortho Whirly Bird Hand-spreader	4
Vertagreen Twirly-Pak	4

STORAGE AND DISPOSAL

(NOTE: Heading must be minimum 12 pt. type size.)

STORAGE: Do not contaminate water, food or feed by storage or disposal.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.





CONTAINER PRINT SPECIFICATIONS

Subject	Vertagreen Preemergence Weed & Feed	Account: VG70155
		Page 5 of 5
		Date: Rev. 10/30/85

Copy for Back (Continued)

NOTICE:

USS Agri-Chemicals can accept no responsibility for injury to persons or animals or for loss or damage to turf, soil or other property resulting from failure to follow directions for use or to observe cautions printed on this package.


USS Agri-Chemicals
Division of United States Steel
1100 Johnson Ferry Road NE - Atlanta, GA 30342
USS and Vertagreen are Registered Trademarks

VTG
25704-70155
Proof of Purchase

4H

STORE IN A DRY PLACE

Vertagreen Preemergence
Weed & Feed



Below for Internal Use Only

APPROVALS -	MARKETING	DATE	REGULATORY SRVS.	DATE
BY	_____	_____	<i>C.D. Henderson</i>	<i>10-30-85</i>