LAROCHE INDUSTRIES I

PRINT SPECIFICATIONS CONTAINER

7670200 Account: Vertagreen Weed & Feed 25-3-3 Subject 1 of 6 9/9/86 Page **CDG001** Date:

Copy for Face:

A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION--CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING FAST AND LONG FEEDING ACTION.

vertagreen^R

(Pictorial)

25-3-3

Pictorials

ACCEPTED

DEC 2 1986 the Pederal Insection

and Amen's Lunded, I take pettunde Hored under 344

Copy for Right Column:

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Get Medical Attention

IF ON SKIN:

Wash Skin with Soap and Water

IF IN EYES:

Flush Eyes with Water for 15 minutes

and Get Medical Attention

SEE SIDE PANEL FOR ADDITIONAL PRECATUIONARY STATEMENTS

EPA Reg. No.

Regarding above copy, minimum type size is:

18 Pt. for WARNING

12 Pt. for KEEP OUT OF REACH OF CHILDREN

Copy for Left Column

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid.....

**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)

propionic Acid.....

***Dimethylamine Salt of 2-(2,4-dichlorophenoxy)

propionic Acid.....

INERT INGREDIENTS:.... TOTAL:....

By Weight

a.313%

0.314%

.01310%

991063%

ŧ.

LAROCHE INDUSTRIES INC.

CONTAINER PRINT SPECIFICATIONS

ect	Vertagreen Waed & Feed 25-3-3	Account:	VG70200 2 of 6
lb je	ni di	Page	9/9/86
\ v		Date:	CDG001

EQUIVALENT TO:

*0.26% of 2,4-Dichlorophenoxyacetic Acid

**0.25% of 2-(2-Methy1-4-Chlorophenoxy) propionic Acid

***0.26% of 2-(2,4-Dichlorophenoxy) propionic Acid

BY ISOMER SPECIFIC ASSAY

 $\mathsf{TRIAMINE}^{R}$ Registered Trademark of Riverdale Chemical Company

EPA Reg. No. 3442-ITI

A B C EPA EST. NO. 3442-IL-1, 3442-TX-2, 3442-NC-2 Superscript used is the first letter of lot number at the top of the bag.

Net Wt. 20 Lbs.

Copy for Gussets - Vertagreen Weed & Feed 25-3-3

Copy for Upper 1/3 of Back:

NET WT. 20 LBS.

VERTAGREEN^R

WEED & FEED 25-3-3

Copy for Upper 1/3 of Back (Continued)

GUARANTEED ANALYSIS

Total Nitrogen (N)	25.00%
Available Phosphoric Acid (P_2O_c)	3.00%
Available Phosphoric Acid (P_2O_5) Soluble Potash (K_2O)	3.00%

LAROCHE INDUSTRIES INC.

		CONTAINER	LKIN!	SPECIFICATIONS
ا ا	Vertagreen Weed & Feed 25-3-3 - 20#		Account	: VG70200 : 3 of 6
Subject			Page	9/9/86
Sol			Date:	CDG001

Copy for Top of Back

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wash thoroughly after handling. Do not get in eyes or on clothing. Caused substantial but temporary eye injury. Wear goggles or safety glasses.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Vertagreen Weed and Feed 25-3-3 is a stable mixture of three phenoxy herbicides. It is for use on Lawns, Turf (not pastures) and Golf Fairways, Aprons, Tees and Roughs.

1:1

CONTAINER PRINT SPECIFICATIONS

Vertagreen Weed & Feed 25-3-3

Vertagreen Weed & Feed 25-3-3

Vertagreen Weed & Feed 25-3-3

Account: VG/U200
4, of 6
Page 9/9/86
Date: CDG001

Copy for Left Column: (Continued):

Broadleaf weeds controlled:

This product is designed for control of broadleaf weeds in lawns such as:

Black Medic, Buckhorn, Burdock, Chickory, Chickweed, Clover, Dock, Dandelion, English Daisy, Ground Ivy, Heal-All, Knotweed, Lambsquarter, Mallow, Morning Glory, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Red Clover, Red Sorrel, Stitchwort, Speedwell, Spurge, White Clover, Wild Carrot, Wild Garlic, Wild Onion, Wild Lettuce, Yarrow and other Broadleaf weeds.

Read the entire label before using this product.

This product may be used on Blue Grass, Fescue, Rye, Bermuda, Bahia, Zoysia Lawns and St. Augustine grass. DO NOT USE on Dichondra and Carpet Grass. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" on flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

NORTHERN GRASSES:

WHEN TO APPLY: Best results are obtained when weeds are growing rapidly in spring or early fall. IMPORTANT: Apply when grass is moist (after rain, sprinkling or dew). For most effective broadleaf weed killing action, avoid unnecessary disturbances, including watering, on treated areas for 48 hours after application. Watering will wash off weed killing material. Do not reseed for at least 3 to 4 weeks after application. No not apply to newly seeded or sodded lawns until after 3 mowings.

SOUTHERN GRASSES:

WHEN TO APPLY: Best results are obtained when weeds are growing rapidly in spring. IMPORTANT: Apply when grass is moist (after rain, sprinkling or dew). DO NOT water lawn after material is applied. Watering will wash off weed killing material. For most effective broadleaf weed killing action, avoid unnecessary disturbance of treated areas for 48 hours after application. Avoid contact with valuable shrubs, plants, or flowers. Possible retreated ment may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth: ... Do not overapply. Under conditions of adequate moisture, high termperature and high humidity, over-application may cause minor transitory discolarated tion on St. Augustine.

CAUTION: It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

Do not reseed at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawns until after 3 mowings.

416

LAROCHE INDUSTRIES INC.

CONTAINED	DDINT	SPECIFICATIONS

Ğ	Vertagreen Weed & Feed 25-3-3	Account:	VG70200 5 of 6
Subject		Page	9/9/86
Su		Date:	CDG001

Copy for Left Panel (Continued)

HOW TO APPLY: This 20 pound bag should be used on 5000 square feet. Apply evenly with a lawn spreader either as a one pass application or a two pass application, criss-crossing the area at half the rate each time. Lawns that are heavily overrun by weeds and that are in poor condition may require more than one application of this product. A suggested second application should be made in approximately 30 days.

The following settings are approximate for applying contents of this package at suggested rate of 3.6 pounds per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Hand spreading is not recommended.

SUGGESTED SPREADER SETTINGS

MAKE	<u>SETTINGS</u>
Kmart	6 - 7
K Mart Broadcast	4 - 5
Cyclone Broadcast	5-1/2 - 5-3/4
Central	6
Central Broadcast	4-1/2
Precision	6
Precision Broadcast	4 - 5
Scotts	6
Scotts Broadcast	D - E
Ortho Broadcast	5 -6
Ortho Drop _	8 - 8-1/2
Wards	6-3/4
Wards Broadcast	5
Sears	5-1/2 - 6
Sears Broadcast	4-4-1/2

STORAGE AND DISPOSAL

(Note: Heading must be minimum 12 pt. type size)

STORAGE:

Store in a dry place. Do not contaminate water, food, or feed by storage or disposal. Do not store near other fertilizers or seeds.

DISPOSAL:

Do not reuse empty bag. Wrap bag and discard in trash.

NOTICE:

LaRoche Industries Inc. can accept no responsibility for injury to persons or animals, or for loss or damage to turf, soil or other property resulting from failure to follow directions for use or to observe cautions printed on this package.

CDG001

LAROCHE INDUSTRIES INC

CONTAINER PRINT SPECIFICATIONS **VG70200** Account: 6 of 6 9/9/86 Page

Date:

Subject Vertagreen Weed & Feed 25-3-3

Copy for Back (Continued) .

Manufactured and registered by:

LaRoche Industries Inc. 1100 Johnson Ferry Road NE- Atlanta, GA 30342 Vertagreen is a Registered Trademark

UPC Code 25704-70200

STORE IN A DRY PLACE

Below for Internal Use Only MARKETING APPROVALS REGULATORY SRVS. DATE DATE

BY