Account:

1 of 5 5/16/86

Date:

Page

GRA002

•

Copy for Face

TREATS 5,100 SQ. FT.

Vertagreen Lawn Food with Crabgrass Control 19-4-6 - 13#

LAWN FOOD

with

CRABGRASS CONTROL

ACCEPTED

DEC 3 - 1986

Unil.
Fungingto, and Rudenticide Act, as amended, for the posticide registered under EPA Reg. No. 344.

Vertagreen

(Pictorial)

Contains TEAMTM for Crabgrass Control 19-4-6

LAWN FOOD WITH CRABGRASS CONTROL

ACTIVE INGREDIENTS:

By Weight
Benefin: N-butyl-N-ethyl-a,a,a-trifluoro-2,6-dinitro-p-toluidine...0.90%
Trifluralin: a,a,a-Trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine...0.45%

INERT INGREDIENTS: 98.65%
TOTAL: 100.00%

Contains 27 pounds Benefin and Trifluralin per ton.
*TEAM is the Registered Trademark for Elanco Products Company, Benefin plus Trifluralin.

EPA Reg. No. 3442-XXX

A B C D H
EPA Est. No. 3442-IL-1,3442-TX-2, 3442-NC-2, 3442-FL-2, 3442-TX-1
Superscript used is the first letter of the lot number at the top of the bag.



Page 5/16/86

Date: GRA002

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eyelids open and flush with a steady gentle stream of water for 15 minutes. Call a physician.

IF SWALLOWED: Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg white, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF INHALED: If breathing difficulty occurs, move individual to fresh air and get medical attention.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Note:

Regarding above copy, minimum type size is

18 Pt. for WARNING

12 Pt. for KEEP OUT OF REACH OF CHILDREN

NET WEIGHT 13 Lbs.

TREATS 5,100 SQ. FT.

LAWN FOOD WITH CRABGRASS CONTROL

19-4-6

Copy for back

TREATS 5,100 SQ. FT.

LAWN FOOD WITH CRABGRASS CONTROL

19-4-6

NET. WT. 13 LBS.

Vertagreen

LAWN FOOD WITH CRABGRASS CONTROL



CONTAINER

Account

3 of 5 5/16/86

Page Date:

GRA002

GUARANTEED ANALYSIS

Total Nitrogen(N)...... Available Phosphoric Acid (P₂0₅)... Soluble Potash (K₂0).....

Vertagreen Lawn Food with Crabgrass Control 19-4-6 - 13#

Copy for Top of Back or Side Panel

KEEP OUT OF REACH OF CHILDREN WARNING: PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes eye irritation. Do not get in eyes. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust and contact with skin or clothing. Use eye protection and protective clothing such as coveralls, a longsleeved shirt and impermeable gloves when handling this product. Wash thoroughly with soap and water after mandling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

Do not contaminate any body of water by direct application, cleaning of equipment, or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Vertagreen with TEAM is a selective preemergence herbicide and fertilizer combination for the control of crabgrass and most other annual weed grasses on lawns in established: Bluegrass, (perennial), Ryegrass (perennial), Fescue, Bahiagrass, Bermudagrass, Centipedegrass, St. Augustinegrass, Zovsiagrass.

Vertagreen with TEAM, when applied as directed, controls the following: Amnual Bluegrass (Poa annua), Smooth Crabgrass, Hairy Crabgrass, Goosegrass (Silvergrass), Barnyardgrass (Watergrass), Green Foxtail, Yellow Foxtail.



	γ	ertagreen	Lawn	Food with	Crabgrass C	ontrol 19-4-	6 - 13#	Account: VG70196 4 of 5
Subj		• .		· · · · · · · · · · · · · · · · · · ·			• • •	Page 5/16/86 Date: GRA002

Crabgrass, Foxtails and Barnyardgrass - Apply the contents of this bag over 5.100 square feet in the spring, one to two weeks prior to crabgrass germination.

Goosegrass - Normally germinates 4-6 weeks after crabgrass. Apply the contents of this bag on 5,100 square feet in late spring or early summer, with a second application 45 days later.

Poa Annua - Apply contents of this bag in 5,100 square feet in late summer or early fall and again in late winter or early spring. A second application may be needed 45 days after the initial treatment. In areas of heavy infestation of annual bluegrass, its elimination will temporarily result in thin turf grass areas. Proper fertilization, irrigation and re-seeding will encourage existing turfgrass to fill in areas previously filled by annual bluegrass.

RESEEDING - Reseeding should be delayed at least 6 weeks after treating with Vertagreen Lawn Food with Team Crabgrass Control.

PRECAUTIONS - Apply Vertagreen Lawn Food with Crabgrass Control to lawns prior to the germination of annual weed grasses, since Team will not control established weeds. This product may thin established annual bluegrass (Poa annua) turfs and fine-leaved fescues. Do not apply in the spring to lawns planted the previous fall. In Bermudagrass lawns that have been overseeded with winter grasses, a spring application of this product may thin over-seeded grasses. Do not use on Dichondra. Do not use on newly sprigged areas of Bermudagrass, St. Augustinegrass, or Centipedegrass until these turfs are well established.

SPREADER SETTINGS

<u>SPREADER</u>	25#/1000 SQ.FT. SETTING	
Cyclone Broadcast Central Drop Central Broadcast Precision Drop Precision Broadcast Scott's Drop Scott's Broadcast Ortho Drop Ortho Broadcast	2½-3½ 5-5½ 1 3/4-2 4 2-3 ·4 C-D½ 4-4½ ½	



Subject

Vertagreen Lawn Food with Crabgrass Centro 19-4-6-13#

Account:

-VG70196

Page

5 of 5 5/16/86

Date:

GRA002

Note: The above-suggested spreader settings are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application. Close spreader when filling, stopping or turning.

DO NOT HAND SPREAD.

STORAGE AND DISPOSAL

(Note: Heading must be minimum 12-Pt. type size)

STORAGE: Keep container tightly closed. Do not store near other

fertilizers or near seeds.

DISPOSAL: DO NOT reuse empty container. Wrap and put in trash collection.

Avoid getting on concrete walks, stucco or asbestos siding, as the composition of certain fertilizer elements can cause permanent stain.

NOTICE:

LaRoche Industries Inc. can accept no responsibility for injury to persons or animals, or for loss or damage to turf, soil or other property resulting from failure to follow directions for use or to observe cautions printed on this package.

Vertagreen UPC Number 0-25704-70196 Proof of Purchase

Manufactured and Registered by

LaRoche Industries Inc. 1100 Johnson Ferry Road - Atlanta, GA 30342 Vertagreen is a registered trademark

> STORE IN A DRY PLACE TREATS 5,100 SQ. FT. LAWN FOOD WITH CRABGRASS CONTROL 19-4-6

Below for Internal Use Only

APPROVALS - MARKETING

DATE

REGULATORY SRVS. DATE

BY

Enda Wingirtes 5/22/80

Demberson 5.21.80