NCL 50 2,4-D DUST WITH ESSENTIAL TRACE MINERALS

for use in the control of such weeds as Mustards, Fanweed, ireweed or Tarweed, Smartweed, Catchweed, Bindweed or Wild Erning Glory, Canada Thistle, Milkweed, Horse Nettles and Bertain other broadleaved weeds in corn.

CTIVE INGREDIENTS:

*Isopropyl Ester of 2,4 Dichlorophonoxyacetic acid 6.04% *Equivalent to 5.00% 2,4-D acid

ENERT INGREDIENTS:..... 93.96 included in the inert ingredients are the following minerals. Porcn in the form of borax Pentahydrate..... 1.00% Typer in the form of basic copper sulfate..... 2.50% lic: in the form of iron sulfate heptahydrate..... 2.90% Manganese in the form of manganese sulfate..... 3.68%

CAUTION

KEEP OUT OF REACH OF CHILDREN AVOID CONTAMINATION OF FEED AND FEEDSTUFFS

Tarmful if swallowed. Avoid contact with skin, eyes or clothng. Wash thoroughly after using. Avoid inhaling dust. This sust may drift and cause damage to susceptible plants such as notion, beans, peas and other vegetables, legumes, grapes, oramentals, etc. Use only where there is no hazard of drift. apors from this product may also cause damage to susceptible lants in the immediate vicinity. Do not apply by airplane. o not transport with or store near fertilizers, insecticides, ungicides or seeds. Because of the difficulty of thoroughly leaning equipment used with this material, do not use such guipment for handling and applying other agricultural chemi-

pply product only as specified on this label. Do not reuse mpty container. Destroy by burying in a safe place. Do not urn.

BEST DOCUMENT AVAILABLE XCLUSIVE DISTRIBUTOR

CORN DUST

This product is toxic to fish. ponds. Do not apply when weath areas treated. Do not contamina ment or disposal of wastes.

DIRE:

For 1 Application Only: Apply ed over the row when corn is 3small and tender.

For 2 Applications: Apply 6 lb: inches tall; repeat application

To obtain best results with NCL

- 1. Apply when corn and weeds a
- 2. Dust when temperatures are growing foliage gives the b
- Dust between 9 A.M. and 6 P tions.

NOTE: Plants stunted and inact or water logging do not respond apply NCL Dust through an NCL D

Consult agricultural experiment weed specialists for specific r time of application, and for co

NOTICE TO BUYERS: Seller's gua terms of the label and Seller π representation as to the materi the label. Buyer agrees and ac these conditions.

LICENSED UNDER U.S. PATENT NOS. NCL PATENT NOS .: BRITISH PATE: AUSTRALIAN PA U.S. 2,768, AND OTHER PATEL

ACCEP

WINNEPEG, CANADA

NCL 5% 2,4-D DUST WITH ESSENTIAL TRACE MINERALS

NET WEIGHT 50 LBS.

CORN DUST

Nustards, Fanweed, a, Bindweed or Wild Horse Nettles and

noise Neccies and

yacetic acid 6.04%

	93.96
e following min	nerals.
	17.80%
Te	1.00%
_fate	2.50%
ahydrate	2.90%
lfate	3.68%
! * * * * * * * * * * * * * *	3.15%
	62 93%

DREN EEDSTUFFS

th skin, eyes or clothdi inhaling dust. This sotible plants such as the legumes, grapes, orno hazard of drift. damage to susceptible that apply by airplane. delizers, insecticides, disculty of thoroughly al, do not use such agricultural chemi-

label. Do not reuse 1 safe place. Do not

EMICAL MACHINES, LTD.

This product is toxic to fish. Keep out of lakes streams and ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS

For 1 Application Only: Apply 6 to 8 lbs. per acre concentrated over the row when corn is 3-10 inches tall and weeds are small and tender.

For 2 Applications: Apply 6 lbs. per acre when corn is 3-10 inches tall; repeat application 10 days to 2 weeks later.

To obtain best results with NCL Dust:

- 1. Apply when corn and weeds are young, as outlined above.
- 2. Dust when temperatures are 65 to 95. Healthy, actively growing foliage gives the best effect.
- 3. Dust between 9 A.M. and 6 P.M. under warm, sunny conditions.

NOTE: Plants stunted and inactively growing, due to drought or water logging do not respond as well. For best results, apply NCL Dust through an NCL Duster.

Consult agricultural experimental stations or extension service weed specialists for specific recommendations as to dosage and time of application, and for control of other weeds.


NOTICE TO BUYERS: Seller's guarantee shall be limited to the terms of the label and Seller makes no guarantee, warranty or representation as to the material other than those set forth in the label. Buyer agrees and accepts and uses the material on these conditions.

LICENSED UNDER U.S. PATENT NOS.: 2,390,941 --2, 396,513 NCL PATENT NOS.: BRITISH PATENT NO. 735,045.

AUSTRALIAN PATENT NO. 165,436.

U.S. 2,768,889 AND OTHER PATENTS PENDING.

WINNEPEG, CANADA



E P A TEG. NO. 3462-6