

Do not apply directly to water.  
Do not contaminate water when disposing  
of equipment wash water.

**BEST AVAILABLE COPY**

Avoid contact with eyes, skin and clothing.

**PRECAUTIONARY STATEMENT  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

**PRECAUTIONARY STATEMENTS**  
Humans: Irritates and may irritate. Refer to the Material Safety Data Sheet for further information. See side panel for additional precautionary statements.

**ENVIRONMENTAL HAZARDS**  
This product is toxic to fish. Do not discharge effluent containing this product directly into streams, rivers, ponds, estuaries, oceans or public waters unless this product is specifically identified and authorized to be discharged there. Do not discharge effluent containing this product into water systems without previously notifying the appropriate treatment plant authority. For guidelines, contact your State Water Board or Regional Office of the Environmental Protection Agency.

**PHYSICAL AND CHEMICAL HAZARDS**  
Store above 32°F to keep from freezing. Do not use in unsealed form, if allowed to freeze, warm to 70° F and redistill before using by rilling or shaking the container.

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system.

**STORAGE AND DISPOSAL**

1. **Prohibitions:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
2. **Storage:** Store in a cool, dry, locked area out of the reach of children. Keep all container tightly closed in storage to prevent entry of water.
3. **Portable Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
4. **Container Disposal Method:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a nearby landfill, or by other procedures approved by state and local authorities. Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a nearby landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**CAUTION**  
Keep all containers tightly closed in storage to prevent entry of water. Roll down before use. All insecticide and herbicide containers are under constant inspection and regulation during the period of expiration. Do not apply during periods of drought or when plants exhibit moisture stress. Do not use in combination with or immediately before or after spraying with other pesticides, fertilizers, herbicides, fungicides, insecticides, or any other product containing water. Do not use with calcium or aluminum salt bases. Also do not use with fertilizers. Use of the high-pressure water on shrubs, trees, and ornamentals could result in phytotoxicity.

**ACCEPTED**  
EPA 7-1000  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3468-9

**SUPREME OIL**

**INSECTICIDE**

ACTIVE INGREDIENTS:	By wt.
Refined Petroleum Distillate	98.5%
WAXY INGREDIENTS:	
Emulsifier	1.5%
	100.0%
*Distilled Residue of Petroleum Distillate	0.5% Min.
*20% Sulfuric Acid of Petroleum Distillate	.414%
*Flash Point	360°F
Weight per Gallon	7.3 lbs.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

Handle if essential.  
Avoid breathing of spray mist or vapors.  
Wash hands after using.  
Avoid contamination of food or feed stuffs.

**STATEMENT OF PRACTICAL TREATMENT**  
If swallowed: do not induce vomiting.  
If on skin: wash with soap and water.  
If in eyes: flush with water.  
See Label Panel For Additional Cautions.

EPA Reg. No. 3468-9  
EPA EST. No. 3468-00-2  
Mfg. Company \_\_\_\_\_ Sales \_\_\_\_\_  
Manufactured for  
**SCHALL CHEMICAL, INC.**  
Monte Vista, Colorado  
Delta, Colorado

Call a physician immediately.

BEST AVAILABLE COPY

**TANK MIXES**

It is important for users to read and follow all directions and restrictions on the labels of the proposed tank mix products.

**ORNAMENTAL PLANTS**

Oil might remove the gloss (blue) bloom from such evergreens as Colorado blue spruce and Cedar trees. Use with caution and reduced dosage for summer application on Japanese Red Maple, Acer Maple and Black Walnut. Use with caution and reduced dosage for dormant application on Sugar Maple and Redbud.

**TIME THE TREATMENT**

You must determine the precise timing to fit local growth and climatic conditions.

**DO NOT EXCEED MARGIN RATES** or apply more often than recommended.

**MIXING DIRECTIONS**

Add sufficient water to the mixing tank to allow proper agitation. Maintain agitation until solution is used. If other pesticides are to be added, do so after the water and oil have been thoroughly mixed.

**RE-ENTRY STATEMENT**

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until spray has dried. However certain states may require more restrictive re-entry intervals for certain crops treated with this product, consult your State Department of Agriculture for further information.

Workers or other persons should be given to workers who are expected to be in treated areas or in an area about to be treated with this product. When wet readings are given, workers should be given in a language commonly understood by workers. Written warnings must include the following information: "CAUTION—Area treated with Dursapon Oil on (plant). Do not enter without appropriate protective clothing and spray have dried." In case of accidental exposure refer to Statements of Product Treatment found on this product label. **Supreme**

1. For use as a wetter for Dursapon Emulsions when applied through a mist blower or cold fog mist.
2. May be used with Dursapon and Parathion\* to obtain two modes of insecticidal action.
3. May be used with Permethrin on cotton only.
4. May be used in a tank mix with Lannate on apples, pears, plums, prunes, peaches, most nuts and field corn.
5. May be used in a tank mix with Dursapon\* on apples, pears, plums, prunes, peaches, persimmons, nutmegs, nutlets, figs and cherries, citrus (orange, grapefruit, lemon).
6. May be used as a wetter or carrier for certain synthetic organic insecticides applied by mist control when suitable for use.

\*Dursapon and Parathion are "Restricted Use Pesticides."

**CONTROLS**

A wide range of sites are listed parts in the crop stage such as sprayer and caterpillar sites, covered and web caterpillars, scale insects, aphids, leafhoppers, beetles, cutworms, mealybugs, grasshoppers, and caterpillars. All the other insects listed if spray covers the insect.

When application is made off or to be left stopped for any length of time, spray on the ground for a few moments and let spray appear evenly white. This is desirable also where there are dead ends in the pipe lines of delivery units. All the material in delivery units should be sprayed out each day.

Spray no more than twice within or early spring, and before the buds separate into the clusters. Do not spray in freezing weather, or apply during drought after the buds have burst to any extent. Do not apply when buds have expanded to the diameter.

Do not apply within 2 weeks of a sulfur spray or within 7 days of Captan.

Do not use if this spray is done and exactly. Control considerations is indicated if, when this product is added to the water in the spray tank, a solution with white spray residue results provided the spray mixture is being agitated. If the spray mixture, after adding the oil to the spray tank with the agitation ceasing, is not white-white, do not use the mixing spray or the remainder of this product.

Directions should not be changed packages only.

**TERMS**

Supplier's guarantee shall be limited to the terms of the label and subject to the buyer's acceptance of the product on these conditions. Timing and method of application, weather and crop conditions, with or without other chemicals not specifically recommended, and other intervening factors in the use of this product are beyond the control of the seller.

CROP	INSECT CONTROL AID	Application Rate (2 Gallons per 100 Gallons of White Spray)	Type of Application (Stage of Development)
APPLES	Apple Red Bug	2	Dormant
	Carpenter Flea	2	Dormant
	Lantern Scale	2	Dormant
	Fruit Tree	3	Dormant
	Leaf Miner	2	Green Tip to Delayed
	Carpenter Flea	2	Dormant to 1" Green
PEARS	San Jose Scale	2	Delayed Dormant to 1" Green
	San Jose Scale	2	Delayed Dormant to 1" Green
	San Jose Scale	2	Delayed Dormant to 1" Green
	San Jose Scale	2	Delayed Dormant to 1" Green
PEACHES	Fruit Tree	3	Dormant
	Leaf Miner	2	Dormant
PLUMS & PRUNES	Leaf Miner	2	Late Dormant
	Leaf Miner	2	Late Dormant
SWEET CORN	Spider Mite	3	Dormant
	Spider Mite	3	Dormant
FIELD CORN	Spider Mite	3	Dormant
	Spider Mite	3	Dormant
SUGAR BEETS	Spider Mite	3	Dormant
	Spider Mite	3	Dormant