. PM19	3468-9 /3			
Please read instructions on reverse before completing form.	Form Approved. OMB No. 2070-0060. Approval expires 2-28-95			
United States  Environmental Protection As  Washington, DC 20460	gency Registration OPP Identifier Number  Amendment 234044 Other			
Application for Pesticide - Section I				
I. Company/Product Number 3468-9	2. EPA Product Manager  DENNIS MILLER  3. Proposed Classification  Restricted			
4. Company/Product (Name) SUPREME OIL	PM# Restricted			
5. Name and Address of Applicant (Include ZIP Code)  SCHALL CHEMICAL SUPPLY, L.L.C.  120 NORTH BROADWAY  MONTE VISTA, CO 81144  Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No  Product Name			
Section - II				
Amendment - Explain below.  Resubmission in response to Agency letter dated  Notification - Explain below.  Change Rei From 12 Hours To 4 Hours As Per Pr Notice 95-3 USING THE CITE ALL METHOD FOR TOXICITY DATA.				
<u> </u>	ection - III			
Yes* X No X No X No X No X No X No. per X Contision must	Type of Container  Yes  X Metal Plastic Glass  Yes" No. per ckage wgt container  Other (Specify)			
3. Location of Net Contents Information 4. Size(s) Retail Co  GALLON, 2½	GAL, 5 GAL,  5. Location of Label Directions  X On Label  On Label			

4. Typed Name

6. Manner in Which Label is Affixed to Product

RICHARD R. BRUMFIELD

both under applicable law.

Name

3. Title

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Title

Lithograph Paper glued Stenciled

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or

5. Date

11-17-95

Section - IV

Other

Telephone No. (Include Area Code)

719-852 3921

RICHARD R. BRUMFIELD

# PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

# PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals. Avoid contact with eyes, skin and clothing. See side panel for additional precautionary statements.

PERSONAL PROTECTIVE EQUIPMENT .

Some materials that are chamical resistant to this product are listed below. If you want more options, follow the instructions for category E off an EPA chamical resistance category selection chart.

Applicators and other handlers must wear:

Long-steeved shirt and long pants
Chamical resistant gloves such as barrier laminate or Nitrile Rubber or Neoprene Rubber or Viton

A STATE OF THE PROPERTY OF THE

Shoes plus socks

Follow manufacturer's instructions for cloaning/mulstaining PPE. If no such instructions for washables, use detergent and that water-keep and wash PPE separately from other laundry.

# USER SAFETY RECOMMENDATIONS

Users should:

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and
put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves
before removing. As soon as possible, wash thoroughly and change into clean
clothino.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment wash water.

# PHYSICAL AND CHEMICAL HAZARDS

Store above 32°F to keep from freezing. Do not use in undituted form, if allowed to freeze, warm to 70°F and redissolve before using by rolling or shaking the container.

DIRECTIONS FOR USE
It is a violation of Federal law to use the product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.



ACTIVE INGREDIENT: Refined Petroleum Distillate\*....
INERT INGREDIENT: 1.2% 100.0% \*Flash Point......345\*F 

# CAUTION

Harmful if swallowed. Avoid breathing of spray mists or vapors. Avoid contamination of food or food stuffs.

Net Contents

STATEMENT OF PRACTICAL TREATMENT If swallowed: do not induce vomiting, Call a physician immediately, if on skin; wash with soap and water, if in eyes: flush with water.

See Left Panel For Additional Cautions,

EPA Reg. No. 3468-9

EPA EST. No. 3468-CO-2

Gallons

Manufactured by

SCHALL CHEMICAL, INC.

Monte Vista, Colorado Delta, Colorado

AG Use this produ Standard, 40 C apricultural wo agricultural pes and emergency to the statemer workers and res product that are Do not enter of (REI) of 4 hours PPE required to Standard and th or water, is:

■ Chemical-res Rubbet or Vi M Shoes plus s

1, Prohibitions dumping is pro

2. Storage: St container tight 3. Pesticide Di of on site or a

4. Container D or reconditioni Then offer for landfill, or inci-burned, stay o

Keep oil contains use. All horticultu moisture stress. with dinitro comp or any other prod Also do not use; and ornamentals

# CULTURAL USE REQUIREMENTS

by in accordance with its labeling and with the Worker Protection part 170. This Standard contains requirements for the protection of on tarms, forests, nurseries, and greenhouses, and handlers of is it contains requirements for training, decontamination, notification, stance, it also contains specific instructions and exceptions pertaining this tabel about personal protective equipment (PPE), notification to ed-entry interval. The requirements in this box only apply to uses of this ered by the Worker Protection Standard.

w worker entry into treated areas during the restricted entry interval

rly entry to treated areas that is permitted under the Worker Protection tvolves contact with anything that has been treated, such as plants, soil,

nt ploves, such as barrier laminated or Nitrile Rubber or Neoprene

### STORAGE AND DISPOSAL

o not contaminate water, food, or feed by storage or disposal. Open hatic.

in a cool, dry, locked area out of the reach of children. Keep oil losed in storage to prevent entry of water,

isal: Wastes resulting from the use of this product may be disposed approved waste disposal facility.

bosal: Metal: Triple rinse (or equivalent). Then offer for recycling or puncture and dispose of in a sanitary landfill, or by other pro-I by state and local authorilies, Plastic: Triple rinse (or equivalent). ycling or reconditioning, or puncture and dispose of in a sanitary ation, or, if allowed by suite and local authorities, by burning. If of smoke.

## CAUTION

ightly closed in storage to prevent entry of water. Roll drum before I oils interfere with or slow plant transpiration and respiration during ation. Do not apply during periods of drought or when plants exhibit not use in combination with or immediately before or after spraying nos, fungicides such as Captan, Folpet, Dyrene, Karathene, Morestan containing sulfur. Do not use with carbaryl on deciduous fruit trees. h dimethoate. Use of the high summer rate on shade trees, shrubs, build result in phytotoxisity.



It is important for users to read and follow all directions and restrictions on the labels of the proposed tank mix products.

TIMING THE TREATMENT

You must determine the precise timing to fit local growth and climatic conditions. DO NOT EXCEED MAXIMUM RATES or apply more often than recommended.

MIXING DIRECTIONS Add sufficient water to the mixing tank to allow proper agitation, Maintain agitation until solution is used. If other pesticides are to be added, do so after the water and oil have been thoroughly mixed.

1. For use as a carrier for Bacillus thuringiensis when applied through a mist blower or

cold fog machine. 2. May be used with Ethion and Parathion\* to obtain two modes of insecticidal action. 3. May be used with Permethrin on cotton only.

4. May be used in a tank mix with Lorsban on apples, pears, plums, prunes, peaches, sweet corn and field corn.

May be used in a lank mix with Supracide on apples, pears, plums, prunes, pecans, peaches, ornamentals including shade trees and shrubs, citrus (oranges, grape(ruit,

6. May be used as a spreader or carrier for certain synthetic organic insecticides applied for pest control in/on habitable buildings.

Note: Supracide and Parathion are "Restricted Use Pesticides."

A wide range of mite and insect pests in the egg stage such as: spider and eriophyld mites, armored and soft scales, mealy-bugs, psyllids, whiteflies, aphilds, leafrollers, leaftiers, webworms, cankerworms, plant bugs, leathoppers, and adelpids. Will kill other immature forms if spray covers the insect.

When a gun has been shut off or the outlit stopped for any length of time, spray on the ground for a few moments until the spray appears creamy white. This is desirable also where there are dead ends in the pipe lines of stationary outlits. All the material in stationary outlits should be sprayed out each day.

Spray on warm days in late Winter or early Spring, and before the buds separate into the clusters. Do not spray in freezing weather, or apply strong dosages after the buds have burst to any extent. Do not apply when buds have separated in the clusters.

Do not apply within 2 weeks of a sulfur spray or within 7 days of Captan.

## **NON-AGRICULTURAL USE REQUIREMENTS**

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter treated areas without protective clothing until sprays have dried.

# ORNAMENTAL PLANTS

Oll might remove the glaucus (blue) bloom from such evergreens as Colorado blue spruce and Koster spruce. Use with caution and reduced dosage for summer application on Japanese Red Maple, Amur Maple and Black Walnut. Use with caution and reduced

dosage for dormant application on Sugar Maple and Redbud,

Do not use if this spray oil does not emulsify. Correct emulsification is indicated if, when this product is added to the water in the spray tank, a uniform milk white spray mixture results provided the spray mixture is being agitated. If the spray mixture, after adding the oil to the spray tank with the agitation running, is not milk-white, do not use the resulting spray or the remainder of this product.

Dealers should sell in original packages only.

	·		
CROP	INSECT CONTROL AID	Application Rate 6E Gallons per - 100 Gullons of -Dilute Cpray	Time of Application (Stage of Development)
APPLES	Apple 3ed Buy European Fruit Lecanium 5 see- Fruit Tree Leaf Roller European Red Mite San Jose Scale Scurfy Scale	2 2	Drimani Drimani Domani Domani Green Tip to Delayed Domani ½" Green Delayed Dormani ½" Green ½" Green
PEARS	Fruit Tree	3, 3	Delayed Dormant 1/2" Green Dormant
	Leaf Roller Pear Leaf Blister Mita	3	Dormant
	Pear Psylia	2	Late Dormant
PECANS	Obscure Scale .	3	Dormant
PEACHES	Cottony Peach Scale	3	Dormani
PLUMS & PRUNES	European Red Mite European Fruit Lecanium Scale	. 2 . 5	Dormant to Delayed Dormant 1/2" Green
SHADE TREES & SHRUBS	Spider Mites Scales Certain Caterpillars	3	Dormant Summer
ORNAMENTALS	Plant bugs	3 2	Dormant Summer
SWEET CORN FIELD CORN	Ear Worms Fall Army Worm Corn Root Worm	5	Summer Spring—early Spring—early
SUGAR BEETS	Mites, Leaf Miner	2 gal/acre	As Needed

## TERMS

Seller's guarantee shall be limited to the terms of the label and subject thereto the buyer/user accepts the product on these conditions. Timing and method of applications, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the

Colson Printing Company 17302