

**BEST AVAILABLE COPY**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
DANGER**

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed on this label.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame. Do not store below 32°F.

**STORAGE AND DISPOSAL**

**PROHIBITIONS:** Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.  
**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or waste is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.  
**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.  
**GENERAL:** Consult Federal, State or local disposal authorities for approved alternative procedures.  
**STORAGE:** Do not store below 32°F.

**DIRECTIONS FOR USE:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read all directions before using and use only as specified on this label. Do not mix with soap or anionic detergents.

AC  
A  
U  
E  
EPA

9 1985  
Federal Insecticide,  
and Rodenticide Act  
for the pesticide  
label 3468-16



**HYAMINE\* DISINFECTANT SANITIZER**

Active Ingredients  
in 40% (15% C<sub>12</sub>, 40% C<sub>14</sub>, 10% C<sub>16</sub>) dimethyl  
benzyl ammonium chloride 10%  
Inert Ingredients 90%  
Water and ethanol

Nonflammable, nonvolatile, odorless in usual dilution.  
This product fulfills the criteria of Appendix F of the Grade 'A' Pesticured Mth Ordinance  
1988 Recommendations of the U.S. Public Health Service in waters up to 300 ppm of  
hardness calculated as CaCO<sub>3</sub>, when tested by the A.O.A.C. Germicidal and Disinfectant  
Santizers - Official Method.

**KEEP OUT OF REACH OF CHILDREN  
DANGER**  
**STATEMENT OF PRACTICAL TREATMENT**  
If Swallowed - Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.  
If Inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.  
If On Skin - Remove contaminated clothing and wash affected areas with soap and water.  
If In Eyes - Flush eyes for at least 15 minutes with water. Call a physician if necessary.  
**NOTE TO PHYSICIAN:** Pesticide misuse damage may contraindicate the use of germicidal drugs. Measure against secondary shock, respiratory depression, and convulsion may be needed. See Left Panel For Additional Cautions.

EPA Reg. No. 3468-16 EPA EST. No. 3468-CO-1  
Net Contents \_\_\_\_\_ Gallons

Manufactured by  
**SCHALL CHEMICAL, INC.** Monte Vista, Colorado  
Brite, Colorado

**MATCHING EGGS**  
Sanitize egg. Dip eggs for hatching in a solution containing one ounce of Hyamine to two gal of water.

**POULTRY AND ANIMAL HOUSES**  
Remove all animals and birds from premises. Remove all litter and manure from floors, walls, surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Saturate all surfaces with a solution containing one ounce of Hyamine to one gallon of water. Immerse all tubs, vats and other types of equipment used in handling and restraining animals as well as tanks, buckets and screens in a solution containing one ounce of Hyamine per gallon of water. Do not be livestock or animal equipment until treatment has been absorbed and dried. All treated stalls, mangers, troughs, automatic feeders, fountains and water must be thoroughly rinsed with potable water prior to use.

**KERNELS AND OTHER ANIMAL QUARTERS**  
Disinfectant and Sanitizer. To sanitize after cleaning, mop, scrub or dip cages, feed-dis and other equipment with a solution containing one ounce of Hyamine to four gallons of water. To disinfect surfaces difficult to clean thoroughly, and other disease outbreaks threaten, use one ounce of Hyamine in two gallons of water.

**VETERINARY USES**  
Disinfectant and Deodorant Soap. Before and after examining or treating animals, use disinfectant and other equipment in solution containing one ounce of Hyamine to one gallon of water.  
Disinfection of Surgical Instruments. Clean instruments and uterine in a solution containing one ounce of Hyamine to one gallon of water. Add one tablespoonful of sodium carbonate to gallon of solution to prevent rusting. An equivalent time of ten minutes is required.

**SEED POTATO HANDLING EQUIPMENT & STORAGE AREAS**  
To prevent the spread of bacterial ring-rot, wash thoroughly and mop or spray a solution of 2 oz of Hyamine to two gallons of water on all surfaces.

**SEED POTATO CUTTING KNIVES**  
Dip knives in solution of two ounces of Hyamine to two gallons of water. Dip knives in solution.

**SANITIZATION OF EQUIPMENT IN FOOD PROCESSING PLANTS, INCLUDING MEAT PLANTS**  
Clean and treat equipment thoroughly. Then scrub with a solution of one ounce of Hyamine to four gallons of water. Flush equipment with a potable water rinse before reuse. On surfaces difficult to clean completely touch up with cutting boards, increase strength of disinfecting solution to one ounce to one gallon of water. All treated surfaces and areas must be thoroughly rinsed with potable water after treatment, and before use.

**COLD DISINFECTION OF SURGICAL INSTRUMENTS**  
Clean thoroughly, rinse and immerse in a solution of one ounce of Hyamine to one gallon of water for ten minutes. One tablespoonful of sodium nitrite should be added to each gallon of solution as a corrosion inhibitor.

**GENERAL DISINFECTION, SANITIZATION AND DEODORIZATION IN PUBLIC ROOMS AND AT HOME**  
After cleaning, disinfect and deodorize with solution containing one ounce of Hyamine to two gal of water. For sanitizing, use a solution of one ounce to four gallons of water.

**NOTICE TO BUYER:** Seller warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under abnormal use conditions, or under conditions not reasonably foreseeable to seller, buyer assumes all risk of any such use. Seller makes no other warranties express or implied.