

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
DANGER**

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contact with food.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame. Do not store below 32°F.

**STORAGE AND DISPOSAL**

**PROHIBITIONS.** Do not contaminate water, food or feed by storage or disposal. Over dumping is prohibited.  
**PESTICIDE DISPOSAL.** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.  
**CONTAINER DISPOSAL.** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.  
**GENERAL.** Consult Federal, State or local disposal authorities for approved alternative procedures.  
**STORAGE.** Do not store below 32°F.

**DIRECTIONS FOR USE:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read all directions before using and use only as specified on this label. Do not mix with soap or anionic detergents.

**BEST AVAILABLE COPY**



**HYAMINE**

Active Ingredient:  
n-allyl (50% C<sub>12</sub>, 40% C<sub>14</sub>, 10% C<sub>16</sub>) dimethyl benzyl ammoniumchloride..... 10%  
Inert Ingredients:  
Water and ethanol..... 90%  
Nonflammable, nonvolatile, odorless in used dilution.

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**STATEMENT OF PRACTICAL TREATMENT**

If Swallowed — Give promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.  
If Inhaled — Remove victim to fresh air. Apply artificial respiration if indicated.  
If On Skin — Remove contaminated clothing and wash affected areas with soap and water.  
If In Eyes — Flush eyes for at least 15 minutes with water. Call a physician if irritation persists.  
**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measure against circulatory shock, respiratory depression, and convulsion. Aid as needed. See Left Panel For Additional Cautions.

EPA Reg. No. 3468-16      EPA EST. No. 3468-CO-1  
Net Contents \_\_\_\_\_ Gallons

Manufactured by  
**ALL CHEMICAL, INC.**      Monte Vista, Colorado  
Deft's, Colorado

**HATCHING EGGS**

Dip eggs for hatching in a solution containing one ounce of Hyamine to two gallons of water.

**POULTRY AND ANIMAL HOUSES**

Remove all animals and feeds from premises. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Saturate all surfaces with a solution containing one ounce of Hyamine to one gallon of water. Immerse all hangers, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels and scrapers in a solution containing one ounce of Hyamine per gallon of water. Do not house livestock or empty equipment until treatment has been absorbed, set or dried. All treated feed racks, mangers, troughs, automatic feeders, fountains and water must be thoroughly rinsed with potable water prior to use.

**KENNELS AND OTHER ANIMAL QUARTERS**

Disinfection — To disinfect surfaces difficult to clean thoroughly, and when disease outbreaks threaten, use one ounce of Hyamine in two gallons of water.

**VETERINARY USES**

Disinfectant and Deodorant Rinse: Before and after examining or treating animals, rinse instruments and other equipment in solution containing one ounce of Hyamine to one gallon of water.  
Disinfection of Surgical Instruments: Clean instruments and immerse in a solution containing one ounce of Hyamine to one gallon of water. Add one tablespoonful of sodium nitrite to one gallon of solution to prevent rusting. An immersion time of ten minutes is required.

**SEED POTATO HANDLING EQUIPMENT & STORAGE AREAS**

To prevent the spread of bacterial ring-rot, wash thoroughly and mop or spray a solution of 2 ounces of Hyamine to two gallons of water on all surfaces.

**SEED POTATO CUTTING KNIVES**

Use a solution of two ounces of Hyamine to two gallons of water. Dip knives in solution.

**COLD DISINFECTION OF SURGICAL INSTRUMENTS**

Clean thoroughly, rinse, and immerse in a solution of one ounce of Hyamine to one gallon of water for ten minutes. One tablespoonful of sodium nitrite should be added to each gallon of solution as a corrosion inhibitor.

**GENERAL DISINFECTION AND DEODORIZATION IN PUBLIC ROOMS AND AT HOME**

After cleaning, disinfect and deodorize with solution containing one ounce of Hyamine to two gallons of water.

**NOTICE TO BUYER:** Seller warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under abnormal use conditions, or under conditions not reasonably foreseeable to seller, buyer assumes all risk of any such use. Seller makes no other warranties express or implied.