

## Precautionary Statements

HAZARDS TO HUMANS & DOMESTIC ANIMALS

### POISON

See side panels for antidote and precaution



### DANGER

Keep out of reach of children



### DANGER

#### USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under provisions of 30 CFR Part 11. (4) Wear heavy duty natural rubber gloves.

#### WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is drift.

Workers entering treated fields within 48 hours should wear protective clothing.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.



### PARATHION SIGNS

Parathion is a very dangerous poison. It rapidly enters the body on contact with skin, clothes, face and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

### NOTE TO PHYSICIAN

Antidote: administer atropine sulfate in large doses. TWO or FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

## ENVIRONMENTAL HAZARDS

Do not contaminate water, food, or feed by storage or disposal. Open containers are prohibited. Do not apply directly to water, soil, ice, snow, or other surfaces where water may collect. Do not apply to crops or other plants intended for human or animal consumption.

Do not apply to crops or other plants intended for human or animal consumption. Do not apply to crops or other plants intended for human or animal consumption.

## PHYSICAL & CHEMICAL HAZARDS

Do not store in or near food, feed, or other articles of human consumption.

## DIRECTIONS FOR USE

Consult your State Agricultural Extension Service or Experiment Station regarding proper use on treated areas.

## POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding proper use on treated areas.

## STORAGE AND DISPOSAL

**PROHIBITIONS**  
Do not contaminate water, food, or feed by storage or disposal. Open containers are prohibited.

**PESTICIDE DISPOSAL**  
Pesticide spray in container or residue that cannot be used or chemically processed should be disposed of in a safe place approved for pesticide disposal in a safe place away from water supplies.

**CONTAINER DISPOSAL**  
a) Rigid containers: empty before conditioning or  
b) Triple rinse for equivalent effect. Offer for recycling if available. Do not reuse for any other purpose. Bury in a safe place.

**GENERAL**  
Consult Federal, State or local disposal authorities for approved alternate procedures.

**SPILLAGE:**  
In case of spillage, cover with absorbent material such as lime, clay or sawdust. Sweep up and bury. Then wash area with strong lye solution.

## RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.



## METHYL PARATHION

**ACTIVE INGREDIENTS:**

O, O-dimethyl O-p-Nitrophenyl Thiophosphate*	43.34%
Related Compounds	2.28%
Xylene	48.13%

**INERT INGREDIENTS:** 6.2%

\*Methyl Parathion TOTAL 100%

## STATEMENT OF PRACTICAL TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. **Never give anything by mouth to an unconscious person.** Have victim lie down and keep quiet. See doctor immediately. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

EPA REG. NO. 348-12 MANUFACTURED FOR EPA REG. NO. 348-12

SCHALL CHEMICAL INC. Monte Vista, Colorado  
Delta, Colorado

**NOT FOR HOME USE**

**ments**  
**ANIMALS**  
**DANGER**  
 out of reach  
 children



**POISON SIGNS**  
 acous poison. It rapid  
 fact with a skin sur  
 ng wet with this  
 ed immediately. Ex  
 ve prompt medical  
 symptoms of poison:  
 1. vomiting, cramps,  
 2. pin point pupils,  
 3. and breathing ner  
 ting of eyes, drool  
 and nose, muscle

**PHYSICIAN**  
 ne sulfate in large  
 ntravenously or in  
 cyanosis is over  
 nute intervals until  
 appear. 2 PAM  
 and may be ad  
 with atropine. DO  
 R TRANQUILIZERS.  
 nesterase inhibitor  
 peripheral nervous  
 ng cardiac and  
 At first sign of  
 patient should be  
 and treated symp  
 absorption of the  
 fatal relapses have  
 improvement. VERY  
 F THE PATIENT IS  
 ST 48 HOURS

**ENVIRONMENTAL HAZARDS**

This product is highly toxic to aquatic life. Do not apply near streams, rivers, ponds, lakes, or other bodies of water. Do not use equipment or devices that will spray or drift onto water. Do not apply when weather conditions favor drift from a treated area.

This product is highly toxic to bees. Do not apply near flowering plants. For more information on bee toxicity, contact your local Cooperative Extension Service.

**PHYSICAL & CHEMICAL HAZARDS**

Do not use, pour, spill, or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**POST TREATED AREA**

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

**STORAGE AND DISPOSAL**

**PROHIBITIONS**  
 Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**PESTICIDE DISPOSAL**

Pesticide spray mixture, or residue that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

**CONTAINER DISPOSAL**

(a) Reseal container and offer for recycling, reconditioning, or  
 (b) Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place.

**GENERAL**

Consult federal, state, or local disposal authorities for approved alternative procedures.

**SPILLAGE**

In case of spillage, cover with absorbent material such as lime, clay, or sawdust. Sweep up and bury. Then wash area with strong lye solution.

**RESTRICTED USE PESTICIDE**

For retail sale to, and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.



**CAN KILL YOU**

**METHYL PARATHION**

**ACTIVE INGREDIENTS:**

O,O dimethyl O-p-Nitrophenyl Thiophosphate*	43.34%
Related Compounds	2.28%
Xylene	48.13%

**INERT INGREDIENTS:**

*Methyl Parathion	TOTAL	100%
-------------------	-------	------

**STATEMENT OF PRACTICAL TREATMENT**

Call a doctor (physician, clinic or hospital) immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

EPA REG. NO. 7666-1 MANUFACTURED BY SCHALL CHEMICAL INC.

**SCHALL CHEMICAL INC.** Monte Vista, Colorado  
 Delta, Colorado

**NOT FOR HOME USE**

**RECOMMENDATIONS**

Apply to the soil surface of the treated area. Do not apply to water. Do not apply to plants that are stressed or damaged. Do not apply to plants that are in bloom. Do not apply to plants that are in fruit. Do not apply to plants that are in seed.

**ALFALFA VETCH** 1 lb. per acre. Do not apply within 21 days of harvest.

**ALFALFA HAY** 1 lb. per acre. Do not apply within 15 days of harvest.

**ARTICHOKES, BEETS, CELERY, PEAS, PEPPERS** 1/2 pt. per acre. Do not apply within 15 days of harvest.

**BEANS** 1/2 pt. per acre. Do not apply within 21 days of harvest.

**BEANS** 1/2 pt. per acre. Do not apply within 21 days of harvest.

**TOMATOES** 2 pt. per acre. Do not apply within 15 days of harvest.

**COLE CROPS** (Cabbage, Cauliflower, Broccoli, Brussels sprouts, Kale) 1/2 pt. per acre. Do not use within 15 days of harvest.

**CORN** (Field, Sweet and Popcorn) 1/2 pt. per acre. Do not apply within 15 days of harvest.

**LETTUCE, SPINACH** 1/2 pt. per acre. Do not apply within 21 days of harvest.

**ONIONS** 1/2 pt. per acre. Do not use for pot per acre.

**POTATOES** 2 pt. per acre. Do not apply within 15 days of harvest.

**SMALL GRAINS** (Barley, Oats, Rye and Wheat, Apples, Green, Black, Red, Purple, Brown, Yellow, White, Pink, Blue) 1/2 pt. per acre. Do not apply within 15 days of harvest.

**DANGER:** Keep all persons out of the operating area or vicinity where there may be danger of drift. Vacated areas should not be reentered until the drifting insecticides and volatile residues have dissipated.

**WARRANTY AND LIMITATION OF DAMAGES**

SELLER warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and BUYER assumes the risk of any use contrary to such directions. SELLER makes no other express or implied warranty, including any other express or implied warranty of FITNESS or MERCHANTABILITY, and no agent of SELLER is authorized to do so except in writing with a specific reference to this warranty. In no event shall SELLER'S liability for any breach of warranty exceed the purchase price of the material to which a claim is made.