

Precautionary Statements

HAZARDS TO HUMANS & DOMESTIC ANIMALS

POISON

See side panels for antidote and precautions



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed



CAN KILL YOU



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes)

DANGER

Keep out of reach of children



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

DANGER

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under provisions of 30 CFR Part 11. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated areas or where there is danger or drift.

Workers entering treated fields within 48 hours should wear protective clothing.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital - immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water - each use. Protective equipment should be cleaned or replaced according to instructions included with respirator.



CAN KILL YOU

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling, frothing of mouth and nose, muscle spasms and coma.

NOTE TO PHYSICIAN

Antidote - administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement: **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

ENVIRONMENTAL

HAZARDS

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agriculture Extension Service.

PHYSICAL & CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not enter treated areas for 48 hours unless appropriate protective clothing is worn. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. When oral warnings are given, warnings shall be given in a language customarily understood by workers.

Written or oral warnings must include the following information:

DANGER

(Insert area or field description) treated with Parathion on (insert date of application). Do not enter without appropriate protective clothing for 48 hours. In case of accidental exposure: Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to (insert chemical and describe his condition). For further information see "FIRST AID TREATMENT" portion of the pesticide label.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL

Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved state and local procedures.

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill or by incineration if allowed by state and local authorities.

GENERAL

Consult Federal, state or local disposal authorities for approved alternative procedures.

SPILLAGE:

In case of spillage, cover with absorbent material such as lime, clay or sawdust. Sweep and bury. Then wash area with strong lye solution.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

STOP! READ THE LABEL



DANGER PELIGRO
See side panels for antidote and precautions

POISON
Keep out of reach of children

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente."

CAN KILL YOU

METHYL PARATHION

ACTIVE INGREDIENTS

| | |
|--|-------|
| O, O-dimethyl O-p-Nitrophenyl Thiophosphate* | 45.7% |
| Xylene | 47.5% |
| INERT INGREDIENTS | 6.8% |
| TOTAL | 100% |

*METHYL PARATHION

CONTENT TOXICANTS PER GALLON 4 LBS. METHYL PARATHION

STATEMENT OF PRACTICAL TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

E.P.A. REG. NO. 3468-17 MANUFACTURED FOR EPA EST. NO. 3468-CO-1

SCHALL CHEMICAL INC. Monte Vista, Colorado
Delta, Colorado

NOT FOR HOME USE

RQ Parathion Mixture, Liquid POISON N 2783 Methyl Parathion

RECOMMENDATIONS

Rates are given in terms of METHYL PARATHION per acre in sufficient water for MINIMUM recommended volume: are 3 to 10 gallons per acre. Unless this product will control aphids, armyworms, leafhoppers, and mites - 2 1/2 pts. D

ALFALFA, VETCH: Spotted alfalfa Apply in early spring. Follow state recommendations for the control of aphids, armyworms, leafhoppers and mites - 2 1/2 pts. D days of harvest.

ALFALFA HAY: Alfalfa weevil larvae appear ragged or when larvae could sweep. Do not apply within 15 days

ARTICHOKES, BEETS, CELERY, 1 pts. Do not apply within 15 days of harvest if tops are to be used for feed

BEANS (green): 1 1/2 pts. Do not apply within 15 days of harvest.

BEANS (dry): 1 1/2 pts. Do not apply within 15 days of harvest.

TOMATOES. 2 pts. Do not apply within 21 days of harvest.

COLE CROPS (Cabbage, Cauliflower, Brussel sprouts, Kale and Kohlrabi) use within 21 days of harvest.

CORN (Field, Sweet and Popcorn) apply within 12 days of harvest if necessary. Workers entering of application should wear protective clothing.

LETTUCE, SPINACH: 1 1/2 pts. D days of harvest.

POTATOES: 2 pts. Do not apply within 15 days of harvest.

SMALL GRAINS (Barley, Oats, Rye, Wheat) apply within 15 days of harvest. Do not apply within 15 days of harvest if tops are to be used for feed.

WARRANTY AND OF DAMAGE

SELLER warrants that this material is as described and is reasonably stated on the label when used in accordance with the directions under normal condition assumes the risk of any use not stated on the label when used in conditions other than those stated. SELLER makes no other express or implied warranty of MERCHANTABILITY or FITNESS for any particular purpose. SELLER is authorized to do so specific reference to this warranty. SELLER's liability for any breach of purchase price of the material made.

JAN 27 1979
Under Fungicide...
EPA Reg. No. 3468-17