

Precautionary Statements

HAZARDS TO HUMANS & DOMESTIC ANIMALS

POISON
See side panels for antidote and precautions



DANGER
Keep out of reach of children



CAN KILL YOU IF SWALLOWED

The poisoner should be taken to a hospital immediately. Do not induce vomiting.



CAN KILL YOU BY SKIN CONTACT

The poisoner should be taken to a hospital immediately. Do not induce vomiting.



CAN KILL YOU IF BREATHED

The product can kill you if vapors or fumes are inhaled.

DANGER USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

THIS PRODUCT MAY BE FATAL IF SWALLOWED. INHALED OR IF A LOAD OF CONTAMINATED MATERIAL IS DROPPED ON YOU. WEAR PROTECTIVE EQUIPMENT AND CLOTHING AS SPECIFIED ON THE INSTR. OF USE. ALWAYS WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT. ALWAYS WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT. ALWAYS WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT.

WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT. ALWAYS WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT. ALWAYS WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT.

WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT. ALWAYS WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT. ALWAYS WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT.

WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT. ALWAYS WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT. ALWAYS WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT.

WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT. ALWAYS WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT. ALWAYS WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT.

WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT. ALWAYS WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT. ALWAYS WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT.

WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT. ALWAYS WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT. ALWAYS WEAR PROTECTIVE EQUIPMENT AND CLOTHING WHEN WEARING THIS PRODUCT.

RESTRICTED USE PESTICIDE

Due to very high acute toxicity to Humans and Birds

For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses listed on the certified applicator's certificate. Do not use this product for any other uses. Do not use this product for any other uses. Do not use this product for any other uses.

STOP! READ THE LABEL



DANGER PELIGRO
See side panels for antidote and precautions

POISON
Keep out of reach of children

CAN KILL YOU METHYL PARATHION

ACTIVE INGREDIENTS
O, O-Dimethylcuprothion
Triethylphosphorothioate

INERT INGREDIENTS
Xylene

TOTAL
METHYL PARATHION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Give 1 to 2 glasses of water or milk and induce vomiting by the use of 1 to 2 teaspoons of 3% hydrogen peroxide per 100 lbs. body weight. Do not use if vomiting has already occurred.

IF INHALED - Remove to fresh air. If breathing is difficult, give oxygen. If necessary, give artificial respiration. Do not use mouth-to-mouth respiration.

IF IN EYES - Flush eyes with copious amounts of water for at least 15 minutes. Remove contact lenses if present. Do not use eye ointments.

IF ON SKIN - Wash skin with soap and water. Remove contaminated clothing and shoes. Do not use oil-based cleansers.

IF ON CLOTHING - Wash clothing with soap and water. Do not reuse contaminated clothing.

IF ON FOOD - Do not eat or drink. Wash hands thoroughly with soap and water.

IF ON CHILDREN - Wash children with soap and water. Do not use contaminated clothing.

IF ON ANIMALS - Wash animals with soap and water. Do not use contaminated bedding.

IF ON PLANTS - Do not eat or drink. Wash hands thoroughly with soap and water.

IF ON OTHER SURFACES - Wash surfaces with soap and water. Do not use contaminated surfaces.

NOTE TO PHYSICIAN

Antidote: In case of acute poisoning, give 1 to 2 glasses of water or milk and induce vomiting by the use of 1 to 2 teaspoons of 3% hydrogen peroxide per 100 lbs. body weight. Do not use if vomiting has already occurred.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and wildlife. Do not apply to streams, rivers, lakes, ponds, or wetlands. Do not apply to marshes, bays, and harbors. Do not apply to areas used for agriculture. Do not apply to areas used for recreation.

Endangered Species Considerations

The Agency has determined that this pesticide is a "pesticide of concern" under the Endangered Species Act. Do not use this pesticide in areas where it may harm endangered species.

PHYSICAL & CHEMICAL HAZARDS

Do not use in confined spaces. Do not use in areas where it may cause fire or explosion. Do not use in areas where it may cause corrosion.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the label directions.

RE-ENTRY STATEMENT

Do not re-enter the treated area until the pesticide has dried. Do not re-enter the treated area until the pesticide has dried. Do not re-enter the treated area until the pesticide has dried.

DANGER

Do not use in confined spaces. Do not use in areas where it may cause fire or explosion. Do not use in areas where it may cause corrosion.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding post-treatment procedures.

STORAGE AND DISPOSAL PROHIBITIONS

Do not store in unapproved containers. Do not store in unapproved containers. Do not store in unapproved containers.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding post-treatment procedures.

STORAGE AND DISPOSAL PROHIBITIONS

Do not store in unapproved containers. Do not store in unapproved containers. Do not store in unapproved containers.

PESTICIDE DISPOSAL

Do not dispose in unapproved containers. Do not dispose in unapproved containers. Do not dispose in unapproved containers.

CONTAINER DISPOSAL

Do not dispose in unapproved containers. Do not dispose in unapproved containers. Do not dispose in unapproved containers.

RECOMMENDATIONS

Do not use in unapproved areas. Do not use in unapproved areas. Do not use in unapproved areas.

ALFALFA VETCH

Do not use in unapproved areas. Do not use in unapproved areas. Do not use in unapproved areas.

ALFALFA HAY

Do not use in unapproved areas. Do not use in unapproved areas. Do not use in unapproved areas.

LEANS

Do not use in unapproved areas. Do not use in unapproved areas. Do not use in unapproved areas.

WATERS

Do not use in unapproved areas. Do not use in unapproved areas. Do not use in unapproved areas.

COLE CROPS

Do not use in unapproved areas. Do not use in unapproved areas. Do not use in unapproved areas.

CORN

Do not use in unapproved areas. Do not use in unapproved areas. Do not use in unapproved areas.

POTATOES: 2 gal. Do not apply within 5 days of harvest.

Do not use in unapproved areas. Do not use in unapproved areas. Do not use in unapproved areas.

WARRANTY AND LIMITATION OF DAMAGES

Do not use in unapproved areas. Do not use in unapproved areas. Do not use in unapproved areas.

