

Precautionary Statements HAZARDS TO HUMANS & DOMESTIC ANIMALS

POISON

See side panels for antidote and precautions.



DANGER

Keep out of reach of children.



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed. Even if you are a doctor, a first aid kit may be the first aid you need.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if it touches your eyes, nose, mouth, or skin. Wash your face, hands, and clothing with soap and water.



CAN KILL YOU IF BREATHED

This product can kill you if vapors or spray mist are breathed.

DANGER USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear a pesticide respirator jointly approved by the Mining, Enforcement and Safety Administration (formerly U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under provisions of 30 CFR Part II. (4) Wear heavy duty natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Workers entering treated fields within 48 hours should wear protective clothing.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.



POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It readily enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurry vision, pin point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooping or frothing of mouth and nose, muscle spasms and coma.

NOTE TO PHYSICIAN

Atropine - administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is over come. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is a specific antidote and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and wildlife. Do not apply directly to lakes, streams, ponds, or other bodies of water. Do not use equipment or disposal of waste. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

This product is highly toxic to bees exposed to direct treatment. For residual applications, protective formulation may be obtained from your Cooperative Agriculture Extension Service.

PHYSICAL & CHEMICAL HAZARDS

Do not use indoors, near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL

Pesticide spray mixture or residue that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

(a) Reseal container and offer for reconditioning or
(b) Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place.

GENERAL

Consult federal, state or local disposal authorities for approved alternate procedures.

SPILLAGE:

In case of spillage, cover with absorbent material such as lime, clay or sawdust. Sweep up and bury. Then wash area with strong water spray.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

STOP! READ THE LABEL

POISON

See side panels for a complete list of precautions.



DANGER

Keep out of reach of children.

CAN KILL YOU

PARATHION-METHYL PARATHION AN AGRICULTURAL INSECTICIDE EMULSIFIABLE LIQUID 6-3 E

ACTIVE INGREDIENTS

| | |
|---|---------|
| Parathion (O, O-Diethyl O-P Nitrophenyl Phosphorothioate) | 58.33% |
| Related Compounds | 0.89% |
| O, O-Dimethyl O-P Nitrophenyl Phosphorothioate | 27.71% |
| Related Compounds | 1.46% |
| Water Range Aromatic Solvent | 6.49% |
| INERT INGREDIENTS | 5.12% |
| | 100.00% |

METHYL PARATHION
CONTENT TOXICANTS PER GALLON 6 LBS PARATHION
3 LBS METHYL PARATHION

STATEMENT OF PRACTICAL TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

SCHALL CHEMICAL INC. Monte Vista, Colorado
Delta, Colorado

NOT FOR HOME USE

RECO...
TERMIN...
CABBAGE...
VEGETA...
1.20 gal...
ment...
ALFALFA...
a full g...
quarant...
1.20 gal...
ment...
during t...
treated...
COLE...
California...
Cabbag...
COLLARD...
Aphids...
2.31...
CORN...
or more...
the extr...
your St...
treatme...
Roota...
or cut...
CORN...
pt. Do...
DRY BE...
eaf...
days...
GARDE...
pt. 115...
GREEN...
leaf...
days...
LETTUC...
bage...
ONION...
PEPPER...
POTAT...
...
days...
RED BE...
days...
SMALL...
water...
to 3...
wheel...
2.31...
SORGH...
buds...
days...
SUGAR...
soma...
eaf...
days...
TOMAT...
to 3...
pepers...
DAN...
operati...
dang...
entere...
residue...
WAF...
SELLER...
desig...
the W...
thors...
...
FIFTE...
author...
this wa...
of warn...
gram

