

PRECAUTIONARY STATEMENT

HAZARD TO HUMANS
AND DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed or inhaled. Avoid contact with eyes, skin, or clothing. Avoid breathing of dust. Wash thoroughly with soap and water after handling. Wash contaminated clothing before reuse. Do not contaminate feed or food. Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

Long Pants, long sleeve shirt, gloves, hat and boots must be worn during mixing and loading.

ENVIRONMENTAL HAZARD

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in cool, dry location. Do not store in direct, hot sunlight. Keep away from fire or sparks. Never allow Maneb to become wet during storage. This may lead to certain chemical changes which will reduce effectiveness of Maneb as a fungicide and create vapors which may be flammable. Keep container closed when not in use. Use dust mixture as soon as possible after preparation.

PESTICIDE DISPOSAL: Pesticide wastes are acutely toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Equipment Agency for the most Hazardous Waste Manifestation or contact the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty this into application area. Do not reuse. Empty container into a suitable container for recycling, if allowed by State or Federal authorities. If burned, stay out of smoke.

Sevin* Maneb Sulfur

ACTIVE INGREDIENTS:

*Carbaryl (1-naphthyl-N-methylcarbamate)	5.0%
Maneb (Mangonin ethylenebisdithiocarbamate)	6.0%
Sulfur	50.0%
	39.0%

INERT INGREDIENTS:

*Sevin U.S. Pat. No. 2,903,478; 3,009,855
Trademark of E.I. du Pont de Nemours and Company for the active ingredient carbaryl.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

As a wettable powder, mix with a mixture of soap or mustard in warm water. Contact is essential. If on skin, wash immediately with soap and water.

See Side Panel for additional First Aid and Statements.

ACCEPTED
Manufactured by SCHALL CHEMICAL, INC.
New York, N.Y. 10011

SEP 23 1983

100-100-100
100-100-100
100-100-100

DIRECTIONS FOR USE

It is a violation of the Federal law to use this product in a manner inconsistent with its labeling. Do not use this product at higher than recommended rate.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Apply dust when disease or insects first appear and repeat at 7 to 10 day intervals as required to maintain control. Apply thoroughly to upper and lower leaf surfaces. **POTATOES:** Colorado Potato Beetle, Flea Beetle, Leafhopper, Fall Armyworm, Colorado Potato Flea Beetle, Early and Late Blight. Use 20-40 lbs per acre. For more information,

see label. This pesticide is to be sold only in the original unopened package.

NOTICE — READ CAREFULLY LIMITED WARRANTY STATEMENT

Schall Chemical, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated in the label only when used in accordance with directions and instructions specified on the label. Schall Chemical, Inc. neither makes, nor authorizes any agent or representative to make any other warranty of FITNESS FOR PARTICULAR PURPOSES, or any other representation, express or implied, in connection with the use of any of its products. Schall Chemical, Inc. disclaims any limited warranty, express or implied, in connection with the use of any of its products.

Schall Chemical, Inc. 1983