

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION

May be harmful if swallowed or inhaled. Avoid contact with eyes, skin, or clothing. Avoid breathing of dust. Wash thoroughly with soap and water after handling. Wash container thoroughly before reuse. Do not contaminate feed. Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

Long pants, long sleeve shirt, gloves, hat and boots must be worn during mixing and loading.

ENVIRONMENTAL HAZARD

Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in cool, dry location. Do not store in direct, hot sunlight. Keep away from fire or sparks. Never allow Maneb to become wet during storage. This may lead to certain chemical changes which will reduce effectiveness of Maneb as a fungicide and create vapors which may be flammable. Keep container closed when not in use. Use dust mixture as soon as possible after preparation.

PESTICIDE DISPOSAL: Pesticide wastes are acutely toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dry seal empty bag in a sanitary fashion by heat-sealing or if allowed by State and local authorities by burning. If burned, stay out of smoke.

Sevin* Maneb Sulfur

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate)	5.0%
Maneb (Manganese ethylenebisdithiocarbamate)	6.0%
Sulfur	27.9%
INERT INGREDIENTS:	61.1%

*Sevin, U.S. Pat. No. 2,903,478; 3,009,855. Trademark of Union Carbide Corporation for the active ingredient carbaryl.

DIRECTIONS FOR USE

It is a violation of the Federal Law to use this product in a manner inconsistent with its labeling. Do not use this product at higher than recommended rate.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Apply dust when disease or insects first appear and repeat at 7 to 10 day intervals as required to maintain control. Apply thoroughly to upper and lower leaf surfaces. **POTATOES:** Colorado Potato Beetle, Flea Beetle, Leafhopper, Fall Armyworms, Stink Bugs, Tarnished Plant Bugs, Early and Late Blight. Use 20-40 lbs. per acre. No time limitations.

NOTE: This pesticide is to be sold ONLY in this original, unbroken package.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed, induce vomiting with a mixture of soap or mustard in warm water. Call a physician immediately. If on skin, wash immediately with soap and water.

See Side Panel for additional Precautionary Statements.

EPA Reg. No. 346-27 EPA (F) No. 346-001

Manufactured by SCHALL CHEMICAL, INC.
Monte Vista, Colorado 81144

**NOTICE — READ CAREFULLY
LIMITED WARRANTY STATEMENT**

Schall Chemical, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label. Schall Chemical, Inc. neither makes, nor authorizes any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY guarantee or representation, express or implied concerning this material. In the event of any breach by Schall Chemical, Inc. of this limited warranty, Schall Chemical, Inc. shall not be liable for consequential damages.

BEST DOCUMENT AVAILABLE



301 118409
17 3

JUN 22 1984

Schall Chemical Company
120 N. Broadway
Monte Vista, CO 81144

Attention: Richard P. Brumfield

Gentlemen:

Subject: Sevin-Maneb-Sulphur
EPA Registration No. 3468-27
Your Letter Dated February 20, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

1. Comply with PR Notice 83-2 in order to amend reentry statements.
2. Insert the heading "Physical and Chemical Hazards" after the environmental section. Transfer "Keep away from fire or sparks" from the Storage statements to this new heading.

Submit 5 copies of the final printed label.

Sincerely yours,

Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

RD/FHB:DCR-17082:Jacobys:KIM:Paven:557-2226:RD-1:5/21/84:Del.6/4/84

BEST DOCUMENT AVAILABLE

SYMBOL ▶							
NAME ▶							
DATE ▶							

3-27-67

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS
AND DOMESTIC ANIMALS
CAUTION**

May be harmful if swallowed or inhaled. Avoid contact with eyes, skin, or clothing. Avoid breathing of dust. Wash thoroughly with soap and water after handling. Wash contaminated clothing before reuse. Do not contaminate feed or food. Carbaryl is a moderate reversible, cholinesterase inhibitor. Atropine is antidotal.

Long pants, long sleeve shirt, gloves, hat and boots must be worn during mixing and handling.

ENVIRONMENTAL HAZARD

Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Keep away from fire or sparks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed, storage or disposal.

STORAGE: Store in cool, dry location. Do not store in direct sunlight. Never allow moisture to become wet during storage. This may result in certain chemical changes which will reduce effectiveness of Maneb as a fungicide and other purposes which may be flammable. Keep container closed when not in use. Use dust mask when possible after preparation.

PESTICIDE DISPOSAL: Pesticide wastes are acutely toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, if allowed by State and local authorities. If burned, stay out of smoke.

Sevin* Maneb Sulfur

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl methylcarbamate)	5.0%
Maneb (Manganese ethylenebis(dithiocarbamate) Sulfur)	27.5%
Sulfur	67.5%

INERT INGREDIENTS:

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

Apply with a backpack sprayer with a minimum of 20 psi. Do not use in warm weather. If a physician should be consulted, wash immediately with soap and water.

Use only when necessary. Do not use on ornamentals.

REG. NO. 1428-21 EPA EST. NO. 1428-1-1

Manufactured by SCHALL CHEMICAL, INC.
Main Office: 1015 E. 114th

St. Paul, Minnesota

In Canada: Schall Chemical, Ltd.
P.O. Box 100, Port Huron, Michigan

DIRECTIONS FOR USE

It is a violation of the Federal law to use this product in a manner inconsistent with its labeling. Do not use this product at higher than recommended rate.

RE-ENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Apply dust when disease or insects first appear and repeat at 7 to 10 day intervals as required to maintain control. Apply thoroughly to upper and lower leaf surfaces. **POTATOES:** Colorado Potato Beetle, Flea Beetle, Leafhopper, Fall Armyworms, Stink Bugs, Tarnished Plant Bugs, Early and Late Blight. Use 20-40 lbs. per acre. No time limitations.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

**NOTICE — READ CAREFULLY
LIMITED WARRANTY STATEMENT**

Schall Chemical, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label. Schall Chemical, Inc. neither makes, nor authorizes any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, express or implied, concerning this material. In the event of any breach by Schall Chemical, Inc. of this limited warranty, Schall Chemical, Inc. shall not be liable for consequential damages.

Catalog No. 100, No. 16485