

USE CAUTIONS: DO NOT CONTAMINATE FOOD OR FEED. DO NOT USE TREATED SEED FOR FOOD, FEED OR OIL PURPOSES. IMPORTANT: Keep away from fire or sparks. Never allow Drill Box Seed Treatment to become wet during storage. This may lead to certain chemical changes which will reduce effectiveness of Drill Box Seed Treatment as a fungicide and create vapors which may be flammable. Keep container closed when not in use.

WILDLIFE CAUTIONS: This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

DISPOSE OF WASTES by burying at least 18 inches deep in non-crop lands away from water supplies. Do not reuse container, bury with wastes. 'Apply this product only as specified on this label.

DIRECTIONS FOR USE: For best results apply the recommended amount of Drill Box Seed Treatment in the drill box at the time of planting. Mix thoroughly with seed in the drill box as follows. Fill the drill box one-half full of seed, then treat with one-half amount of Drill Box Seed Treatment and mix well by stirring with a stick for paddle until color is imparted to all seed; add the remaining seed to the drill box and cover with balance of Drill Box Seed Treatment. Mix thoroughly as above.

SMALL GRAINS: Barley, Oats and Wheat. For the control of certain diseases such as bunt (stinking bunt,) damping off, seed rots and seedling blights, covered and loose smut of barley. Apply at the rate 1 3/4 - 2 oz. per bushel of seed.

BEANS (DRY) PEAS, CORN: for the control of certain diseases, such as seedling blight damping off and seed rots. Apply at the rate of 2 ozs. per bushel of seed.

WARRANTY NOTICE: Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

EPA REG. NO. 3468-32

ACCEPTED
July 18 1973
INSECTICIDE AND FUNGICIDE ACT
FOR ECONOMIC CONTROL
REGISTERED UNDER NO. 3468-32



DRILL BOX SEED TREATMENT

WITH DYE

BARLEY, BEANS (DRY), CORN, OATS, PEAS, WHEAT, RYE.

ACTIVE INGREDIENT:
Maneb (Manganese ethylene bisdithiocarbamate).....50.0%
INERT INGREDIENTS:.....50.0%

CAUTION KEEP OUT OF REACH OF CHILDREN

May cause irritation of eyes, nose, throat and skin. May be harmful if swallowed. Avoid breathing of dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. In case of contact, flush skin or eyes with plenty of water, for eyes, get medical attention.

READ USE CAUTIONS ON BACK PANEL

NET WT. 4 LBS.

Manufactured by
SCHALL CHEMICAL, INC. Monte Vista, Colorado
Delta, Colorado

USE CAUTIONS: DO NOT CONTAMINATE FOOD OR FEED. DO NOT USE TREATED SEED FOR FOOD, FEED OR OIL PURPOSES.

IMPORTANT: Keep away from fire or sparks. Never allow Drill Box Seed Treatment to become wet during storage. This may lead to certain chemical changes which will reduce effectiveness of Drill Box Seed Treatment as a fungicide and create vapors which may be flammable. Keep container closed when not in use.

WILDLIFE CAUTIONS: This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

DISPOSE OF WASTES by burying at least 18 inches deep in non-crop lands away from water supplies. Do not reuse container, bury with wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE: For best results apply the recommended amount of Drill Box Seed Treatment in the drill box at the time of planting. Mix thoroughly with seed in the drill box as follows: Fill the drill box one-half full of seed, then treat with one-half amount of Drill Box Seed Treatment and mix well by stirring with a stick for paddle until color is imparted to all seed; add the remaining seed to the drill box and cover with balance of Drill Box Seed Treatment. Mix thoroughly as above.

SMALL GRAINS: Barley, Oats and Wheat. For the control of certain diseases such as bunt (stinking bunt,) damping off, seed rots and seedling blights, covered and loose smut of barley. Apply at the rate 1 3/4 - 2 oz. per bushel of seed.

BEANS (DRY) PEAS, CORN: for the control of certain diseases, such as seedling blight damping off and seed rots. Apply at the rate of 2 ozs. per bushel of seed.

WARRANTY NOTICE: Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

EPA REG. NO. 3468-32

Schell

AC
July 18 1973

DRILL BOX SEED TREATMENT

WITH DYE

3-8-32 OF BARLEY, BEANS (DRY), CORN, OATS, PEAS, WHEAT, RYE.

ACTIVE INGREDIENT:

Maneb (Manganese ethylene bisdithiocarbamate).....50.0%

INERT INGREDIENTS:.....50.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

May cause irritation of eyes, nose, throat and skin. May be harmful if swallowed. Avoid breathing of dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. In case of contact, flush skin or eyes with plenty of water, for eyes, get medical attention.

READ USE CAUTIONS ON BACK PANEL

NET WT. 4 LBS.

Manufactured by

SCHILL CHEMICAL CO., INC.