

Ref # 3462-300

pm 21

**PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

CAUSES IRRITATION OF EYES AND SKIN. DO NOT GET IN EYES. AVOID CONTACT WITH SKIN AND CLOTHING. HARMFUL IF SWALLOWED.
Do not store near food, fertilizer or seeds.
Containers closed when not in use, and do not re use for other purposes.
Do not use treated seed for food, feed, or oil purposes.

ENVIRONMENTAL HAZARDS

CAUTION - This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water used for irrigation, domestic or spray purposes.

Do not use in a manner other than recommended on the label to avoid possible crop injury or residues at harvest.

PHYSICAL AND CHEMICAL HAZARDS

IMPORTANT: Keep away from fire or acids. Never allow Drill Box Seed Treatment to become wet during storage. This may lead to certain chemical changes which will reduce effectiveness of Drill Box Seed Treatment as a fungicide and create vapors which may be flammable. Keep container closed when not in use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal - Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

GENERAL: Consult Federal, State or local disposal authorities for approved alternative procedures.

STORAGE: Keep away from fire or sparks. Never allow to become wet during storage. Keep container closed when not in use. Do not reuse for other purposes. Do not store near food, fertilizer, or seeds.



**DRILL BOX
SEED TREATMENT
WITH DYE**

FOR BARLEY, BEANS (DRY), CORN, OATS, PEAS, WHEAT, RYE.

ACTIVE INGREDIENT:

Manganese (Manganese ethylene bis)thiocarbamate..... 50.0%

INERT INGREDIENTS..... 50.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

HARMFUL IF SWALLOWED
AVOID CONTACT WITH SKIN, EYES OR CLOTHING
AVOID BREATHING VAPORS

STATEMENT OF PRACTICAL TREATMENT

External For Skin - Wash with mild soap and water. Rinse with fresh water.
For Eyes - Rinse eye with water for at least 15 minutes. Get medical aid.
Internal If Swallowed - Drink one or two glasses of water and induce vomiting by touching the back of throat with a finger of bent object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.
If Inhaled - Remove victim to fresh air. Apply respiration if necessary.

See Label Panel For Additional Cautions.

EPA Reg. No. 3468-32

EPA EST. No. 3468-CO-1

Net Contents _____

Gallons

Manufactured by

SCHALL CHEMICAL, INC.

Monte Vista, Colorado
Delta, Colorado

For best results apply the recommended amount of Drill Box Seed Treatment in the drill box at the time of planting. Mix thoroughly in the drill box as follows: Fill the drill box one-half full with one-half amount of Drill Box Seed Treatment and mix with a stick for paddle until color is imparted to all seed. Add seed to the drill box and cover with balance of Drill Box Seed Treatment. Mix thoroughly as above. Do not use treated seed for oil purposes.

SMALL GRAINS: Barley, Oats, Rye, and Wheat. For control of certain diseases such as bunt (stinking bunt of wheat) and seed rots and seedlings blights, covered and loose smut at the rate of 1 1/2 - 2 oz. per bushel of seed.

BEANS (DRY) PEAS, CORN: for the control of certain seedling blight damping off and seed rots. Apply at the rate of 1 1/2 - 2 oz. per bushel of seed.

WARRANTY NOTICE: Seller's guarantee shall be limited to the label, and subject thereto the buyer assumes any property arising out of use or handling and accepts the conditions.

Dealers should sell in original packages only.

Notice: Seller's guarantee shall be limited to the terms subject there to the buyer assumes any risk to persons out of use or handling and accepts the product on the

Colson Printing Co. 19743