

SEVIN - PARATHION - SULFUR

ACTIVE INGREDIENTS

*Carbaryl: 1-naphthyl N-methylcarbamate
Parathion: O,O-diethyl S-(phosphorylthio) methyl phosphorothioate
Sulfur

INERT INGREDIENTS

*Sevin, (Carbaryl): U.S. Pat. No. 2,903,475, 1,000,000, 1,000,001

WARNING: KEEP OUT OF REACH OF CHILDREN

Warning: May be fatal if swallowed, absorbed through skin, or on clothing. Wear natural rubber gloves, long sleeves, and pants. Wash hands thoroughly with soap and water. Wear a mask and goggles. Keep all unprotected persons out of operating areas. Do not enter until drifting insecticide has been washed off. Wash and face thoroughly with soap and water before eating, drinking, or using tobacco. Do not reuse.

NOTE TO PHYSICIAN: Atropine is antidote for parathion. Give FOUR mg. intravenously or intramuscularly every 30 minutes until atropinization appears. 2-PAM (2-Pyridylmethylthioethylamine) MORPHINE OR TRANQUILIZERS: Parathion blocks cholinergic transmission, and producing cardiac and peripheral nervous system effects. In case of pulmonary edema, the patient should be given appropriate therapy. Fatal relapses may occur and fatal relapses have been reported. Antidote should be given INDICATED FOR AT LEAST 48 HOURS.

This product is toxic to fish, birds, and other wildlife. Avoid feeding or treated areas may be killed. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor runoff. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on the label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Some phytotoxicity may occur on tender foliage in the presence of rain or high humidity of several days duration following application.

DISPOSAL WARNING: Do not reuse this container. Completely empty the contents. Dispose of wastes by burying in non-crop lands away from water supplies. Container should be disposed of by burying with wastes or by burning. Keep out of smoke.

DIRECTIONS FOR USE: For all uses specified on this label, repeat application as necessary, IMPORTANT read the entire label and WARRANTY NOTICE before using Sevin-Parathion-Sulfur. Apply dust when insects first appear and repeat at 7 to 10 day intervals as required to maintain control. Apply thoroughly to upper and lower leaf surfaces. Observe day intervals between last application and harvest. POTATOES: Colorado Potato Beetle, Flea Beetle, Leafhopper, Fall Armyworms, Stink Bugs, Tarnished Plant Bugs. Use 30 lbs. per acre.

WARRANTY NOTICE: Seller's guarantee shall be limited to the terms of the label, and subject there to the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

Manufactured by Schair Chemical Inc.

EPA Reg. No. 3468-33

Monte Vista and Delta, Colorado

ACCEPTED

JUL 31 1973

U.S. DEPARTMENT OF AGRICULTURE
FEDERAL REGISTER