



ACCEPTED METHOMYL DUST

ACTIVE INGREDIENT.
Methomyl - S-methyl N- [(methylearbamoyl) oxo] thioacetimidate 2.0%
INERT INGREDIENTS 98.0%

WARNING: KEEP OUT OF REACH OF CHILDREN 3468-35

Harmful if swallowed or inhaled. Do not breathe dust. Do not get in eyes, on skin, on clothing. In case of contact, wash skin with plenty of soap and water, for eyes, flush with water for 15 minutes and get medical attention, remove and wash contaminated clothing before re-use. Wear goggles and a mask or respirator of a type suitable for protection against insecticide dust when loading, applying or otherwise handling. Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking. Do not contaminate or store near feed or foodstuffs.

ANTIDOTE AND FIRST AID. ATROPINE IS AN ANTIDOTE—CONSULT PHYSICIAN FOR EMERGENCY SUPPLY OF 1/100 GRAIN ATROPINE TABLETS. CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING. If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. If inhaled, remove from exposure. Have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. Never give anything by mouth to an unconscious person. If warning symptoms appear before physician arrives, immediately swallow two atropine tablets (each 1/100 gr.); thereafter, every 10 to 15 minutes, take one atropine tablet (1/100 gr.) until throat becomes dry and skin becomes dry and flushed. Take additional tablets as necessary to maintain a moderately dry throat and dry, flushed skin until physician arrives.

NOTE TO PHYSICIAN. Warning Symptoms — Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors. Treatment — Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg. intravenously every 10-30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured. DO NOT USE MORPHINE OR 2-PAM.

IMPORTANT: Not for use or storage in or around the home. Keep animals and unprotected persons out of operational areas during treatment and while there is danger of drift.

DISPOSAL WARNING. Do not re-use container; bury when empty. Do not contaminate water when cleaning equipment or disposing of wastes or containers.

This product is toxic to fish, Keep out of lakes, ponds and streams. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label. Birds feeding on treated areas may be killed. This product is toxic to bees and should not be applied when bees are actively visiting the area. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE: 2 Methomyl Dust is recommended for control of certain insects on cabbage and lettuce. Apply with standard dust application equipment. Use only in commercial plantings; do not use in home plantings. Apply thoroughly to upper and lower leaf surfaces. Apply at the recommended rates when insects first appear. Continue application at 5-7 day intervals or as needed. Apply the low rates on small plants, small worms and light infestations of insects. Use intermediate rates on larger worms and heavier infestations of insects. Use 1 to 3 applications of the higher recommended rate possible to maintain control. The number of days in parentheses following the dosage rates is the preharvest interval which must be allowed between the last application and harvest. **CABBAGE.** (1), Cabbage looper use 12 to 45 lbs per acre, Diamondback moth — use 25-45 lbs per acre. **LETTUCE** (head) — (21) Cabbage looper, leaf miner use 25 to 45 lbs per acre.

WARRANTY NOTICE. Seller's guarantee shall be limited to the terms of the label and subject there to the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

Manufactured by SCHALL CHEMICAL INC., EPA Reg. No. 3468-35 Monte Vista—Delta, Colo.