

NOV 21 1985

Richard R. Brumfield
Schall Chemical, Inc.
P.O. Box 862
Monte Vista, CO 81144

Dear Mr. Brumfield:

Subject: Amendment - Labeling Update for Xylene Products
Used as Aquatic Herbicides (Refer to Agency
Letter Dated June 18, 1985)
Water Weed Killer
EPA Registration No. 3468-36
Your Submission of October 31, 1985

The amendment referred to above, submitted in connection with registration under FIFRA, is acceptable, provided the following labeling changes are made prior to release of the product for shipment:

1. Delete the paragraph marked RE-ENTRY. It is inappropriate for this aquatic pesticide application. You may retain the front panel Spanish text but change the statement - Harmful if swallowed - to read: Harmful or fatal if swallowed.
2. Delete the front panel instruction to induce vomiting. The side panel instruction (which should be relocated to the front) not to induce vomiting is the correct practical treatment for this petroleum base product.
3. Delete the paragraph beginning - The following directions are general xxx. Adequate directions are required and are included elsewhere in the labeling.

A stamped copy of the draft labeling is enclosed.

89626:Mountfort:RD-74:KENCO:11/16/85:Del.11/ 5:eg:vo

| CONCURRENCES | | | | | | | |
|--------------|--|--|--|--|--|--|--|
| SYMBOL ▶ | | | | | | | |
| SURNAME ▶ | | | | | | | |
| DATE ▶ | | | | | | | |

293

2

Submit one (1) copy of your final revised printed labeling before you release the product for shipment bearing the amended labeling.

Sincerely yours,

Richard F. Mountfort
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosure

393

BEST AVAILABLE COPY

ACCEPTED
with comments
NOV 21 1985 LJS
U.S. Federal Insecticide,
Fungicide and Rodenticide Act
EPA Reg. No. 3468-36

**PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER
HARMFUL OR FATAL IF SWALLOWED.
VAPOR HARMFUL**

May produce toxic symptoms. Use only with adequate ventilation. Avoid prolonged breathing of vapor or spray mist. Avoid prolonged or repeated contact with skin. In case of spillage on skin, wash with soap and water. If swallowed, do not induce vomiting. Call a physician immediately.

FLAMMABLE Keep away from heat and open flame. Keep container closed when not in use.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic life. Do not use where water from treated areas will contaminate fish bearing waters.

Fish and other aquatic organisms in water treated with this product will be killed. Do not allow treated water to flow into receiving rivers and streams if xylene residues are in excess of ten (10) parts per million (ppm). Consult your local Fish and Game Authorities before using in any water where loss of game fish or other aquatic organisms may occur.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE MIXTURE Do not use, pour, spill, or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use the product in a manner inconsistent with its labeling.

RE-ENTRY

Do not enter treated areas without protective clothing until sprays have dried. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

STORAGE AND DISPOSAL

PROHIBITIONS Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.


PESTICIDE DISPOSAL Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

GENERAL Consult Federal, State or local disposal authorities for approved alternative procedures.

STORAGE Do not use, pour, spill, or store near heat or open flame.

The following directions are general and have been found adequate for the use of Water Weed Killer in most conditions. Due to varying conditions, each channel must be considered individually as far as channel types, sizes, and soil conditions, and weeds is concerned. Those users experienced with the use of other similar solvent weed killers will follow the procedures they have found most effective under their own conditions when using Water Weed Killer.



Water Weed Killer

For Use Only in Programs of Bureau of Reclamation, U.S. Department of Interior and Cooperating Water User Groups. Do not allow treated water to enter any domestic water system.

Controls submerged water weeds and "masses" in irrigation and drainage channels.

| | |
|---------------------------------------|----------------|
| ACTIVE INGREDIENTS (by weight) | |
| Xylene | 99.0% |
| INERT INGREDIENTS (by weight) | 1.0% |
| TOTAL | 100.00% |

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente."

**HARMFUL IF SWALLOWED
AVOID CONTACT WITH SKIN, EYES OR CLOTHING
AVOID BREATHING VAPORS**

STATEMENT OF PRACTICAL TREATMENT

External Use Only. Wash with mild soap and water. Or use with fresh water. For Eyes: Rinse eyes with water for at least 15 minutes. Get medical aid. Internal Use: Swallowed: Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting if give anything by mouth to an unconscious person. Get medical attention. Inhalation: Remove victim to fresh air. Apply respiration if necessary.

SEELET PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 3468-36 EPA EST. No. 3468-CO-1

Net Contents _____ Gallons
Xylene Mixture, NMS FLAMMABLE LIQUID UN1307

Manufactured by

SCHALL CHEMICAL, INC.

Monte Vista, Colorado
DeRa, Colorado

Appl
flow an
mal wa
cient w
flowing
of 70P
temper
season
Metho
equip
ing the
(50 to
in wat
for larg
be use
Nozzle
necte
so the
other c
large c
main s
drum c
into th
pressu
type of
Service
applic
Rate c
at the
to 60 n
introdu
period
The
tion wi
In char
tory w
where
tend 2
introdu
Con
water
may b
"c f s.
WARI
subject
or har