

### CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

### CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

### CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

### POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

### POISONOUS TO BEES

This product is highly toxic to bees. Do not apply to flowering plants or other plants which are visited by bees.

### USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING


Always wear a respirator when spraying or applying this product. Always wear long-sleeved shirts, long pants, and socks. Always wear shoes. Always wear gloves when handling this product.

### WORK SAFETY RULES

Keep children away from treated areas. Do not eat, drink, or smoke in treated areas. Wash hands and face with soap and water after handling this product. Wash clothes and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced as needed. Instructions included with respirator.

After work, wash face, work clothes and shoes. Do not use treated and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced as needed. Instructions included with respirator.

Do not use treated areas for food or feed. Do not use treated areas for drinking water. Do not use treated areas for animal feed. Do not use treated areas for human consumption. Do not use treated areas for medicinal purposes. Do not use treated areas for other purposes.



STOP! READ THE LABEL

See side panels for antidote and precautions

Keep out of reach of children

# PARATHION 8-E

## ORGANOPHOSPHORUS INSECTICIDE EMULSIFIABLE CONCENTRATE

### ACTIVE INGREDIENTS

Parathion (O,O diethyl O p nitrophenyl phosphorothioate) 80.00

Xylene Range Aromatic Solvent 9.98

INERT INGREDIENTS 10.02

100.00

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

SCHALL CHEMICAL INC.  
Monte Vista, Colorado  
Delta, Colorado

## NOT FOR HOME USE

### FIRST AID TREATMENT

Call a doctor (physician, clinic or hospital) immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

### NOTE TO PHYSICIAN

Antidote: Administer atropine sulfate in large doses: TWO TO FOUR mg. intravenously, intramuscularly or orally and/or in over time. Repeat at 5 to 10 min. intervals until signs of atropinization appear. EAM, banded, is antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinergic inhibitor affecting the central and peripheral nervous system and can cause respiratory depression. Administer oxygen if the patient has the given symptoms. Oxygen is indicated symptomatically. Consult a physician if the patient may be a candidate for a more severe case. See also the following: PARATHION 8-E (EAST) 8-E (WEST)

### POST TREATED AREA

Consult your State Agricultural Experiment Station or Extension Service for information regarding post-treated areas.

### CONTAINER DISPOSAL

Do not reuse or refill this container. Do not dispose of this container in any way. Do not burn, melt, or otherwise dispose of this container. Do not use this container for any other purpose.

### CROP USE DIRECTIONS

See label for specific crop use directions.



INSECTICIDE ACCEPTED

Schall

STOP! READ THE LABEL

046837

See side panels for antidote and precautions

Keep out of reach of children

# PARATHION 8-E

## ORGANOPHOSPHORUS INSECTICIDE EMULSIFIABLE CONCENTRATE

ACTIVE INGREDIENTS	
Parathion (O,O di-ethyl O-p-nitrophenyl phosphorothioate)	80.00%
Xylene Range Aromatic Solvent	9.98%
INERT INGREDIENTS	10.02%
100.00%	

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

SCHALL CHEMICAL INC.  
Monte Vista, Colorado  
Delta, Colorado

### NOT FOR HOME USE

### FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

### NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses: TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Serious irritation of the skin may occur and fatal edema has been reported after initial minor vesiculation. VERY CLOSE SUPERVISION OF THE PATIENT IS NECESSARY FOR AT LEAST 48 HOURS.

### POST TREATED AREA

Contact your State Agriculture Extension Service or Experiment Station regarding dusting treated areas.

### CONTAINER DISPOSAL

Do not reuse this container for any other purpose. Rinse container thoroughly with water, keep open end up, and dispose of water, soap, and other residues in a safe manner in perforated and heavy duty waste containers.

### CROP USE DIRECTIONS

Use only as directed on the label.

### RECOMMENDATIONS

#### FRUIT CROPS

(Also Read Directions for Use)

**APPLES** Codling moth, European red mite, fruit tree leaf miner, mealybug, orange tortrix, plum curculion, red banded leaf roller, 1st, 2nd and 3rd broods, scales (San Jose, Fortes, scurfy), apply when crawlers are present, two spotted mite. Use 1/2 pt.

**CAUTION** Injury to fruit and foliage may result from use of this material. Monitor and related varieties. Do not apply within 14 days of harvest.

**CHERRIES** Black cherry aphid, eye spotted fruit moth, lesser apple worm, mites, spotted leucophaea, use 1/2 pt. For fruit fly control, bear applications only emergence and repeat at 7 day intervals. Do not apply within 14 days of harvest. 2 pt.

**PEACHES** Carrying insects, plum curculion, peach twig moth, peach tree borer, make application at first appearance of the insects, early in the morning. Apply 2 or 3 sprays, 7-10 days apart. Do not apply within 14 days of harvest. 2 pt.

**PEARS** Pear stem sawfly, pear stem sawfly, pear stem sawfly, pear stem sawfly, use 1/2 pt. Do not apply within 14 days of harvest.

#### VEGETABLE AND FIELD CROPS

**ALFALFA** Alfalfa cutworm, alfalfa cutworm, alfalfa cutworm, alfalfa cutworm, use 1/2 pt. Do not apply within 14 days of harvest.

**ALFALFA CLOVER VETCH** Alfalfa cutworm, alfalfa cutworm, alfalfa cutworm, alfalfa cutworm, use 1/2 pt. Do not apply within 14 days of harvest.

**BEANS (Dry and Green)** Aphid, armyworm, cutworm, leafhopper, leaf miner, whitefly, use 1/2 pt. Do not apply within 14 days of harvest.

**BEETS** Aphid, armyworm, cutworm, leafhopper, leaf miner, whitefly, use 1/2 pt. Do not apply within 14 days of harvest.

**CABBAGE CAULIFLOWER BROCCOLI MUSTARD TURNIPS** Aphid, armyworm, cutworm, leafhopper, leaf miner, whitefly, use 1/2 pt. Do not apply within 14 days of harvest.

**CORN** Armyworm, cutworm, leafhopper, leaf miner, whitefly, use 1/2 pt. Do not apply within 14 days of harvest.

**CUCUMBER SQUASH MELONS** Aphid, cucumber beetle, climbing cutworms, darkling ground beetle, flea beetle, leafhopper, leaf miner, melonworm, pickleworm, serpentine leaf miner, squash bug, spider mites, petrobria mite, thrips, use 1/2 pt. Make no applications before plants start to vine in with 15 days of harvest in cucumber and squash, 7 days of harvest in melons. Use 1/2 pt.

**LETTUCE** Aphid, leafhopper, leaf miner, use 1/2 pt. Do not apply within 7 days of harvest in head lettuce, leaf and bibb lettuce. Use 1/2 pt.

**ONIONS** Thrips. Apply 1/4 to 1/2 pt. Do not apply within 15 days of harvest. 4 to 5 pt.

**PEPPERS** Aphid, pepper maggot, flea beetle, groundnut, leaf miner, thrips, use 1/2 pt. Do not apply within 15 days of harvest. 4 to 5 pt.

**POTATOES** Aphid, armyworm, cutworm, leafhopper, leaf miner, green stink bug, leafhopper, leaf miner, spider mites, use 1/2 pt. Do not apply within 14 days of harvest. 1/2 pt.

**SMALL GRAINS Barley Oats Wheat** Aphid, armyworm, cutworm, leafhopper, leaf miner, use 1/2 pt. Do not apply within 14 days of harvest.

**SUGAR BEETS** Aphid, armyworm, cutworm, leafhopper, leaf miner, use 1/2 pt. Do not apply within 14 days of harvest.

**TOMATOES** Aphid, armyworm, cutworm, leafhopper, leaf miner, use 1/2 pt. Do not apply within 14 days of harvest.

**WARRANTY AND LIMITATION OF DAMAGES**

This product is sold as a general purpose insecticide. It is not intended for use on ornamental plants, lawns, gardens, or in homes. The user assumes all liability for any damage to property or health resulting from the use of this product.