THIODAN MANES SULFUR

CTIVE INGREDIENTS:	
Endosulfan (hexaculorohexahydromethano-2, 4, 3-benzodioxathiepin oxide)	
aneb (Manganese ethylenebisdithiocarbamate)	
(Manganese equivalent as metallic 1.23%)	
ulfur ····································	
NERT INGREDIENTS:	
Thiodan is a registered trademark of Canadian Hoechst Limited	
Thiodan U.S. Pat No. 2.799.685	

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing of dust. Avoid contact with skin, eyes or clothing. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention. Wash with soap and water after handling and before eating or smoking; wear clean clothing. Avoid contamination of feed or food stuffs. Do not apply of allow to drift to areas occupied by unprotected humans or beneficial animals. CAUTION: Workers entering treated fields within 24 hours of application should wear protective clothing.

NOTE TO PHYSICIANS: Endosulfan is a central nervous system stimulant. There is no specific entidote. Baraituric acid Derivatives may be used for convulsions. Treat symptomatically.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is toxic to bees and should not be applied when bees are actively visiting the area. Protection information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSE OF WASTES: by burying in non-crop lands away from water supplies. Container should be disposed of by burying with wastes or by burning. Keep out of smoke.

IMPORTANT: Keep tway from fire or sparks. Never allow Maneb to become wet during storage. This may lead to certain chemical changes which will reduce effectiveness of Maneb as a fungicide and create vapors which may be flammable. Keep container closed when not in use. Use dust mixture as soon as possible after preparation.

DIRECTION FOR USE: Read entire label and Notice Warranty before using Thiodan Maneb Sulfur. Apply the listed amounts per acre when insects of disease first appear and repeat as required to maintain effective control. Coverage of both upper and lower leaf surfaces is essential for good control. serve use limitations. If insects control is required beyond the following use patterns, supplement the control program with other suitable pesticides. serve days interval between last application and harvest indicated by number in () following crop. CABBAGE, CAULIFLOWER. (14) Alternaria leaf spot, Downy mildew, Cabbage Aphid, Cabbage Looper, Flea beetles, Harleguin Bug, Stink Bugs, Diamondback Moth Larva, 25-33 lbs per acre. LETTUGE (Head), (14) Downy Mildew, Cabbage Looper, Diamondback Moth Larva, Green Peach Aphid, 30-33 lbs per acre. Do not exceed 3 applications on Head Lettlee after thinning. Recover outside leaves at harvest. Do not feed crop waste to livestock. MELONS (5) Downy Mildew, Anthracnose, Gummy stem blight, Green Peach Aphid, Cucumber Beetle 25-33 lbs per acre. Cabbage Looper 35-50 lbs per acre. Repeat at 7-10 day intervals, POTATOES (Dearly and Late Blight, Aphids, Armyworms, Green Stink Bugs, Plant Bugs, 30-35 lbs per acre. False Chinch Bug, Potato Psyllid, 35 lbs per acre. Repeat at 7-10 day intervals. Do not plant root crops other than carrots, potatoes and sweet potatoes as follow—up crops. SPINACH (21) Downy Mildew (blue mold), Green Peach Aphid, 25 lbs per acre. Do not exceed one application per season. Towns of the per acre. Cabbage Looper 25 lbs per acre. Stink Bug 20-33 lbs per acre. Tomato Fruitworm, Yellow Striped Armyworm, 35 lbs per acre. Tomato Hornworm 20-33 lbs per acre. To avoid damage, do not use on tender young greenhouse plants.

NOTICE WARRANTY: Seller's guarantee shall be limited to the terms of the label, and subject there to the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

Monte Vista, Colorado

E.P.A. Reg. No. 3468-38

Manufactured by SCHALL CHEMICAL INC.

Delta, Colorado

