

**Schall AMEN ED**

**LINDANE - EC MAR 23 8**

AN AGRICULTURAL INSECTICIDE  
EMULSIFIABLE LIQUID

INGREDIENTS

ACTIVE:

Lindane, gamma isomer of benzenehexachloride	11.83%
Aromatic petroleum derivative solvent	83.17%
WERT:	5.00%

**WARNING -**  
**Keep Out of Reach of Children**

May be fatal if swallowed. May produce irritation of skin or eyes. May be absorbed through skin! Do not breathe spray mist. Avoid contact with skin or eyes. In case of contact, wash immediately with soap and water; for eyes, flush with water and get medical attention. Avoid contamination of food, feed, seed, and fertilizer.

**Do Not Store Near Any Product Which Will Absorb Odors!**

**FLAMMABLE!**  
**KEEP AWAY FROM HEAT OR OPEN FLAME**  
Protect From Temperatures Below 32° F.

\_\_\_\_ GAL. NET CONTENTS  
Manufactured by

**HALL CHEMICAL, INC.** Monte Vista, Colorado  
Delta, Colorado

In order that pesticidal residues on food and forage crops will not exceed tolerances established use only at recommended rates and intervals, and do not apply closer to harvest than specified. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals or into adjoining food, fiber or pasture crops. The grower is responsible for residues on his crops as well as for damages caused by drift from his property to that of others.

Consult State Agricultural Experiment Stations or the State Agricultural Extension Service for additional information, as the timing will vary with local conditions.


**DIRECTIONS FOR USE**

Pour specified amount of this material into nearly filled spray tank. Add balance of water to fill tank. Keep agitator running during filling and spraying operations. If mixture does not mix readily, but tends to separate as an oily layer, do not use as injury to plants may result. Do not combine with wettable powders unless previous use of the mixture has proven physically compatible and safe to plants. Always thoroughly emulsify this product with at least half of total water before adding wettable powder.

**RECOMMENDATIONS**

APPLES: Aphids - Use 1 qt. in 100 gals. Apply before 60 days of harvest or not after fruit starts to form.

**NOTICE:** Seller's guarantee shall be limited to the terms of the label, and subject thereto; the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.



**OBSERVE THE FOLLOWING USE PRECAUTIONS:**

Observe use limitations given on the label for specific crops. Lindane may cause off flavor and odor to certain edible crops.

**TO PROTECT BEES:** This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**DO NOT USE** this product on feed or forage to be fed to dairy animals or to livestock being finished for slaughter

Apply in early morning or evening when there is little or no wind.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**STORAGE AND DISPOSAL**

**PROHIBITIONS**

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited, do not reuse empty container

**PESTICIDE DISPOSAL**

Pesticide, spray mixture, or residue that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies

**CONTAINER DISPOSAL**

Triple rinse (or equivalent) and dispose of in an approved landfill or bury in a safe place

**GENERAL**

Consult Federal, State or Local Disposal Authorities for approved alternative procedures

LOT \_\_\_\_\_