

**PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS  
AND DOMESTIC ANIMALS  
CAUTION**

May be harmful if swallowed or inhaled. May cause irritation of eyes, nose, throat and skin. In case of contact, flush with plenty of water. For eyes, get medical attention. Wear rubber gloves and respirator when mixing this product with potato seed pieces.

**DO NOT USE TREATED SEED FOR  
FEED OR FOOD PURPOSES.**

Do not allow this material to drift onto neighboring crops or non-crop areas, or use in a manner or at a time other than as recommended with label directions because animal, plant, or crop injury, illegal residues, or other undesirable results may occur.

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning or disposal of wastes. Apply this product only as specified on this label.

**STORAGE AND DISPOSAL**

**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Do not store under conditions which might adversely affect the container or its ability to function properly. Such conditions include, but are not limited to, positioning of the container in storage, storage temperature, potential for crushing or damage due to stacking, and penetration of moisture.

**STORAGE:** Store in safe manner. Store in original container only. Store in cool, dry place. Reduce stacking height where local conditions, such as humidity or pallet overhang, can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**POTATO SEED  
TREATER**

**POTATO SEED — PIECE TREATMENT  
FUNGICIDE DUST**

**ACTIVE INGREDIENTS**

A coordination product of zinc ion and manganese ethylene bisdithiocarbamate 8.0%

In which the ingredients are  
Manganese + + 1.6%  
Zinc + + 0.2%  
Ethylene bisdithiocarbamate 6.2%

**INERT INGREDIENTS** 92.0%  
100.0%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**

If swallowed, induce vomiting with a mixture of soap or mustard in warm water. Call a physician immediately. If on skin, wash immediately with soap and water. See Side Panel for Additional Precautionary Statements.

EPA Reg. No. 3468-54-01 AUG 12 1987 No. 3468 CO-1

Manufactured by SCHALL CHEMICAL, INC.  
25 Monte Vista, Colorado 80424  
EPA Reg. No. 3468-54

**GENERAL INFORMATION**

Schall Potato Seed Treater is a special fungicidal dust formulation for application on whole or cut potato tubers. Use of this product will aid in controlling Fusarium seed piece decay and tuber-borne common scab but is ineffective against tuber and soil-borne bacterial diseases. This pesticide will not control bacterial diseases or other diseases not claimed on this label.

**DIRECTIONS FOR USE**

It is a violation of the Federal law to use this product in a manner inconsistent with its labeling. Do not use this product at higher than recommended rate.

For the suppression of potato seed piece decay caused by Fusarium decay, use 1 pound Schall Potato Seed Treater per 100 pounds of cut or whole seed pieces. Apply so that the cut or whole seed pieces are thoroughly covered with dust by the use of a convenient container or dust attachment over the belt. Rotating drum dusters generally provide better coverage than shaker treaters.

Thoroughly clean and sanitize cutting machines, knives, trays, tables, barrels, equipment, trucks and planters before cutting and planting seed pieces. If seed potatoes have not sprouted, subject them to temperatures of 50° to 60° F for about 10 to 15 days before handling. Treat the warmed seed pieces immediately after they are cut. The cut and treated seed pieces should be held for a week or more at cool temperature and high relative humidity; however they may be planted immediately. This holding period promotes suberization and allows the cut surfaces to heal.

Do not use treated seed pieces for food, feed or fodder. NOTE: This pesticide is to be sold ONLY in this original, unbroken package.

**NOTICE — READ CAREFULLY  
LIMITED WARRANTY STATEMENT**

Schall Chemical, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label. Schall Chemical, Inc. neither makes, nor authorizes any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY guarantee or representation, express or implied, concerning this material. In the event of any breach by Schall Chemical, Inc. of this limited warranty, Schall Chemical, Inc. shall not be liable for consequential damages.

Common Printing Co. 27962