AND MANAGEMENT	

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460 EPA Reg. Number:

Date of Issuance:

3468-57

JAN 22 1993

NOTICE OF PESTICIDE:

<u>x</u> Registration Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Potato Seed Treater

Name and Address of Registrant (include ZIP Code):

Schall Chemical, Inc. 120 North Broadway Monte Vista, CO 81144

Mote: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product allegs refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticice is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - 2. Revise the label by:
 - a. adding the phrase ''EPA Registration No. 3468-57";
- b. replacing the second sentence under "Environmental Hazards" with "Do not apply directly to water, to aleas where curface water is present or to intertidal areas below the mean igh water mark.";
- c. placing the net contents on the bottom front panel of the label or at the end of the label text;

Signature of Approving Official:

Date

JAN 22 1993

Coal Sacke la Suran Lawis

EPA Form 8570-6

- d. revising the second sentence under "Personal Protective Equipment" to read "All agricultural workers/ handlers (i.e., mixers, loaders, and applicators) applying this product must wear coveralls over a long-sleeved shirt and long pants; shoes, socks and chemical-resistant gloves. During mixing and loading, a chemical-resistant apron and goggles or a face shield must be worn.";
- e. deleting "wear rubber gloves and respirator..." in the first paragraph under hazards to Humans and Domestic Animals; and
- f. revising the third paragraph under Directions for Use to read "For the suppression of potato seed piece decay caused by Fusarium and tuber-borne common scab..." or indicate the dosage rate intended for scab control.
- 3. Submit five copies of the final printed label before you release the product for shipment.
- 4. Submit Product Chemistry Data within 8 months of the issuance of this registration.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. Enclosure

Jan 22 1993

m |

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC A VIMALS

CAUTION

May be harmful if swellowed or inhaled. May cause inritation of eyes, nose, throst and skin. In case of conact, flush with plenty of water; for eyes, get medical attention, wear nubber gloves and expirator when mixing this product with potato seed please. Do not not eyes or mouth with hands, see first aid (practical treatment section).

DO NOT USE TREATED SEED FOR FEED OR FOOD PURPOSES.

Do not allow this material to drift onto neighboring crops or non-crop areas, or use in a manner or at a time other than in accordance with label directions because animal, plant, or crop injury, likegal residues, or other undesirable results may occur.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contamine water when disposing of equipment washwaters. Apply this product only as specified on this label. Cover or incorporate spilled treated seed p

STORAGE AND DISPOSAL

PROMESTIONS: Do not contaminate water, food, or feed by storage or disposal. Do not store under conditions which might adversely affect the container or its sheity to function properly. Such conditions include, but are not limited to, positioning of the container in storage, storage temperature, potential for crushing or damage due to stacking, and penetration of moisture. STORAGE: Store in original container only. Store in cool, dry pusca. Reduce stacking height where local conditions, such se humidity or pellet overhang, can affect package strength, Personnel should use clothing and equipment consistent with good pesticide handling.

PESTICIDE DISPOSAL: Waster resulting from the use of this product may be disposed of on site or at an approved weste disposal facility.

CONTAINER DISPOSAL: Completely empty beg into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities by burning. If burned, stay out of smoke.

PERSONAL PROTECTIVE EQUIPMENT

For Mixers, Loaders, and Applicators HANDLE THIS PRODUCT ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING 6 EQUIPMENT, A long sleeve shirt, long pents, or a coverall that covers of parts of the body except head hands and feet; chemical resistant gloves, shows, accès and goggles or a face shield. During mixing and loading a chemical resistant apron must be worn.

IMPORTANT: Before removing gloves wash them with

Funder to the pesticide registered and r EPA Reg. No

POTATO SEED TREATER

POTATO SEED — PIECE TREATMENT FUNGICIDE DUST

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of weser and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Cell a physician immediately.

IF ON SKIN: Wash immediately with soap and water. See Side Panel for Additional Precautionary Statements.

EPA Reg. No. 3458-54

EPA Est. No. 3468-CO-1

Manufactured by SCHALL CHEMICAL, INC.
Monte Vista, Colorado 81144

scap and water. Always wesh hands, face, and aims scap and water before eating, smoking or drinking, \$4 wash hands and aims with scap and water before toolet.

After work take off all clothes and shoes. Shower a soap and water. Wear only clean clothes. Do not use terminated clothing. Wash protective clothing and protective equipment after each use. Personal clothing-wereing use must be laundered separately from horsehol ticles. Clothing and protective equipment highly terminated or drenched with mancozeb must be destracted or drenched with mancozeb must be destracted in the protective of the protection of the protective of the prote

GENERAL INFORMATION

Schall Potato Seed Treater is a special fungicidal dus mulation for application on whole or curt potato tubers of this product will aid in controlling Fusarium seed ; decay and tuber-borne common scale but is ineffe against tuber-and soil-borne bacterial diseases, pasticide will not control bacterial diseases or other disease not claimed on this label.

DIRECTIONS FOR USE

It is a violation of the Federal law to use this produce a manner inconsistent with its labeling. Do not use this duct at higher than recommended rate. If this product is used on a case, no other product.

If this product is used on a crop, no other product taining a different EBDC active ingredient may be us the same crop during the same growing season.

For the suppression of potato seed piece decay caus Fushium discay, use 1 pound Schall Potato Seed Ti per 100 pounds of cut or whole seed pieces. Apply so the cut or whole seed pieces are thoroughly covered dust by the use of a convenient container or dust at ment over the belt, Rutating drum dusters generally vide better coverage than shaker treaters.

Thoroughly clean and sanitize cutting machines, is trays, tables, barrels, equipment, trucks and planters to cutting and planting saud pioces. If seed potatoes has prouted, subject trem to temperatures of 50° to 80° about 10 to 15 days before hending. Treat the wermer pieces immediately after they are cut. The cut and travel pieces should be held for a week or more at temperature and high relative humiding; however the be planted immediately. This holding period prosuberization and allows the cut surfaces to heat.

Do not use treated seed pieces for food, feed or fo NOTE: This pesticide is to be sold ONLY in this or unbroken package.

NOTICE — READ CAREFULI LIMITED WARRANTY STATEME

Schell Chemical, Inc., werrants that this product con to the chemical description on the label and is reast if for purposes stated on the label only when used cordance with directions and instructions specified abul. Schell Chemical, Inc. neither makes, nor authory agent or representative to make any other we of FITNESS or MERCHANTABILITY, guerant representation, express or implied, concerning the in the event of any breach by Schell Chemical, Inc., shall not be for consequential damages.

Catan himse (

