

PM 21 3468-57

file 1073



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

MAR 7 1994

RICHARD R. BRUMFIELD
SCHALL CHEMICAL INC.
120 N. BROADWAY
MONTEVISTAS, CO. 81144

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 9/12/93 Response to PR Notice 93-7
EPA Reg. No. 3468-57
POTATO SEED TREATER

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

Page 2


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

383

BEST AVAILABLE COPY

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS
AND DOMESTIC ANIMALS
CAUTION**

May be harmful if swallowed or inhaled. May cause irritation of eyes, nose, throat and skin. In case of contact, flush with plenty of water. For eyes, get medical attention, when mixing this product with potato seed pieces. Do not rub eyes or mouth with hands, see first aid (practical treatment section)

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Coveralls: over long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Protective eyewear
- Chemical-resistant apron when cleaning equipment, mixing or loading

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly, and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**DO NOT USE TREATED SEED FOR
FEED OR FOOD PURPOSES.**

Do not allow this material to drift onto neighboring crops or non-crop areas, or use in a manner or at a time other than in accordance with label directions because animal, plant, or crop injury, illegal residues, or other undesirable results may occur.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label. Cover or incorporate spilled treated seed pieces.

**POTATO SEED
TREATER**

**POTATO SEED — PIECE TREATMENT
FUNGICIDE DUST**

ACTIVE INGREDIENTS

A coordination product of zinc ion and manganese ethylene bisdithiocarbamate.....8.0%

In which the ingredients are:

Manganese + +1.6%
Zinc + +0.2%
Ethylene bisdithiocarbamate ion
(C₂H₄N₂S₂)6.2%

INERT INGREDIENTS.....92.0%
100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Call a physician immediately.

IF ON SKIN: Wash immediately with soap and water.

See Side Panel for Additional Precautionary Statements.

EPA Reg. No. 3468-57

EPA Est. No. 3468-CO-1

Manufactured by SCHALL CHEMICAL, INC.
Monte Vista, Colorado 81144

50 lbs. Net

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Do not store under conditions which might adversely affect the container or its ability to function properly. Such conditions include, but are not limited to, positioning of the container in storage, storage temperature, potential for crushing or damage due to stacking, and penetration of moisture.

STORAGE: Store in original container only. Store in cool, dry place. Reduce stacking height where local conditions, such as humidity or pallet overhang, can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities by burning. If burned, stay out of smoke.

GENERAL INFORMATION

Schall Potato Seed Treater is a special fungicidal dust formulation for application on whole or cut potato tubers. Use of this product will aid in controlling Fusarium seed piece decay but is ineffective against tuber and soil-borne bacterial diseases. This pesticide will not control bacterial diseases or other diseases not claimed on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulations.

Do not apply this product through any type of irrigation system.

If this product is used on a crop, no other product containing a different EBDC active ingredient may be used on the same crop during the same growing season.

Do not use treated seed pieces for food, feed or fodder.

ACCEPTED
with COMMENTS
in EPA Letter Dated

SCI 091003
CPC 02/162

USE

Use this product with the Worker. This Standard of agricultural work in greenhouses, and contains required notification and specified instructions on the label (PPE). The uses of this product are in accordance with the Standard.

Do not enter or stay in the restricted area.

PPE required for use of this product includes: Do not enter or stay in the restricted area.

- Coveralls over long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

For the suppression of Fusarium and tuber rot, Schall Potato Seed Treater is a special fungicidal dust formulation for application on whole or cut potato tubers. Use of this product will aid in controlling Fusarium seed piece decay but is ineffective against tuber and soil-borne bacterial diseases. This pesticide will not control bacterial diseases or other diseases not claimed on this label.

Thoroughly clean trays, tables, barrels, cutting and planting equipment, sprouting, subject about 10 to 15 days before planting. Seed pieces should be planted immediately after treatment and be planted immediately after treatment and be planted immediately after treatment.

NOTE: This pesticide is not to be used on broken packages.

**NOTICE
LIMITED WARRANTY**

Schall Chemical, Inc. warrants that the chemical described on the label for the purposes stated on the label and with directions and restrictions on the label. Schall Chemical, Inc. does not warrant that the product is suitable for use on any other crop or for any other purpose. Schall Chemical, Inc. does not warrant that the product is suitable for use on any other crop or for any other purpose.

MAR 7 1994
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
3468-57