

Mr. Richard R. Brumfield  
Schall Chemical, Inc.  
120 North Broadway  
Monte Vista, CO 81144

OCT 6 1994

Dear Mr. Brumfield:

Subject: Potato Seed Treater  
EPA Reg. No. 3468-57  
Your Submission of August 17, 1994

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration or reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.

2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



Leonard S. Cole, Jr.  
Acting Product Manager (21)  
Fungicide-Herbicide Branch  
Registration Division (7505C)

Enclosure

7505C:C.Grable:cg:9/30/94

293

## PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS CAUTION

May be harmful if swallowed or inhaled. May cause irritation of eyes, nose, throat and skin. In case of contact, flush with plenty of water; for eyes, get medical attention, when mixing this product with potato seed pieces. Do not rub eyes or mouth with hands, see first aid (practical treatment section).

### PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Coveralls over long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Protective eyewear
- Chemical-resistant apron when cleaning equipment, mixing or loading

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

### USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly, and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### DO NOT USE TREATED SEED FOR FEED OR FOOD PURPOSES.

Do not allow this material to drift onto neighboring crops or non-crop areas, or use in a manner or at a time other than in accordance with label directions because animal, plant, or crop injury, illegal residues, or other undesirable results may occur.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label. Cover or incorporate spilled treated seed pieces.

# POTATO SEED TREATER

## POTATO SEED — PIECE TREATMENT FUNGICIDE DUST

### ACTIVE INGREDIENTS

A coordination product of zinc ion and manganese ethylene bisdithiocarbamate.....8.0%

In which the ingredients are:

Manganese + + .....1.6%  
Zinc + + .....0.2%  
Ethylene bisdithiocarbamate ion  
(C<sub>2</sub>H<sub>4</sub>N<sub>2</sub>S<sub>2</sub>) .....6.2%

INERT INGREDIENTS.....92.0%  
100.0%

## KEEP OUT OF REACH OF CHILDREN CAUTION

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Call a physician immediately.

**IF ON SKIN:** Wash immediately with soap and water. See Side Panel for Additional Precautionary Statements.

EPA Reg. No. 3468-57

EPA Est. No. 3468-CO-1

Manufactured by SCHALL CHEMICAL, INC.  
Monte Vista, Colorado 81141

50 lbs. Net

## STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Do not store under conditions which might adversely affect the container or its ability to function properly. Such conditions include, but are not limited to, positioning of the container in storage, storage temperature, potential for crushing or damage due to stacking, and penetration of moisture.

**STORAGE:** Store in original container only. Store in cool, dry place. Reduce stacking height where local conditions, such as humidity or pallet overhang, can affect package strength. Personnel should use clothing and equipment consistent with good pesticide handling.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities by burning. If burned, stay out of smoke.

## GENERAL INFORMATION

Schall Potato Seed Treater is a special fungicidal dust formulation for application on whole or cut potato tubers. Use of this product will aid in controlling Fusarium seed piece decay but is ineffective against tuber and soil-borne bacterial diseases. This pesticide will not control bacterial diseases or other diseases not claimed on this label.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulations.

Do not apply this product through any type of irrigation system.

Do not use treated seed pieces for food, feed or fodder.

## USE

Use this product with the Worker Protection Standard of agricultural workplaces, greenhouses, and other structures that contain require notification and specific instructions on the label (PPE) and requirements in the that are covered.

Do not enter or enter the restricted area.

PPE required for limited contact with plants, soil, or water.

- Coveralls over long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

For the suppression of Fusarium and tuber rot, Schall Potato Seed Treater is a special fungicidal dust formulation for application on whole or cut potato tubers. Use of this product will aid in controlling Fusarium seed piece decay but is ineffective against tuber and soil-borne bacterial diseases. This pesticide will not control bacterial diseases or other diseases not claimed on this label.

Thoroughly clean trays, tables, benches, and cutting and planting equipment. Sprout seed pieces, subject to about 10 to 15 days of storage at 45 to 55 degrees Fahrenheit and be planted immediately after submergence and

NOTE: This pesticide is not for use on broken packages.

## NOTICE LIMITED

Schall Chemical, Inc. is the chemical distributor for the purposes stated with directions and instructions. Schall Chemical, Inc. is not responsible for any damage or injury to crops or livestock, or implied, caused by Schall Chemical, Inc. or its representatives.

BEST AVAILABLE COPY

SC 3468-57  
CPC 027362

00 100 100 100

1