

p.m 14

3487-19

1 of 6

10 JUL 1984

300 — 17	125,354 — 1
----------------	-------------------

Bacon Products Co., Inc.
 Box 8127
 Chattanooga, TN 37421

Gentlemen:

Subject: Eagles - 7 Rat Bait
 EPA Registration No. 3487-19
 Your letter of July 2, 1984

Your request for the additional brand name, Golden Mouse Nuggets, is acceptable.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below.

1. Revise your "Storage and Disposal" statements as follows, if this product is for household use:

Storage and Disposal

Storage: Store only in original container, in a dry place inaccessible to children and pets.

Disposal: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

For non-household use, see enclosures.

2. Delete "100%" from "100% Satisfaction Guaranteed" or change to something like "Money Back Guaranteed."


3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFPA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

CONCURRENCES								
SYMBOL ▶								
SURNAME ▶								
DATE ▶								

A stamped copy of the label is enclosed for your records.

Sincerely yours



William H. Miller
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

RD:Miller:DCR-40322:WANG-0149K:bje:Raven:479-2013:7/6/84

SIDE
↓

FRONT
↓

STORAGE & DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

DISPOSAL: Bait that cannot be used according to label instructions must be disposed of according to federal, state, or local procedures. Dispose of bait container in a sanitary land fill or by incineration if allowed by state or local authorities.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS—For control of Norway rats, Roof rats and House mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Treated baits must be placed in tamper-proof bait boxes or in locations not accessible to children, pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS—Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.



Gayles-7

RAT BAIT
WITH
RWP

**KILLS
RATS
&
MICE**



ACTIVE INGREDIENT: Warfarin 3-(alpha-Acetylbenzyl-4-hydroxycoumarin)	0.025%
INERT INGREDIENT:	99.975%
TOTAL:	100.000%

**NET WT. 1 LB.
(454g)**

CAUTION KEEP OUT OF REACH OF CHILDREN
(ADDITIONAL PRECAUTIONS ON SIDE PANEL)

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUL 10 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the purpose registered under EPA Reg. No.

3457-19

side
Eagles-7

BACK
Eagles-7 KILLS RATS & MICE

A SPECIALLY FORMULATED RODENTICIDE WITH FLAVOR ENHANCERS.

**PRECAUTIONARY STATEMENTS:
HAZARD TO HUMANS & DOMESTIC ANIMALS**

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN—If ingested, administer Vitamin K, intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARD: Keep Out of Lakes, Streams or Ponds. Do Not Contaminate Water by Cleaning of Equipment or Disposal of Wastes.

APPLICATION DIRECTIONS

RATS: Apply 4 to 16 ounces of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

MICE: Apply ¼ to ½ ounce (1-2 level tablespoons) of bait at 8 to 12 foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

RATS & MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

100% SATISFACTION GUARANTEED

EPA EST. 3487-TN-1
EPA REG. NO. 3487-19
BPC
Bacon Products Corporation
Chattanooga, TN 37411 U.S.A.



5 of 6



SUBJECT: Eagles - 7 Rat Bait

EPA Registration No. 3487-19

Your letter of July 10, 1984

NOT REVIEWED
In Accordance with PR Notice 82-2.
Based on Draft Labeling Dated



NET WT.
1 LB. (454g)

KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE OTHER PRECAUTIONS ON SIDE PANEL

DIRECTIONS FOR USE

GENERAL CLASSIFICATION—It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS—for control of Norway rats, Roof rats and House mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Treated baits must be placed in tamper-proof bait boxes in locations not accessible to children, pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

LOCATION OF TREATMENT—RATS—Determine areas where the rodent infestation is most likely to occur and concentrate the bait. Generally, these areas are along walls, by gnawed openings, or beside pipes, in corners and concealed places, between doors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

RATE—Apply 1 to 1.5 ounces of bait per mouse or 1/2 ounce per rat per 100 sq. ft. of floor area for 10 to 15 days.

MICE—Apply 1 to 1.5 ounces (1/2 to 1 1/2 level ounces) of bait at 10 to 15 foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

RATE & MICE—Rodents not eliminated or spotted are immediately collected and disposed of. All dead animals and uneaten bait properly disposed of. Sanitation, eliminate food, water, and harborage as much as possible. If infestation does occur repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and repeat baiting as needed.

Bacon Products Corporation
P.O. Box 22187, Chattanooga, Tennessee 37422-2187 USA
Tel: 615 892-0411, Telex: 810 573 5333

6 of 6

NOT REVIEWED
In Accordance with PB Notice 82-2.
Based on Draft Labeling Dated



NET WT.
1 LB. (454g)

BACON PRODUCTS COMPANY, INC.
P.O. BOX 22187, CHATTANOOGA, TENNESSEE 37422 U.S.A.

PRECAUTIONARY STATEMENTS: HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION—Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN—If ingested, administer Vitamin K1 intramuscularly or orally as indicated in the hydroxycoumarin overdose. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARD—Keep Out of Lakes, Streams or Ponds. Do Not Contaminate Water by Cleaning of Equipment or Disposal of Wastes.

STORAGE AND DISPOSAL

STORAGE—Store only in original container in a dry place inaccessible to children and pets.

DISPOSAL—Do not reuse empty containers. Empty into a safe disposal container.

