

3487-29

03/18/2003

1/7



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg.
Number:

Date of Issuance:

3487-29 MAR 18 2003

Term of Issuance:

Unconditional

Name of Pesticide Product:

Eagle 7 Dust

NOTICE OF PESTICIDE:
 Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Bacon Products Corporation
P.O. Box 22187
Chattanooga, TN 37422-2187

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)(C)(2)(B).

1. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase "EPA Registration No.3487-29".

b. The statement "Food utensils such as teaspoons or measuring cup should not be used for food after use with pesticides." should be moved under Alternate Directions.

Signature of Approving Official:

Date:

page 2
EPA Reg. No. 3487-29

c. Under Indoor Use after 0.16 ounce or 1 teaspoon add "of product per square yard (0.5 lbs per 1000 square feet).".

d. Move the heading "Outdoor Use" above Ornamental Plant Pests.

2. Submit three (3) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure

Eagles-7® Dust

- For Indoor /Outdoor Residential Use Only
- For Household Use
- Household Ornamental Garden Insect Control
- Controls Fire Ants, Fleas, Ticks, Termites (localized control only) and More
- Non-Staining and Odorless
- Long Lasting Residual Action
- Long Lasting
- Kills Insects for up to 8 months
- Does not Clump or Absorb Moisture
- For Use on Ornamentals
- Controls Many Different Insect Pests
- To Control Imported Fire Ants on Lawns and Other Residential Areas
- Can Kill an Entire Mound in 3-4 days
- 8 oz. Treats 15 Fire Ant Mounds - 1 lb. Treats 30 Fire Ant Mounds
- 2 lbs. Treats 60 Fire Ant Mounds
- Guaranteed to Work or Your Money Back
- Satisfaction Guaranteed
- No Watering In After Application
- Kills the Queen
- Fast, Effective Kill of Fire Ants
- Fast, Effective Kill of Stinging Ants
- Easy to Use
- Ready to Use Convenient
- Kills Fire Ants on Contact
- The Fire Ant Destroyer

ACTIVE INGREDIENT:

*Deltamethrin [(s)-alpha-cyano-3-phenoxybenzoxybenzyl -(1R,3R)-3-(2-2 dibromovinyl)-2,2-dimethylcyclopropanecarboxylate] 0.05%

OTHER INGREDIENTS: 99.95%
100.00%

EPA Reg. No. 3487-29

EPA Est. No. 3487-TN-1

NET CONTENTS

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Additional Precautionary Statements

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAR 18 2003
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
3487-29

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

May be harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Use with care when applying in areas adjacent to any body of water.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DISPOSAL

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or call 1.800.CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

IMPORTANT: Read the entire Directions for Use, Precautions and Disclaimer of Warranties before using this product.

Eagles-7® Dust is a ready to use insecticide dust which exhibits effective knockdown and long lasting control against the pests listed when used according to label directions.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Eagles-7® Dust can be used for long lasting pest control in and around homes and their immediate surroundings. Permitted areas of use include but are not limited to:

- Animal quarters
- Apartments
- Household greenhouses
- Houses
- Mobile homes and recreational vehicles
- Ornamentals

This product is intended for applications with a hand duster or from the shaker can, with a paintbrush or by other suitable means, to hiding and runway areas and other places where insects are found.

INDOOR USE

In living areas, make applications in such a manner as to avoid deposits on exposed surfaces or introducing the material in the air. To apply insecticide directly into cracks and crevices, use a bulbous duster or other suitable equipment. Apply lightly and uniformly to infested area. Pay particular attention to cracks and crevices; service ducts; false floors and ceilings; wall voids; around electrical and telephone fittings and equipment; around water and sewer pipes; under and behind cabinets, refrigerator and sinks; around windows and doorframes; along baseboards; in attics and crawl spaces. The amount to be applied will vary with the site but should usually be in the range of 0.16 ounce or 1 teaspoon.

Ants, box elder bugs, cockroaches (including both resistant and non-resistant strains), crickets, fleas, firebrats and silverfish: Apply Eagles-7® Dust thoroughly to all areas where these pests crawl and hide, especially in those areas described above. For ants, apply to ant trails, around doors and windows and other places where ants enter premises.

Termites, Carpenter Ants and Carpenter Bees: Apply to voids or channels in damaged wooden members of a structure; to cracks, spaces or bearing joints between wooden members of a structure; or between such members and the foundation; and in locations vulnerable to termite attack. Drilling may be necessary prior to applying dust in these locations, but it must be recognized that such drilling and treating of timber in a particular location may not result in complete coverage of infested and vulnerable voids and galleries. This dust can be applied in attics and crawl spaces to prevent entry of dry wood and Formosan termites at a rate of 0.5 lb per 1000 square feet of floor area. In these treatments, all vents and blowers should be closed. Inspect at 6 months and one year to insure that colony has been killed.

The purpose of such applications of Eagles-7® Dust is to kill workers or winged forms of subterranean termites which may be present in the treated channels at the time of treatment. For active subterranean termite infestations get a professional inspection.

Centipedes, ground beetles, millipedes, scorpions, spiders and sow bugs: Apply dust along and behind baseboards, to window and doorframes, corners, pipes, storage locations, attics, crawl spaces and other areas where these pests may enter or crawl.

Wasp and Bees: It is generally advisable to treat wasp and bee nests in the evening when insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings. Using hand or power duster (Actisol® or similar equipment) or other suitable means, with extension tubes if necessary, thoroughly dust nest, entrance and surrounding areas where insects alight. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area, blow dust in and reseal. For ground wasps, dust entrance and surrounding areas. For best results check nests carefully, one or two days after treatment to ensure complete kill, then remove and destroy nest to prevent emergence of newly hatched insects. If removal is not feasible, retreat the nest, if necessary. Do not use this product to treat overhead nests.

Webbing Clothes Moths: Use Eagles-7® Dust as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on the clothes. DO NOT apply this product directly to clothing.

Carpet Beetles (Black, Furniture, Common and Varied): Dust where these insects are found, for example: on and under edges of floor coverings, around baseboards, under rugs and furniture, and in closets.

Bedbugs: Apply dust thoroughly to all areas where these pests are typically found including: folds and tufts of mattresses, coils of springs, cracks and hollow posts of bedsteads, upholstery of chairs and sofas, picture frame moldings and all cracks and crevices in the room should be treated. Allow powder to remain in contact with surface for 4-6 hours. Thoroughly vacuum treated areas dispose of vacuum bag and place clean linens on bed.

Stored Product Pests: To aid in the control of the exposed stages of:

| | |
|------------------------|---------------------------|
| Caddisflies | Merchant grain beetles |
| Cheese mites | Red flour beetles |
| Cigarette beetles | Rice weevils |
| Confused flour beetles | Rusty grain beetles |
| Dark meal worms | Saw-toothed grain beetles |
| Drugstore beetles | Spider beetles |
| Grain mites | Tobacco moths |
| Granary weevils | Yellow meal worms |
| Lesser grain borers | |

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Clean up waste materials, dust, dirt and other debris. Thoroughly treat floors, walls and other surfaces in storage and handling areas. Apply dust in cracks and crevices, behind and under cupboards, and other difficult to reach areas where insects may hide. DO NOT apply directly on food, food processing surfaces, utensils or on areas where food is stored.

Ornamental Plant Pests: For the control of:

| | |
|--------------------------------------|-------------------|
| Aphids | Leafrollers |
| Beet armyworms | Orange tortrix |
| Blister beetles | Periodical cicada |
| Boxelder | Plant bugs |
| Certain leafminers | Rose chafer |
| (Boxwood, Holly, Oak, Spruce Needle) | Rose midges |
| Elm leaf beetle | Rose slugs |
| Flea beetle | Tent caterpillars |
| Leafhoppers | Thrips |
| | Weevils |

Shrubs and Ornamentals: Apply when insects or their damage first appear and repeat at weekly intervals. Apply 8 ounces per 1000 square feet; or thoroughly apply to place a layer of dust on both upper and lower sides of leaves, stems and flowers.

Roses, Petunias, Chrysanthemums, Geraniums, Carnations and other related flowers: To control many leaf and flower chewing insects, apply as soon as the insect appears and repeat at 7 day intervals or as long as insects continue to appear. Apply a thin layer on both upper and lower sides of leaves, stems and flowers.

OUTDOOR USE

Perimeter Treatment: Use Eagles-7® Dust as a residual treatment for control of ants, bees, centipedes, cockroaches, crickets, firebrats, fleas, ground beetles, millipedes, scorpions, silverfish, slugs, sowbugs, spiders, ticks and wasp. Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways, in crawl spaces and other areas where pests hide. To help prevent the invasion of buildings and structures by these pests, apply thoroughly and uniformly to the foundation and crawl spaces where pests are active and may find entrance.

Fleas and Ticks in Rodent Burrows: To control fleas and ticks in and around rodent burrows around homes and other buildings, apply dust with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge). Be sure to treat abandoned rodent burrows, which are suspected of containing fleas and ticks. Treat for a minimum of 5 days for light rodent population; 10 days when populations are dense.

USE DIRECTIONS FOR FIRE ANT TREATMENT

IMPORTED FIRE ANT TREATMENT: DO NOT DISTURB THE MOUND PRIOR TO APPLICATION and DO NOT WATER IN. Evenly apply Eagles-7® Dust to adequately cover each mound and around the perimeter (extending 18" from the outer edge of the mound). A second treatment may be necessary if complete control is not obtained. If possible, treat all colonies in the vicinity. Apply when temperatures are between 65 and 80°F mornings and evenings. Allow 3 to 4 days for maximum control. Applications during prolonged hot or dry conditions may be less effective. Do not use food utensils, such as teaspoons or measuring cups, for food after use with pesticides.

[Alternate directions – Evenly sprinkle one tablespoon (approximately ½ oz) of Eagles-7® Dust over the top of each mound. Do not water in or disturb the mound. Apply when temperatures are between 65 and 80°F. Allow 3 or 4 days for maximum control.]

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

**Bacon Products Corporation
PO Box 22187
Chattanooga TN 37422-2187**