09-22-2010 (





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

SEP 2 2 2010

Ms. Karen M. Romito Bacon Products Corporation P.O. Box 22187 Chattanooga, TN 37422

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Ms. Romito:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated April 23, 2010 for the following product(s):

Eagles-7® Dust

Reg. No. 3487-29

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Richard J. Gebken Product Manager Insecticide Branch

Registration Division (7504P)

Lode Alle Lew

Please read instructions on I	reverse before completine	form,	Form A	pproved	1. O No. 2	070-0060	Approval expires 2-28-95
⇔EPA	ency	✓	Registra Amendn Other		OPP Identifier Number		
Application for Pesticide - Section I							
1. Company/Product Number 3487-29			2. EPA Product Manager Mark Suarez 3. Proposed Classification				
4. Company/Product (Name) Eagles-7 Dust			PM# 13 None Restricted				
5. Name and Address of Applicant (Include ZIP Code) Bacon Products Corporation P.O. Box 22187 Chattanooga, TN 37422 Check if this is a new address			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name				
Section - II							
Amendment - Explain below. Resubmission in response to Agency letter deted "Me Too" Application. Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) NOTIFICATION: Revised Environmental Hazards section per PR Notice 2008-1 and addition of language per the Agency June 4, 2009 outdoor pyrethroid products letter.							
Section - III							
Yes V No If "Yes" No. per		No. per If "Ye	Soluble Packaging Yes No s" No. per ge wgt contain		2. Type of Container Metal Plastic Glass Paper Other (Specify) Tube		
3. Location of Net Contents I	nformation 4.	Size(s) Retail Conta	iner .	5. Lo	cation of Lab	I Directio	ns
Lebel C 6. Manner in Which Label is	3.0 lb Oth	107	On label				
Paper glued Stenciled							
			tion - IV				
1. Contact Point (Complete	items directly below for i	dentification of indiv	idual to be contacted	d, if nec			
Name Karen M Romito							No. (เกียงนั้น Area Code) .892.0314 Ext 16
	W /	leading)statement n			urate and com imprisonment		6. Gate Application Received (Stamped)
4.Typed Name Karen M Romito	(Nemo/)	5. Date	April 23	3, 201	10		

R

P. O. Box 22187 • Chattanooga, TN 37422-2187 • USA 1605 Shepherd Road • Chattanooga, TN 37421 • USA

423.892.0414 • 1.800.251.6238 • fax 423.892.2065 baconproducts.com

April 23, 2010

Document Processing Desk (NOTIF-Pyrethroid) Insecticide Branch Registration Division Office of Pesticide Programs (7504P) US Environmental Protection Agency Room S-4900; One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202

ATTN: Mark Suarez

Product Manager 13

SUBJECT:

NOTIFICATION OF REVISED LABELING

Eagles-7® Dust; EPA Reg. No.: 3487-29

Dear Mr. Suarez:

Attached, please find one (1) copy of revised labeling that has been marked to show all changes. We are updating the label to comply with the following:

- 1. Notification of label change per June 4, 2009 letter from Environmental Protection Agency. This notification is consistent with the guidance in the June 4, 2009 letter and the requirements of EPA's regulations at 40 CFR part 156.
- 2. Notification of label change relative to PR Notice 2008-1. This notification is consistent with the guidance in PR Notice 2008-1 and the requirements of EPA's regulations at 40 CFR 156.10, 40 CFR 156.80 and 40 CFR 152.46.

No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.80. 156.140, 156.144, 156.146, 156.156 and 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you need additional information or have any questions, please do not hesitate to contact me at (423) 892.0414 Ext 16 or e-mail to: k1romito@aol.com.

Sincerely,

Karen Romito

Enclosures

Eagles-7[®] Dust

- · For Indoor/Outdoor Residential Use Only
- · For Household Use
- Household Ornamental Garden Insect Control
- · Controls Ants, Fire Ants, Fleas, Ticks Termites (localized control only) and More
- · Non-Staining and Odorless
- · Long-Lasting Residual Action
- · Long-Lasting
- · Kills Insects for up to 8 Months
- · Does Not Clump or Absorb Moisture
- · For Use on Ornamentals
- · Controls Many Different Insect Pests
- · To Control Imported Fire Ants on Lawns and Other Residential Areas
- · Can Kill an Entire Mound in 3-4 days
- 8 oz. Treats 15 Fire Ant Mounds 1 lb. Treats 30 Fire Ant Mounds
- 2 lbs. Treats 60 Fire Ant Mounds
- · Guaranteed to Work or Your Money Back
- · Satisfaction Guaranteed
- · No Watering In After Application
- · Kills the Queen
- Fast, Effective Kill of Fire Ants
- · Fast, Effective Kill of Stinging Ants
- Easy to Use
- · Ready to Use Convenient
- · Kills Fire Ants on Contact
- · The Fire Ant Destroyer

NOTIFICATION

SEP 2 2 2010

ACTIVE INGREDIENT:

EPA REG. NO. 3487-29

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel For Additional Precautions

NET CONTENTS:



FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS Hazards To Humans And Domestic Animals

CAUTION

May be harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Use with care when applying in areas adjacent to any body of water

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read the entire Directions for Use, Precautions and Disclaimer of Warranties before using this product.

Application is prohibited directly into sewers or drains or to any area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

Eagles-7® Dust is a ready-to-use insecticide dust which exhibits effective knockdown and long-lasting control against the pests listed when used according to label directions.

Eagles-7® Dust can be used for long-lasting pest control in and around homes and their immediate surroundings. Permitted areas of use include but are not limited to:

· animal quarters

houses

apartments

- · mobile homes and recreational vehicles
- · household greenhouses
- ornamentals

This product is intended for applications with a hand duster or from the shaker can, with a paint brush or by other suitable means, to hiding and runway areas and other places where insects are found.

INDOOR USE

In living areas, make applications in such a manner as to avoid deposits on exposed surfaces or introducing the material into the air. To apply insecticide directly into cracks and crevices, use a bulbous duster or other suitable equipment. Apply lightly and uniformly to infested area. Pay particular attention to cracks and crevices; service ducts; false floors and ceilings; wall voids; around electrical and telephone fittings and equipment; around water and sewer pipes; under and behind cabinets, refrigerators and sinks; around windows and door frames; along baseboards; in attics and crawl spaces. The amount to be applied will vary with the site but usually be in the range of 0.16 oz or 1teaspoon of product per square yard (0.5 lbs per 1000 square feet).

Ants, Boxelder Bugs, Cockroaches, (Including Both Resistant and Non-resistant Strains), Crickets, Fleas, Firebrats and Silverfish: Apply Eagles-7® Dust thoroughly to all areas where these pests crawl and hide, especially in those areas described above. For Ants, apply to ant trails, around doors and windows and other places where ants enter premises.

Termites, Carpenter Ants and Carpenter Bees: Apply to voids or channels in damaged wooden members of a structure; to cracks, spaces of bearing joints between wooden members of a structure; or between such members and the foundation; and in locations vulnerable to termite intack. Drilling may be necessary prior to applying dust in these locations, but it must be recognized that such drilling and treating of timber in a particular location may not result in complete coverage of infested and vulnerable voids or galleries. The dust can be applied in attics and crawl spaces to prevent entry of driggwood and Formosan termites at a rate of 0.5 lb per 1000 square feet of floor area. In these treatments, all vents and blowers should be closed. Inspect at 6 months and one year to insure that colony has been killed.

The purpose of such applications of Eagles-7® Dust is to kill workers or winged forms of subterranean termites which may be present in the treated channels at the time of treatment. For active subterranean termite infestations get a professional inspection.

Centipedes, ground beetles, millipedes, scorpions, spiders and sow bugs: Apply dust along and behind baseboards, to window and door frames, corners, pipes, storage locations, attics, crawl spaces, and other areas where these pests may enter or crawl.

Wasps and Bees: It is generally advisable to treat wasp and bee nests in the evening when insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings. Using hand or power duster (Actisol® or similar equipment) or other suitable means, with extension tubes if necessary, thoroughly dust nest, entrance and surrounding areas where insects alight. Nests in wall voids can be located by listening with your ear

against the wall. Drill a hole in the area, blow dust in and reseal. For ground wasps, dust entrance and surrounding areas. For best results, check nests carefully one or two days after treatment to ensure complete kill, then remove and destroy nest to prevent emergence of newly-hatched insects. If removal is not feasible, retreat nest if necessary. Do not use this product to treat overhead nests.

Webbing Clothes Moths: Use Eagles-7® Dust as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on the clothes. DO NOT apply this product directly to clothing.

Carpet Beetles (Black, Furniture, Common and Varied): Dust where these insects are found, for example: on an under edges of floor coverings, behind baseboards, under rugs and furniture, and in closets.

Bedbugs: Apply dust thoroughly to all areas where these pests are typically found including: folds and tufts of mattresses, coils of springs, cracks and hollow posts of bedsteads, upholstery of chairs and sofas, picture frame moldings and all cracks and crevices in the room should be treated. Allow powder to remain in contact with surface for 4-6 hours. Thoroughly vacuum treated areas, dispose of vacuum bag and place clean linens on bed.

STORED PRODUCT PESTS: To aid in the control of the exposed stages of:

cadelles merchant grain beetles

cheese mites red flour beetles cigarette beetles rice weevils

confused flour beetles rusty grain beetles dark meal worms saw-toothed grain beetles

drugstcre beetles spider beetles grain mites tobacco moths granary weevils yellow meal worms

lesser grain borers

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Clean up waste materials, dust, dirt, and other debris. Thoroughly treat floors, walls and other surfaces in storage and handling areas. Apply dust in cracks and crevices, behind and under cupboards, and other difficult to reach areas where insects may hide. DO NOT apply directly on food, food processing surfaces, utensils or other areas where food is stored.

OUTDOOR USE

Do not water the treated are to the point of run-off. Do not make applications during rain. All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- (1) Treatment to soil or vegetation around structures:
- (2) Applications to lawns, turf and other vegetation;
- (3) Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces (such as windows, doors and eaves) are limited to spot and crack-and-crevice applications only.

ORNAMENTAL PLANT PESTS: For the control of:

aphids leafrollers
beet armyworms orange tortrix
blister beetles periodical cicada
boxelder bugs plant bugs
certain leafminers rose chafer

(Boxwood, Holly, rose midges

Oar, Spruce Needle) rose slugs elm leaf beetle tent caterpillars

flea beetles thrips leafhoppers weevils

Shrubs And Ornamentals: Apply when insects or their damage first appear and repeat at weekly intervals. Apply 8 ounces per 1000 square feet; or thoroughly apply to place a layer of dust on both upper and lower sides of leaves, stems and flowers.

Roses, Petunias, Chrysanthemums, Geraniums, Carnations And Other Related Flowers: To control many leaf and flower chewing insects, apply as soon as the insect appears and repeat at 7 day intervals or as long as insects continue to appear. Apply a thin layer on both upper and lower sides of leaves, stems and flowers.

Perimeter Treatment: Use Eagles-7® Dust as a residual treatment for control of ants, bees, centipedes, cockroaches, crickcts, firebrats, fleas, ground beetles, millipedes, scorpions, silverfish, slugs, sowbugs, spiders, ticks and wasps. Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways, in crawl spaces and other areas where pests hide. To help prevent the invasion of buildings and structures by these pests, apply thoroughly and uniformly to the foundation and crawl spaces where pests are active and may find entrance.

Fleas And Ticks in Rodent Burrows: To Control fleas and ticks in and around rodent burrows around homes and other buildings, apply dust with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge). Be sure to treat coancioned rodent burrows which are suspected of containing fleas and ticks. Treat for a minimum of 5 days for light rodent populations, 10 days when populations are dense.

USE DIRECTIONS FOR FIRE ANT TREATMENT

IMPORTED FIRE ANT MOUND TREATMENT: DO NOT DISTURB THE MOUND PRIOR TO APPLICATION and DO NOT WATER IN. Evenly apply Eagles-7® Dust to adequately cover each mound and around the perimeter (extending 18" from the outer edge of the mound). A second treatment may be necessary if complete control is not obtained. If possible, treat all colonies in the vicinity. Apply when temperatures are between 65 and 80°F morning and evenings. Allow 3 to 4 days for maximum control. Applications during prolonged hot or dry conditions may be less effective.

[Alternate directions - Evenly sprinkle one tablespoon (approximately ½ oz) of Eagles-7® Dust over the top of each mound. Do not water in or disturb the mound. Apply when temperatures are between 65 and 80°F. Allow 3 to 4 days for maximum control. Do not use food utensils, such as teaspoons or measuring cups for food after use with pesticides.]

STORAGE AND DISPOSAL

Storage: Store product in original container in a cool, dry, locked place out of the reach of children.

Disposal: If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Bacon Products Corporation P.O. Box 22187 Chattanooga, TN 37422-2187