

\$8.95

ACCEPTED
2-10-71
UNDE...
FOR...
3493-13
Comment

APPLY WITH SPREADER
Covers 4,000 square feet on
NEWLY SEEDD LAWNS
Covers 2,000 square feet on
ESTABLISHED LAWNS

asgrow

Purge WITH
TUPERSAN

ACCEPTED
2-10-71
3493-13
UNDER THE FEDERAL REGULATION
FUNGICIDE AND RODENTICIDE ACT
FOR FEDERAL REGISTRATION REGISTERED
ED UNDER NO. *Common*

ACTIVE INGREDIENT:
Siduron (1-(2-methylcyclohexyl)-
3-phenylurea) 4.70 %

INERT INGREDIENTS: 95.30 %
Tuperson - Reg. T. M. of E. I. DuPont De Nemours Co., Inc.
for SIDURON weed killer

USDA Reg. No. 3493 - 13


CAUTION: This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

CAUTION : KEEP OUT OF REACH OF CHILDREN

May irritate EYES, NOSE, THROAT, AND SKIN. Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Avoid contamination of feed, foodstuffs, fishponds and drinking water. Wash thoroughly after handling. FILLspreader on non-turf area to avoid spilling chemical on lawn.

NOTE: Use only on turf areas; do not apply to crops used for feed or food purposes.

MANUFACTURED FOR



Asgrow Mandeville Company

subsidiary of The Upjohn Company

Cambridge, New York 12816

For Pre-emergence control of **CRABGRASS** and certain annual weed grasses in **LAWNS**

ACTIVE INGREDIENT

Siduron (1-(2-methylcyclohexyl)-3-phenylurea) 1.70%

INERT INGREDIENTS 95.30%

Tupersan - Reg. T. M. of E. I. DuPont De Nemours Co., Inc.
for SIDURON weed killer

CAUTION: KEEP OUT OF REACH OF CHILDREN


May irritate EYES, NOSE, THROAT, AND SKIN. Avoid breathing dust. Avoid contact with skin, eyes, and clothing.

Avoid contamination of feed, foodstuffs, fishponds and drinking water. Wash thoroughly after handling.

FILL spreader on non-turf area to avoid spilling chemical on lawn.

NOTE: Use only on turf areas; do not apply to crops used for feed or food purposes.

MANUFACTURED FOR



Asgrow Mandeville Company

subsidiary of The Upjohn Company

Cambridge, New York 12816

DIRECTIONS

Asgrow Purge with Tupersan is recommended for control against Smooth and Hairy Crabgrass, Fox-tail and Barnyardgrass in newly seeded or established plantings of the following grasses only: bluegrass, fescue, redtop, smooth brome, perennial ryegrass, orchardgrass, and the following strains of bentgrass: Penncross, Seaside, Astoria, Nimisila, C-1, C-7, and C-19. Do not use on other bentgrass strains nor on Bermudagrass, as injury to turf may result. The effect of Asgrow Purge with "Tupersan" on golf course greens may vary with turf management practices and environmental conditions: therefore, its use on golf greens is not recommended, as injury to turf may result. Treatment will not control annual bluegrass (*Poa annual*), clover, or most broadleaf weeds.

Application may be made at any stage of turf development, including new seedings. At least ½ inch of water must be provided by rainfall or irrigation within 3 days after treatment in order to carry the chemical into the root zone of germinating weeds.

RATE OF APPLICATION

NEW SPRING SEEDINGS – Use a lawn spreader to apply contents of bag (10 pounds) evenly to 4,000 square feet (40' x 100') as **FINAL OPERATION** following seeding.

ESTABLISHED LAWN and NEW FALL SEEDINGS – Apply in spring just before expected emergence of CRABGRASS. Apply contents of bag (10 pounds) evenly to 2,000 square feet (20' x 100').

HOW TO APPLY – Before application, lawn should be raked to remove extraneous material and insure uniform application. In order to obtain expected results, CRABGRASS PREVENTER should be evenly applied with no skips or misses.

NOTE – DO NOT RAKE LAWN or DISTURB SOIL SURFACE after application.


USE OF FERTILIZER – Use full fertilizer Turf program as usual, either before or after application. This will help grass fill in bare areas resulting from last season's Crabgrass.

APPROXIMATE SPREADER SETTINGS

	Established Lawn 2,000 Sq. Ft.	Newly Seeded Lawn 4,000 Sq. Ft.
ASGROW	6½	5
GREENFIELD	7½	6
SEARS	6½	5½
CYCLONE	6½	5
SCOTTS	7	5½

MANUFACTURED FOR

CAUTION: This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.



Asgrow Mandeville Company

subsidiary of The Upjohn Company

Cambridge, New York 12816

