

## **CAUTION: Keep Out of Reach of Children**

Harmful if swallowed or inhaled. Do not take internally. Avoid breathing dust. Avoid contact with skin. Wash thoroughly after handling. Remove and wash clothing soiled by product with soap and hot water. Avoid contamination of food and feed stuffs. Do not eat or drink from containers. Destroy when empty.

Do not spray on high value crops intended to direct the spray onto the ground surface. Do not spray on fruit trees. Do not spray from vehicles operating at high speeds.

**DOSAGE CAUTION:** Do not use more than one pint of this product per acre. Do not apply more than one quart to the skin of a BROWN DOG. Do not apply more than one quart to the feet and tail of a DOG. Do not apply more than one quart to the head and body of a CAT. Do not apply more than one quart to the head and body of a SMALL DOG.

**TRANSMISSION:** Fleas can be transmitted by BOSTER PUPPY. ACTOPLAR, LEAR-MAX, FLEA-BAT, FLEA-DOPE, LEAR-MAX, PRIM, and other flea products.

**AWARENESS:** Do not spray directly on people or pets. Do not spray near children's play areas. Do not spray near swimming pools. Do not spray near food or feed stuffs. Do not spray near birds. Do not spray near CLOTHING, HAIR, and EYES. Do not spray near the mouth.

**CARA:** Do not use CARA, EARWAX, DUSTKILL, DUSTY, DUSTY DUST, or DUSTY DUST.

**POTATOES, TOMATOES, CUCUMBERS, PEPPERS, CORN:** Apply 1/40 to 1/10 of a quart to control FLEA BEETLES, JAPANESE BEETLES, LEAFHOPPERS, and TURRADO POTATO BEETLES, STINK BUGS, TARNISHED PLANT BUGS, EUROPEAN CORN BORERS, TOMATO FRUIT WORMS, TOMATO HORN WORM, and LACE BUGS.

Consult your state Agriculture Experiment Station for proper timing of treatment for corn.

**ACTIVE INGREDIENT:** Cypermethrin, 1-(methyl-N-ethyl-N-methylcarbamoyl)benzene.

**INERT INGREDIENT:**

• Trade mark of Union Carbide Corp. for Active Ingredient  
EPA No. 3509-83