

SAFE-WAY BRAND TOX O' MAL #45 is a specially formulated, effective combination of toxaphene and malathion. When mixed with water it forms stable spray emulsions for use in the control of certain external insect parasites of livestock by spray application to the animal or as a premise spray.


SUGGESTIONS FOR USE

BEEF CATTLE: Horn Flies, Lice, Ticks—Mix 1 gal. SAFE-WAY BRAND TOX O' MAL #45 with 100 gal. water and apply to animals as a strong spray to penetrate hair to the skin. Make thorough application and repeat as needed. When tail lice are present spray with a mixture of 1/2 gal. of TOX O' MAL to 100 gal. of water. A second application should be made in 2 weeks. If ticks are numerous and active it is well to repeat treatment in 2 weeks. For spinose ear tick, apply spray as a low pressure mist into the ears and to head and neck.

HORSES: Ticks—1 gal. per 100 gal. water. Apply as directed under Cattle. If spraying is objectionable horses may be thoroughly sponged with the spray mixture. Colts under 3 months of age should not be treated.

SHEEP AND GOATS: Ticks—mix 1 gal. in 100 gal. water and apply as a spray thoroughly wetting skin. Repeat as necessary. Lice, Sheep Ticks (Keds)—mix at the rate of 12 oz. to 100 gal. water and make a thorough application. Fleece Worms—apply a spray prepared by mixing 1 gal. SAFE-WAY BRAND TOX O' MAL #45 in 150 gal. water and repeat as necessary. Do not apply to goats producing milk for human consumption.

EPA Est. No. 03509 TX 01



TOX O' MAL #45

WARNING: Keep Out of Reach of Children

SEE RIGHT PANEL FOR ADDITIONAL PRECAUTIONS

ACTIVE INGREDIENTS:

Toxaphene (Technical chlorinated camphene, chlorine content 67-69%)	45.00%
Malathion*	7.50%
Aromatic petroleum distillates	40.00%
INERT INGREDIENTS	7.50%
TOTAL	100.00%

*O-O—dimethyl dithiophosphate of diethyl mercaptosuccinate

BARN AND PREMISE SPRAY: For residual control of Flies, Mosquitoes, Fleas—Thoroughly mix at the rate of 1 gal. to 20 gal. water. Spray outside only barns, stables, sties, and pens. Wet surfaces to point of run-off. Spray cracks and other hiding places as well as sleeping quarters of animals. Treat manure piles, stagnant pools, compost piles, and beneath buildings. Repeat application as necessary. Remove animals, cover feed, utensils and water troughs before spraying. Do not use inside dairy barns or milk rooms.

WARNING

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or clothing. Wash thoroughly with soap and water in case of contact or after using.

Do not reuse container. Destroy when empty.

Avoid treating animals during cold, stormy weather. Avoid treating over heated or sick animals.

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning equipment, or disposal of wastes. Apply this product only as specified on this label.

CAUTION

Avoid contamination of feed and foodstuffs. Do not use on young animals including calves under 3 months of age. Do not use on dairy animals, dairy barns, or forage crops to be fed dairy animals or animals being finished for slaughter. Do not use on beef cattle, sheep or goats within 4 weeks of slaughter. Do not use on household pets or humans.

WARNING—FLAMMABLE: Keep away from heat and open flame. Do not spray into or near fire or open flame.

CONTENTS: 1

XXX

2519 EAST 5th STREET

SAFE-WAY FARM PRODUCTS CO., INC.

AUSTIN, TEXAS 78702