

CONTAINS LINDANE



CAUTION

Harmful if swallowed. May be absorbed through the skin. Avoid breathing of spray mists. Avoid contamination of hands in using. Wash with soap and water after using.

Do not use on Dairy animals. Do not use more than is necessary on any wound. Use extra care in treating wounds on newborn calves, regardless of location of wound, as they are highly susceptible to Lindane. Navels of newborn calves may be treated no more than 3 seconds of spraying in any one day. Do not use in or around eyes. Avoid contamination of feed or foodstuffs.

WARNING—Flammable. Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130 deg. F may cause bursting.

CAUTION: KEEP OUT OF REACH OF CHILDREN
See Side Panel for Additional Cautions



CONTAINS LINDANE



DIRECTIONS FOR SPINOSE EAR TICK: Shake well before using. Hold can upright and spray inner surface of ear thoroughly, allowing some spray to run down deeper into ear. If the ear is bleeding and badly infested with engorged ticks, a more rapid recovery will be effected by first cleaning with an antiseptic solution. A treatment should keep the ear free of ticks for about 30 days. Do not use on very young animals.

TREATMENT OF SCREWWORM INFESTATIONS: Hold can about 3 inches from infested wound and spray over area in and around wound. Repeat treatment every 5 to 7 days as needed. Do not use more than one three-second spray on newborn calves.

EPA Reg. No. 3509-105
EPA Est. No. 03509-TX-01

SCARLET RED

EAR TICK BOMB

SPRAY ANALYSIS

ACTIVE INGREDIENTS	
Gamma Isomer of Benzene Hexachloride (from Lindane)	2.667%
INERT INGREDIENTS	97.333%
	100.0%

NET CONTENTS: 15 OZ.

ACCEPTED

AUG 21 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under

EPA Reg. No. 3509-105

2519 EAST 5th STREET

SAFE-WAY FARM PRODUCTS CO., INC.

AUSTIN, TEXAS 78702

CONTAINS LINDANE



CAUTION

Harmful if swallowed. May be absorbed through the skin. Avoid breathing of spray mists. Avoid contamination of hands in using. Wash with soap and water after using.

Do not use on Dairy animals. Do not use more than is necessary on any wound. Use extra care in treating wounds on newborn calves, regardless of location of wound, as they are highly susceptible to Lindane. Navels of newborn calves may be treated no more than 3 seconds of spraying in any one day. Do not use in or around eyes. Avoid contamination of feed or foodstuffs.

WARNING—Flammable. Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130 deg. F may cause bursting.

CAUTION: KEEP OUT OF REACH OF CHILDREN
See Side Panel for Additional Cautions



CONTAINS LINDANE



DIRECTIONS FOR SPINOSE EAR TICK: Shake well before using. Hold can upright and spray inner surface of ear thoroughly, allowing some spray to run down deeper into ear. If the ear is bleeding and badly infested with engorged ticks, a more rapid recovery will be effected by first cleaning with an antiseptic solution. A treatment should keep the ear free of ticks for about 30 days. Do not use on very young animals.

TREATMENT OF SCREWORM INFESTATIONS: Hold can about 3 inches from infested wound and spray over area in and around wound. Repeat treatment every 5 to 7 days as needed. Do not use more than one three-second spray on newborn calves.

SCARLET RED

EAR TICK BOMB

SPRAY ANALYSIS

ACTIVE INGREDIENTS	
Gamma Isomer of Benzene Hexachloride (from Lindane)	2.667%
INERT INGREDIENTS	97.333%
	100.0%

NET CONTENTS: 15 OZ.

EPA Reg. No. 3509-105
EPA Est. No. 03509-TX-01

ACCEPTED

AUG 21 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3509-105

2519 EAST 5th STREET

SAFE-WAY FARM PRODUCTS CO., INC.

AUSTIN, TEXAS 78702