NOV 2 4 1987

Luseaux Laboratories, Inc. 16816 South Gramercy Place Gardena, CA 90247

Attention: W.B. Edwards

Gentleren:

Subject: SQ-550

EPA Registration No. 3522-14

Your Application Dated November 7, 1986

The amendment referred to above, submitted in connection with the Label Improvement Program Notice for Antimicrobial Products Used a Food Contact Surface Sanitizers, is acceptable provided that you:

- Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.
 - On the front panel, the street address of your company must be shown.
 - b. On the side panel, delete the term "General Classification."
- 2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

John H. Lee Product Manager (31)

Disinfectants Branch

Registration Division (TS-767C)

Enclosure

16763:I:Lee:L-8:KENCO:10/20/87:10/29/87:CB:VO:BM:aw

CONCURRENCES

SURNAME

DATE

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY

ACCEPTED with COMMENTS for PEAUL data to be

NOV 2 4 1987

This is a first of the stake, I contain the North and Scientical Court of amounted, for the posterior resistered under EPA Reg. No.

LUSEAU

DANGER: KEEP OUT OF REACH OF CHILDREN.

CORROSIVE—Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

IMPORTANT NOTICE: THIS PRODUCE FULFILLS THE CRITERIA OF APPENDIX F OF THE GRADE "A" PASTEURIZED MILK ORDINANCE, 1965 RECOMMENDATIONS OF THE U.S. PUBLIC HEALTH SERVICE IN WATERS UP TO 550 PPM (32 GRAINS PER GALLON) OF HARDNESS CALCULATED AS CaCO, WHEN TESTED BY THE A.O.A.C. GERMICIDAL AND DETERGENT SANITIZER — OFFICIAL METHOD.

DISPOSAL:

Do not re-use empty container. Rinse empty container thoroughly with water, wrap and put in trash.

SQ-5

ACTIVE INGREDIENTS:

alkyl (C₁₄ — 50%, C₁₂ — 40%, C₁₆ — 1 dimethyl benzyl ammonium chloride INERT INGREDIENTS

A HARD WATER QUATERN
DEODORANT R

DANGER: KEEP OUT OF REACH
See FIRST AID and additional preca
Do not use in conjunction with so

EPA EST. 3522 CA-1

LUSEAUX (Pronounced) LABO AREA CODE

AREA CODE TELEPHONES: 321-0562 GARDENA, CALIF

NET CONTENTS: O!

DIRECTIONS)
Is a violation of Federal law to use this product in a manner inconsisterit with its obeling.

FOR SANITIZING AND DECOODEIZING IN TARS AND RESTAURANTS of eating, djinking of both by the sanitized of eating, djinking of both by the sanitized of the parties of the par

FOR SANITIZING AND DEODORIZING OF DAIRY AND MILK PROCESSING EQUIP-MENT, clean and rinse thoroughly, then immerse for 2 minutes in a solution made with one ounce of this product in 4 gallons of water (approx. 200 PPM). Air dry. FOR SANITIZING AND DEODORIZING OF EQUIPMENT IN FOOD AND MEAT PRO-CESSING PLANTS, clean and rinse thoroughly. Then scrub with a solution of one ounce in 3 gallons of water (approx. 250 PPM). Flush squipment with clear water before reusing.

FOR INANIMATE OBJECTS in hospitals including floors, urinals, lavatories, hoppers and the operating room, add one conce to one gallon of water and apply freely over surfaces to be treated after cleaning.

FOR MOLD CONTROL OF WALLS AND CEILINGS IN FOOD PLANTS, clean thoroughly, rinse; then spray surfaces until moist or sponge with a solution containing one ounce of this product per gollon of water. Repeat as necessary to maintain control.

BARBER SHOP AND BEAUTY PARLOR EQUIPMENT: Brushes, combs and applicators should first be washed in a good quality laundry or dishwashing detergent and then thoroughly rinsed to remove all make-up and detergent. Sook brushes, combs and applicators for 10 minutes in a solution of 2 ounces to 1 gallon of water. Do not leave items soaking langer than 30 minutes as damage to brushes and other items could result. Rinse each item thoroughly in clear water and air dry before storing for re-use.

FOR ACCEPTED PROCEDURE PERTAINING TO WARES PASSING FROM WASH SOLUTIONS INTO SANITIZING SOLUTIONS, AND FOR IMMERSION TIME IN SANITIZING SOLUTION, CONSULT YOUR LOCAL HEALTH DEPARTMENT.

TABLE OF PORTIONS FOR THIS PRODUCT — 1 oz. of Product Equivalent to Approx. 2 Tablespoonfuls to 4 gals. water provides approx. 200 PPM

DIRECTIONS FOR USE GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

FOR SANITIZING AND DEODORIZING IN BARS AND RESTAURANTS OF Glasses, Tableware and Cooking Ware. Remove gross food particles and soil by pre-flush, or pre-scrape and, when necessary, pre-soak treatment. Then wash wares with a good detergent followed by a potable water rinse before sanitizing. Immerse wares in the sanitizing rinse for 1 minute then drain solution from wares and air dry. Prepare sanitizing solution by adding 1 oz. of SQ-550 to 4 gallons of water. This will provide 200 ppm of active ingredient. Prepare new solution daily or more often if solution becomes diluted or soiled. Do not use in conjunction with soap or anionic detergent.

With CEPTED with CEPTED is The Late Control of the Late Control of

NOV 24 1987

Picker the period of the Purgender and it in the period in the period in registered under EPA Rice No. 2522