

UTILITY CHEMICAL COMPANY

Paterson, N.J.

Reg. No. 3525-E

FRONT PANEL

Net wt. 8 $\frac{1}{4}$ lbs.

UTIKEM

CHLORO-PURE

CHLORINE SANITIZER

COMPLETELY SOLUBLE

DISSOLVES INSTANTLY

HIGHLY EFFECTIVE BACTERICIDE
AND DISINFECTANT

ELIMINATES DISADVANTAGES
FOUND IN OTHER POOL SANITIZERS

14 POINT → WARNING: POISON
KEEP OUT OF CHILDREN'S REACH / 10 POINT
(see side panels for further warnings)

UTILITY CHEMICAL COMPANY

Paterson, N.J.

Req. No. 3525-E

SIDE PANEL

DIRECTIONS

Initial Treatment

1. Check pH of pool with UTIKEM TEST KIT. Adjust pH if needed with UTIKEM ALKAMIN or ALKAPLUS.
2. Add 1 oz. of UTIKEM CHLORO-PURE for every 500 gallons of pool water.
3. Add UTIKEM CHLORINE STABILIZER using 1/2 lbs. for every 5000 gal. of water. Add UTIKEM POOL STABILIZER after chlorine residual has been checked with UTIKEM TEST KIT.
There is no need to add UTIKEM CHLORINE WATER STABILIZER after initial treatment.

HOW TO MAINTAIN PROPER CHLORINE LEVEL

Chlorine level should be maintained at 0.6 to 1.0 P.P.M. (parts per million of available chlorine as determined by test kit). After initial treatment (see above), add 2 1/2 oz. per 5000 gal. of water as needed. Daily checking with your UTIKEM TEST KIT will advise you of the need for adding UTIKEM CHLORO-PURE. Maintain proper pH of 7.2-7.6 for optimum results. In hot water or where many people use the pool, it may be necessary to increase the quantities used.

UTILITY CHEMICAL
COMPANY
Paterson, N.J.

ask your dealer about
the other UTIKEM
quality pool care
products.

ACCEPTED

UTILITY CHEMICAL COMPANY

Paterson, N. J.

Reg. No. 3525-E

SIDE PANEL

HOW TO STORE AND HANDLE

UTIKEM CHLORO-PURE

Store in cool, dry place. Keep away from organic and combustible materials, acid and heat. Keep container tightly closed.

do not mix with other pool chemicals or with other materials.

Do not handle with hands. Wash hands thoroughly with water after use.

Do not get in eyes.

if spilled, hose down thoroughly. Never dispose of material by throwing into refuse bins.

14 POINT

WARNING: May be fatal or harmful if swallowed. May produce chemical burns. Do not get in eyes or on skin. In case of eye or skin contact flush with plenty of water. If irritation persists, get medical attention.

ANTIDOTES

INTERNAL: Wash thoroughly with water.

EYES: Flush thoroughly with water at least 15 minutes. CALL PHYSICIAN.

INTERNAL: Drink mucilage, raw egg white, milk or rice gruel. Follow with emetic (tablespoon of mustard in glass of warm water). CALL PHYSICIAN.

Active Ingredients

Lithium Hypochlorite..... 29.4
Inert Ingredients 71.6

Jan. 21, 1968

8:00 AM - 3:00 PM

Comments