

3

ACCEPTED
3525-38
MAY 29 1978
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND REPLICIDE ACT
EPA PESTICIDE POISON REGISTER
EPA UNDER NO.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS


DANGER: Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

PRACTICAL TREATMENT (FIRST AID): If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention as soon as possible. Remove and wash contaminated clothing before reuse.

CHEMICAL HAZARDS: Strong oxidizing agent. Do not use moist or damp utensils. Contamination with moisture, dirt, organic matter, or other chemicals, or any other foreign matter, may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, ponds, or public waters. Permits may be required for discharges containing this pesticide into public waters. For guidance contact the regional office of the Environmental Protection Agency.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition isolate container in open area if possible and flood with large amounts of water. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection.



Utikem
CLOR-BUOY
DISPOSABLE

**UNIVERSAL
REPLACEMENT CARTRIDGE**

FOR USE WITH AUTOMATIC FLOW THRU
CHLORINE FEEDERS AND FLOATER CHLORINATORS

- CONTROLS BACTERIA IN SWIMMING POOLS
- SELF-CONTAINED - NO HANDLING OF CHEMICALS
- PRE-MEASURED CHLORINATING TABLETS

Active Ingredients:	
Trichloro-s-triazinetriene	99.3%
Inert Ingredients:	0.7%
Available Chlorine	10.0%
E.P.A. Reg. No. 3525-38	E.P.A. Est. No. 3525-NJ-1

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE OTHER PRECAUTIONS AND PRACTICAL TREATMENT (FIRST AID)
ON BACK PANEL.

Net Wt. 4 lb. (164 oz / 11.82 kg)

UTILITY CHEMICAL COMPANY / Main Offices: PATERSON, N.J. 07524

ASK FOR THE OTHER **Utikem** POOL AND SAUNA CHEMICALS

43

3

ACCEPTED
3525-38
MAY 29 1979
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND HERBICIDE ACT
 FEDERAL ECONOMIC POISON REGISTER
 ED UNDER NO.

Utikem
 CLOR-BUOY
 DISPOSABLE

**UNIVERSAL
 REPLACEMENT CARTRIDGE**

FOR USE WITH AUTOMATIC FLOW THRU
 CHLORINE FEEDERS AND FLOATER CHLORINATORS

- CONTROLS BACTERIA IN SWIMMING POOLS
- SELF-CONTAINED - NO HANDLING OF CHEMICALS
- PRE-MEASURED CHLORINATING TABLETS

Active Ingredients:
 Trichloro-s-triazinetrione 99.2%
 Inert Ingredients: 0.8%
 Available Chlorine 10.0%
 E.P.A. Reg. No. 3525-38 87.3%
 E.P.A. Est. No. 3525-NJ-1

**KEEP OUT OF REACH OF CHILDREN
 DANGER**

SEE OTHER PRECAUTIONS AND PRACTICAL TREATMENT (FIRST AID)
 ON BACK PANEL.

Net Wt. 4 lb. (64 oz.) (1.82 kg)

UTILITY CHEMICAL COMPANY / Main Offices: PATERSON, N.J. 07624
 ASK FOR THE OTHER **Utikem** POOL AND SAUNA CHEMICALS

48

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

The **UTIKEM CLOR-BUOY DISPOSABLE UNIVERSAL REPLACEMENT CARTRIDGE** will fit:
 EZ CHLOR FEEDERS, GUARDEX T300 & T400 FEEDERS, TABEX AQUARIAN FEEDERS,
 SYLVAN SKIMMER FEEDERS, ANTHO-PURE T100 FEEDERS, GUARDEX, OTHER FLOAT
 RINGS AND MANY OTHER FEEDERS.

1. Check pH of pool water with a suitable test kit and adjust pH to 7.2-7.6 with pH control chemicals.
 2. Add **UTIKEM CHLORINE STABILIZER** or equivalent product containing Cyanuric Acid (Trihydroxy-s-triazine) at the rate of 1 lb. per 5000 gallons of water if pool has not been stabilized previously.
 3. For newly filled pools or pool water with no chlorine residual, add **UTIKEM SHOCK TREATMENT** or equivalent product following directions on the label. Check chlorine residual. If chlorine residual level is below 0.7 ppm add additional **UTIKEM SHOCK TREATMENT** until test kit indicates at least 0.7 ppm residual chlorine.
 • The **UTIKEM CLOR-BUOY UNIVERSAL REPLACEMENT CARTRIDGE** is designed to be used in automatic chlorinators, floating dispensers, and other types of flow thru proportioning devices.
 • Follow the directions of the manufacturer of this equipment to insure a constant treatment level of 1.0-1.5 ppm residual chlorine as determined by a suitable test kit. Do not use pool if chlorine residual is above 2.0 ppm.
 4. Punch out holes on the sides of the cartridge starting with row "1" on the bottom and adding additional holes until satisfactory chlorine residual level is reached. The more holes that are open, the higher will be the chlorine residual level.
 5. In certain pools, the cartridge may be placed in the skimmer and screwed into skimmer cover.
 6. It is recommended that the pH and chlorine residual be tested daily with a suitable test kit. Maintain pH between 7.2-7.6 and adjust when necessary.
 7. When cartridge is empty, replace immediately. Do not re-use empty container.
- FOR USE IN CHLORINATORS, SKIMMERS OR IN A FLOATING RING ONLY.**
 DO NOT REMOVE TABLETS OR REFILL WHEN EMPTY. IF PRODUCT IS USED IN SKIMMER, DO NOT ADD ANY OTHER CHEMICALS TO SKIMMER. DO NOT MIX WITH OTHER POOL CHEMICALS.