

PM 32 3525-38 1044

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	3525-38	SEP 20 1974
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input checked="" type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	
UNIVERSAL REPLACEMENT CARTRIDGE		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
QUALCO, INC. 225 Passaic Street Passaic, NJ 07055		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
Based on your response to the Reregistration Eligibility Document, EPA has reregistered the above named product subject to the comments recorded in the succeeding paragraph. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.		
Make the following labeling changes before you release the product for shipment:		
1. Refer to the enclosed Attachment A for the necessary revisions to the Precautionary Statements for the subject product.		
2. Revise the Environmental Hazards statement to read: " This pesticide is toxic to fish and other aquatic organism. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		

2074

unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluents containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. "

A stamped copy of the product label is enclosed for your records.

Submit one copy of the final printed labeling before releasing the product in channels of trade with the revised labeling.

) If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Ruth G. Douglas




Product Manager (32)
Antimicrobial Program Branch
Registration Division (7504C)

PHYSICAL AND CHEMICAL HAZARDS
STRONG OXIDIZING AGENT. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire and explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of fire and explosion. In case of contamination or decomposition, do not reseal container. Isolate container, if possible, in open air or well ventilated area. Flood with large volumes of water to dissolve all materials before discarding this container.

ENVIRONMENTAL HAZARDS
 This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the E.P.A.

STORAGE AND DISPOSAL
 Keep this product dry in tightly closed container when not in use. Store in cool, dry, well ventilated area away from heat and open flame. In case of decomposition, do not reseal container. Isolate container, if possible, in open air or well ventilated area. Flood with large volumes of water to dissolve all material before discarding container. Do not reuse empty container, but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinseate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest E.P.A. Regional Office for guidance.
 E.P.A. Reg. No. 3525-38
 E.P.A. Est. No. 3525-NJ-1

44551
 S44551



ACCEPTED
 with COE AGREEMENTS
 in EPA Letter Dated:

SEP 19 1994

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act as
 amended, for the pesticide
 registered under EPA Reg. No.
 3525-38

UTIKEM

UNIVERSAL REPLACEMENT CAL


Containing
**Slow Dissolving
 Chlorinating
 Tablets**

For Use With Automatic Flow-Thru Chlorinators
 Feeders or Floater Chlorinators

ACTIVE INGREDIENT:
 Trichloro-s-triazinetriene.....
 INERT INGREDIENTS.....
 Available Chlorine.....

TOTAL

KEEP OUT OF REACH OF CHILDREN
DANGER STATEMENT OF PRACTICAL TREATMENT
FIRST AID: IF ON SKIN, brush off excess chemicals and flush with water for at least 15 minutes. If irritation persists, get Medical Attention.
INHALED, remove person to fresh air. Get immediate medical attention.
EYES, flush with cold water for at least 15 minutes. Get immediate medical attention.
IF SWALLOWED, promptly drink large quantities of water. DO NOT vomit. Call a physician immediately. See back panel for additional information.



Net Weight: 4 lbs. (1.814 kg)

BEST AVAILABLE

The Universal Replacement Cartridge controls the growth of bacteria and algae in swimming pools. It consistently releases a pre-measured dose to eliminate the need for measuring and handling chemicals. The Utikem Universal Replacement Cartridge will fit E-Z Chlor Feeders, Guardex T300 & T400 Feeders, Tabex Aquarian Feeders, Sylvan Skimmer Feeders, Antho-Pure T100 Feeders, Guardex, most float rings and more.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Reentry into treated swimming pools/spas is prohibited above levels of 3.0 ppm.

1. Check the pH of the pool water with a test kit and adjust as necessary to maintain a pH range of 7.2 to 7.6.
2. Add Utikem Chlorine Stabilizer and Water Conditioner or an equivalent product containing Cyanuric Acid, if the pool water has not been stabilized previously.
3. Superchlorinate newly filled pools or pools with no chlorine residual with Utikem One Shot Shock Treatment, following all label directions. NOTE: Do not enter pool until the chlorine residual has dropped to 2.0 ppm (parts per million).
4. Punch out holes marked "1" and "2" on the sides of this cartridge. Then punch out additional holes until a satisfactory chlorine residual is reached. As more holes are punched, the chlorine residual will rise.
5. It is recommended that the pH and chlorine levels be checked daily with a test kit to maintain a pH level of 7.2 to 7.6 and a chlorine residual of 1.0 to 1.5 ppm.
6. When cartridge is empty, replace it immediately.

The Utikem Universal Replacement Cartridge is designed to be used in automatic chlorinators, floating dispensers and other types of flow thru proportioning devices. In certain pools, the cartridge may be placed in the skimmer and screwed into the skimmer cover. Follow the equipment manufacturers directions to insure a constant chlorine residual of 1.0 to 2.0 ppm. **IMPORTANT:** Do not remove tablets from cartridge or refill when empty. If the cartridge is placed in the skimmer, do not add other chemicals to the skimmer. Do not mix this product with other chemicals.

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals
DANGER: Keep Out Of Reach Of Children. Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Do not handle with bare hands. While handling, wear goggles or face shield and rubber gloves and use only thoroughly clean, dry utensils. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

Manufactured by: **QUALCO, INC.** Made & Printed in U.S.A.

QUALCO, INC.
225 Passaic Street
Passaic, NJ 07055

BEST AVAILABLE COPY