

UTILITY CHEMICAL COMPANY

Utikem[®] STABILIZED chlorine powder CONCENTRATE

**DESTROYS AND CONTROLS,
BACTERIA AND ALGAE IN SWIMMING POOLS**

**COMPLETELY SOLUBLE SWIMMING
POOL WATER SANITIZER AND DISINFECTANT**

Active Ingredients:	
Sodium dichloro-s-triazinetriene	57%
Sodium Carbonate	43%
Total Ingredients	100%
Available Chlorine 35%	

E.P.A. Reg. No. 3525-40

Net Wt. 2 lbs. (12 oz.) (44 oz.)

WARNING: KEEP OUT OF REACH OF CHILDREN
(See side panel for further warnings)

ACCEPTED

Apr 1 1970

UNDER FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC INSECTICIDE REGISTERED
UNDER NO. 3525-40

Comment

DIRECTIONS:

1. Stabilize pool with CHLORINE STABILIZER by adding 1 lb. for each 5000 gal. of water. This stabilizes and prolongs chlorine residual, cuts down on chlorine loss due to sunlight, heat, etc., and saves money.
2. The filter system should be backwashed and/or properly cleaned, and the pool water pH adjusted to between 7.4 and 7.8.
3. Use 3 1/2 ounces of POWDER CONCENTRATE per 5000 gallons of water as an initial treatment. Add directly to pool water or through skimmer. Repeat as required to establish a residual of 1.0 to 2.0 ppm of available chlorine as determined by test kit. The regular use of a test kit will aid in determining when it is necessary to add more chlorine to maintain a residual of 1.0 to 2.0 ppm of available chlorine. Use approximately 2 ounces per 5000 gallons of water daily. Before entering pool, check the chlorine residual with a pool test kit. If chlorine is above 2.0 ppm, allow pool to stand until residual drops below 2.0 ppm.

WARNING: KEEP OUT OF REACH OF CHILDREN. MAY BE FATAL IF SWALLOWED. STRONG OXIDIZING MATERIAL. CAUSES SEVERE EYE IRRITATION. MAY CAUSE BURNS TO BROKEN SKIN. AVOID CONTACT WITH SKIN, EYES OR CLOTHING. IN CASE OF CONTACT, IMMEDIATELY FLUSH SKIN OR EYES WITH COLD WATER FOR AT LEAST 15 MINUTES. FOR EYES, GET MEDICAL ATTENTION. AVOID BREATHING DUST. CONTACT WITH ORGANIC MATTER MAY CAUSE FIRE. MOISTURE CONTAMINATION MAY LIBERATE IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. KEEP AWAY FROM OPEN FLAMES. KEEP CONTAINER CLOSED AND IN A COOL DRY PLACE WHEN NOT IN USE. RINSE CONTAINER THOROUGHLY WHEN DISCARDING. DO NOT RE-USE.

IMPORTANT: NEVER MIX POOL CHEMICALS TOGETHER. ALWAYS ADD THEM TO THE POOL SEPARATELY.

ANTIDOTE:

EXTERNAL: For skin and eyes, immediately flood with large amounts of water.
INTERNAL: Take large amounts of milk, followed by olive oil or cooking oil.

CALL A PHYSICIAN

UTILITY CHEMICAL COMPANY

Paterson, N. J. 07524

ACCEPTED WITH COMMENTS

BEST DOCUMENT AVAILABLE

ACCEPTED

Apr. 1, 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO 3525-10

Comment

DIRECTIONS:

1. Stabilize pool with CHLORINE STABILIZER by adding 1 lb. for each 5000 gallons of water. This stabilizes and prolongs chlorine residual, cuts down on chlorine loss due to sunlight, heat, etc., and saves money.
2. The filter system should be backwashed and/or properly cleaned, and the pool water pH adjusted to between 7.4 and 7.8.
3. Use 3½ ounces of POWDER CONCENTRATE per 5000 gallons of water as an initial treatment. Add directly to pool water or through skimmer. Repeat as required to establish a residual of 1.0 to 2.0 ppm of available chlorine as determined by test kit. The regular use of a test kit will aid in determining when it is necessary to add more chlorine to maintain a residual of 1.0 to 2.0 ppm of available chlorine. Use approximately 2 ounces per 5000 gallons of water daily. Before entering pool, check the chlorine residual with a pool test kit. If chlorine is above 2.0 ppm, allow pool to stand until residual drops below 2.0 ppm.

WARNING: KEEP OUT OF REACH OF CHILDREN. MAY BE FATAL IF SWALLOWED. STRONG OXIDIZING MATERIAL. CAUSES SEVERE EYE IRRITATION. MAY CAUSE BURNS TO BROKEN SKIN. AVOID CONTACT WITH SKIN, EYES OR CLOTHING. IN CASE OF CONTACT, IMMEDIATELY FLUSH SKIN OR EYES WITH COLD WATER FOR AT LEAST 15 MINUTES. FOR EYES, GET MEDICAL ATTENTION. AVOID BREATHING DUST. CONTACT WITH ORGANIC MATTER MAY CAUSE FIRE. MOISTURE CONTAINMENT MAY LIBERATE IRRITATING AND HAZARDOUS CHLORINE-CONTAINING GASES. KEEP AWAY FROM OPEN FLAMES. KEEP CONTAINER CLOSED AND IN A COOL DRY PLACE WHEN NOT IN USE. RINSE CONTAINER THOROUGHLY WHEN DISCARDING. DO NOT RE-USE.

IMPORTANT: NEVER MIX POOL CHEMICALS TOGETHER. ALWAYS ADD THEM TO THE POOL SEPARATELY.

ANTIDOTE:

EXTERNAL: For skin and eyes, immediately flood with large amounts of water.
INTERNAL: Take large amounts of milk, followed by olive oil or cooking oil.

CALL A PHYSICIAN

UTILITY CHEMICAL COMPANY Paterson, N. J. 07524

UTILITY CHEMICAL COMPANY

Utikem® chlorine powder CONCENTRATE

STABILIZED

DESTROYS AND CONTROLS
BACTERIA AND ALGAE IN SWIMMING POOLS

COMPLETELY SOLUBLE SWIMMING
POOL WATER SANITIZER AND DISINFECTANT

Active Ingredients:

Sodium dichloro-s-triazinetriane	57%
Sodium Carbonate	43%
Total Ingredients	100%

Available Chlorine - 35%

E.P.A. Reg. No. 3525-40

Net Wt. 2 lbs. (12 oz.) (44 oz.)

WARNING: KEEP OUT OF REACH OF CHILDREN

(See side panel for further warnings)

14