

UTIKEM

CHLORINATING
POWDER
CONCENTRATE

STABILIZED FOR EXTENDED CHLORINE LIFE
COMPLETELY SOLUBLE

ACTIVE INGREDIENT:

*Sodium dichloro-s-triazinetrione.....	57%
INERT INGREDIENTS.....	43%
Total	<u>100%</u>

*Available Chlorine 35%


E.P.A. Reg. No. 3525-40

E.P.A. Est. No. 4829-NJ-1

KEEP OUT OF REACH OF CHILDREN
DANGER

See statement of practical treatment and additional precautions
on side panel.

NET WEIGHT: 20 lbs. (9.09 kg)



Not Reviewed. Registrant claims to be in accordance with
a registration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ONE OUNCE WILL PROVIDE APPROXIMATELY 0.25 ppm OF AVAILABLE CHLORINE IN 10,000 GALLONS OF WATER.

START UP:

1. Adjust pH of pool water to 7.2 to 7.6 range with Utikem pH control chemicals.
2. To a clean pool which is free of visible algae, add approximately 5 oz. for every 10,000 gallons of water.
3. Test water for chlorine residual using a Utikem Test Kit.
4. If chlorine residual is below 1.0-1.5 ppm, repeat treatment until proper level is reached.
5. If your pool has not been stabilized previously, add Utikem Chlorine Stabilizer & Water Conditioner (Cyanuric Acid) according to label directions.

REGULAR CARE:

1. After start up, add approximately 5 oz. of Utikem Chlorinating Powder Concentrate for every 10,000 gallons of water every other day or as needed to maintain a chlorine residual of 1.0-1.5 ppm as determined by your test kit.
2. Check pool water daily with your Utikem Test Kit and maintain a chlorine residual of 1.0-1.5 ppm and a pH of 7.2-7.6. Adjust pH if necessary using Utikem pH control chemicals.
3. During extremely hot weather and/or heavy bathing loads, additional treatment may be required.

ADD UTIKEM CHLORINATING POWDER CONCENTRATE DIRECTLY TO POOL WATER.


NEVER MIX POOL CHEMICALS TOGETHER! ALWAYS ADD THEM SEPARATELY!

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

FIRST AID: If swallowed, feed bread soaked in milk, followed by olive oil or cooking oil. Call a physician immediately. If on skin, brush off excess chemical and flush skin with cold water for at least 15 minutes, get medical attention. If in eyes, flush with cold water for at least 15 minutes. Get medical attention.



PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction, with generation of heat. liberation of hazardous gases, and possible generation of fire and explosion. In acse of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water if necessary.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waters, unless in accordance with an NPDES permit. For guidance, contact the regional office of the Environmental Protection Agency.

STORAGE AND DISPOSAL

Keep product dry in a tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat and open flame. In case of decomposition, isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Do not reuse empty container. Wrap container and put in trash collection or dispose of in approved landfill area, or bury in a safe place.
DO NOT REUSE EMPTY CONTAINER.

Manufactured for:

UTIKEM PRODUCTS
Division of Qualco, Inc.
225 Passaic Street
Passaic, NJ 07055

